

# Package: wehoop (via r-universe)

October 31, 2024

**Title** Access Women's Basketball Play by Play Data

**Version** 2.1.0

**Description** A utility for working with women's basketball data. A scraping and aggregating interface for the WNBA Stats API <<https://stats.wnba.com/>> and ESPN's <<https://www.espn.com>> women's college basketball and WNBA statistics. It provides users with the capability to access the game play-by-plays, box scores, standings and results to analyze the data for themselves.

**License** MIT + file LICENSE

**LazyData** true

**URL** <https://wehoop.sportsdataverse.org>,  
<https://github.com/sportsdataverse/wehoop>

**BugReports** <https://github.com/sportsdataverse/wehoop/issues>

**Encoding** UTF-8

**Depends** R (>= 4.0.0)

**Imports** cli (>= 3.0.0), data.table (>= 1.14.0), dplyr, glue, janitor, jsonlite, lubridate, magrittr, purrr (>= 0.3.0), progressr (>= 0.6.0), Rcpp (>= 1.0.7), RcppParallel (>= 5.1.4), rlang (>= 0.4.0), rvest (>= 1.0.0), stringr (>= 1.3.0), tidyr (>= 1.2.0), usethis (>= 1.6.0)

**Suggests** crayon (>= 1.3.4), curl, DBI, ggplot2, ggrepel, httr (>= 0.5), knitr, lifecycle (>= 1.0.0), rmarkdown, RSQLite, stats, stringi, testthat, tibble (>= 3.0), tictoc, xml2 (>= 1.3)

**RoxygenNote** 7.2.3

**Roxygen** list(markdown = TRUE)

**Config/testthat/edition** 3

**Repository** <https://sportsdataverse.r-universe.dev>

**RemoteUrl** <https://github.com/sportsdataverse/wehoop>

**RemoteRef** HEAD

**RemoteSha** 4fc1ac8b55ec4e1b087b5059608263d631dea5e2

## Contents

.players_on_court . . . . .	5
check_status . . . . .	6
csv_from_url . . . . .	6
espn_wbb_conferences . . . . .	6
espn_wbb_game_all . . . . .	7
espn_wbb_game_rosters . . . . .	12
espn_wbb_pbp . . . . .	14
espn_wbb_player_box . . . . .	16
espn_wbb_player_stats . . . . .	18
espn_wbb_rankings . . . . .	21
espn_wbb_scoreboard . . . . .	23
espn_wbb_standings . . . . .	24
espn_wbb_teams . . . . .	26
espn_wbb_team_box . . . . .	27
espn_wbb_team_stats . . . . .	29
espn_wnba_game_all . . . . .	32
espn_wnba_game_rosters . . . . .	37
espn_wnba_pbp . . . . .	39
espn_wnba_player_box . . . . .	41
espn_wnba_player_stats . . . . .	43
espn_wnba_scoreboard . . . . .	47
espn_wnba_standings . . . . .	48
espn_wnba_teams . . . . .	50
espn_wnba_team_box . . . . .	51
espn_wnba_team_stats . . . . .	53
helper_espn_wbb_pbp . . . . .	56
helper_espn_wbb_player_box . . . . .	56
helper_espn_wbb_team_box . . . . .	57
helper_espn_wnba_pbp . . . . .	57
helper_espn_wnba_player_box . . . . .	58
helper_espn_wnba_team_box . . . . .	58
load_wbb_pbp . . . . .	59
load_wbb_player_box . . . . .	61
load_wbb_schedule . . . . .	62
load_wbb_team_box . . . . .	63
load_wnba_pbp . . . . .	64
load_wnba_player_box . . . . .	66
load_wnba_schedule . . . . .	67
load_wnba_team_box . . . . .	67
most_recent_wbb_season . . . . .	68
most_recent_wnba_season . . . . .	69
ncaa_wbb_NET_rankings . . . . .	69
ncaa_wbb_teams . . . . .	70
progressively . . . . .	71
rds_from_url . . . . .	71
update_wbb_db . . . . .	72

update_wnba_db . . . . .	73
wnba_alltimeleadersgrids . . . . .	74
wnba_assistleaders . . . . .	79
wnba_assisttracker . . . . .	80
wnba_boxscoreadvancedv2 . . . . .	81
wnba_boxscoreadvancedv3 . . . . .	84
wnba_boxscorefourfactorsv2 . . . . .	88
wnba_boxscorefourfactorsv3 . . . . .	90
wnba_boxscorehustlev2 . . . . .	93
wnba_boxscoremiscv2 . . . . .	97
wnba_boxscoremiscv3 . . . . .	99
wnba_boxscoreplayertrackv2 . . . . .	102
wnba_boxscoreplayertrackv3 . . . . .	105
wnba_boxscorescoringv2 . . . . .	109
wnba_boxscorescoringv3 . . . . .	111
wnba_boxscoresummaryv2 . . . . .	115
wnba_boxscoretraditionalv2 . . . . .	119
wnba_boxscoretraditionalv3 . . . . .	122
wnba_boxscoreusagev2 . . . . .	128
wnba_commonallplayers . . . . .	131
wnba_commonplayerinfo . . . . .	132
wnba_commonplayoffseries . . . . .	134
wnba_commonteamroster . . . . .	135
wnba_cumestatsplayer . . . . .	137
wnba_cumestatsplayergames . . . . .	139
wnba_cumestatsteam . . . . .	141
wnba_cumestatsteamgames . . . . .	144
wnba_data_pbp . . . . .	145
wnba_draftboard . . . . .	147
wnba_draftcombinedrillresults . . . . .	149
wnba_draftcombineonstationaryshooting . . . . .	150
wnba_draftcombineplayeranthro . . . . .	151
wnba_draftcombinespotshooting . . . . .	152
wnba_draftcombinestats . . . . .	153
wnba_drafthistory . . . . .	155
wnba_fantasywidget . . . . .	156
wnba_franchisehistory . . . . .	158
wnba_franchiseleaders . . . . .	160
wnba_franchiseleaderswrank . . . . .	161
wnba_franchiseplayers . . . . .	163
wnba_gamerotation . . . . .	165
wnba_homepagewidget . . . . .	167
wnba_hustlestatsboxscore . . . . .	177
wnba_infographicfanduelplayer . . . . .	179
wnba_leaguedashlineups . . . . .	181
wnba_leaguedashplayerbiostats . . . . .	184
wnba_leaguedashplayerclutch . . . . .	188
wnba_leaguedashplayershotlocations . . . . .	192

wnba_leaguedashplayerstats . . . . .	196
wnba_leaguedashteamclutch . . . . .	200
wnba_leaguedashteamshotlocations . . . . .	204
wnba_leaguedashteamstats . . . . .	207
wnba_leaguegamefinder . . . . .	210
wnba_leaguegamealog . . . . .	216
wnba_leaguehustlestatsplayer . . . . .	218
wnba_leaguehustlestatsplayerleaders . . . . .	221
wnba_leaguehustlestatsteam . . . . .	224
wnba_leaguehustlestatsteamleaders . . . . .	227
wnba_leagueleaders . . . . .	230
wnba_leaguelineupviz . . . . .	232
wnba_leagueplayerondetails . . . . .	235
wnba_leagueseasonmatchups . . . . .	238
wnba_leaguestandingsv3 . . . . .	240
wnba_live_boxscore . . . . .	243
wnba_live_pbp . . . . .	251
wnba_pbp . . . . .	253
wnba_pbps . . . . .	255
wnba_playerawards . . . . .	257
wnba_playercareerbycollege . . . . .	258
wnba_playercareerbycollegerollup . . . . .	260
wnba_playercareerstats . . . . .	263
wnba_playercompare . . . . .	270
wnba_playerdashboardbyclutch . . . . .	273
wnba_playerdashboardbygamesplits . . . . .	290
wnba_playerdashboardbygeneralsplits . . . . .	299
wnba_playerdashboardbylastngames . . . . .	311
wnba_playerdashboardbyopponent . . . . .	322
wnba_playerdashboardbyshootingplits . . . . .	329
wnba_playerdashboardbyteamperformance . . . . .	337
wnba_playerdashboardbyyearoveryear . . . . .	345
wnba_playerestimatedmetrics . . . . .	350
wnba_playerfantasyprofile . . . . .	351
wnba_playerfantasyprofilebargraph . . . . .	357
wnba_playergamealog . . . . .	359
wnba_playergamealogs . . . . .	360
wnba_playergamestreakfinder . . . . .	364
wnba_playerheadshot . . . . .	369
wnba_playerindex . . . . .	370
wnba_playernextngames . . . . .	372
wnba_playerprofilev2 . . . . .	374
wnba_playervsplayer . . . . .	382
wnba_schedule . . . . .	388
wnba_scoreboardv2 . . . . .	390
wnba_scoreboardv3 . . . . .	394
wnba_shotchartdetail . . . . .	397
wnba_shotchartleaguewide . . . . .	399

- wnba\_shotchartlineupdetail . . . . . 401
- wnba\_teamdashboardbyclutch . . . . . 405
- wnba\_teamdashboardbygamesplits . . . . . 420
- wnba\_teamdashboardbygeneralsplits . . . . . 429
- wnba\_teamdashboardbylastngames . . . . . 438
- wnba\_teamdashboardbyopponent . . . . . 447
- wnba\_teamdashboardbyshootingsplits . . . . . 454
- wnba\_teamdashboardbyteamperformance . . . . . 461
- wnba\_teamdashboardbyyearoveryear . . . . . 468
- wnba\_teamdashlineups . . . . . 473
- wnba\_teamdetails . . . . . 478
- wnba\_teamestimatedmetrics . . . . . 480
- wnba\_teamgameelog . . . . . 482
- wnba\_teamgamelogs . . . . . 484
- wnba\_teamgamestreakfinder . . . . . 487
- wnba\_teamhistoricalleaders . . . . . 497
- wnba\_teamplayerdashboard . . . . . 499
- wnba\_teamplayeronoffdetails . . . . . 503
- wnba\_teamplayeronoffsummary . . . . . 509
- wnba\_teams . . . . . 513
- wnba\_teamvsplayer . . . . . 515
- wnba\_teamyearbyyearstats . . . . . 523
- wnba\_todays\_scoreboard . . . . . 525
- wnba\_videodetails . . . . . 526
- wnba\_videodetailsasset . . . . . 530
- wnba\_videoevents . . . . . 533
- wnba\_videostatus . . . . . 533

**Index** **535**

---

.players_on_court	<b>Add players on court in WNBA Stats API play-by-play</b>
-------------------	--

**Description**

**Add players on court in WNBA Stats API play-by-play**

---

check_status	<i>Check Status function</i>
--------------	------------------------------

---

**Description**

Check Status function

**Usage**

```
check_status(res)
```

**Arguments**

res	Response from API
-----	-------------------

---

csv_from_url	<b>Load .csv / .csv.gz file from a remote connection</b>
--------------	--

---

**Description**

This is a thin wrapper on data.table::fread

**Usage**

```
csv_from_url(...)
```

**Arguments**

...	passed to data.table::fread
-----	-----------------------------

---

espn_wbb_conferences	<i>Get women's college basketball conferences</i>
----------------------	---

---

**Description**

Get women's college basketball conferences

**Usage**

```
espn_wbb_conferences()
```

**Value**

Returns a tibble

col_name	types
group_id	integer
conference_short_name	character
conference_uid	character
conference_name	character
conference_logo	character
parent_group_id	integer
conference_id	integer

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_game\\_rosters\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
try(espn_wbb_conferences())
```

---

espn_wbb_game_all	<i>Get ESPN women's college basketball game data (play-by-play, team and player box)</i>
-------------------	--

---

**Description**

Get ESPN women's college basketball game data (play-by-play, team and player box)

**Usage**

```
espn_wbb_game_all(game_id)
```

**Arguments**

game_id	Game ID
---------	---------

**Value**

A named list of dataframes: Plays, Team, Player

**Plays**

col_name	types
id	character
sequence_number	character
text	character
away_score	integer
home_score	integer
scoring_play	logical
score_value	integer
wallclock	character
shooting_play	logical
type_id	integer
type_text	character
period_number	integer
period_display_value	character
clock_display_value	character
team_id	integer
coordinate_x_raw	numeric
coordinate_y_raw	numeric
coordinate_x	numeric
coordinate_y	numeric
play_id	character
athlete_id_1	integer
athlete_id_2	integer
home_team_id	integer
home_team_mascot	character
home_team_name	character
home_team_abbrev	character
home_team_logo	character
home_team_logo_dark	character
home_team_full_name	character
home_team_color	character
home_team_alternate_color	character
home_team_score	integer
home_team_winner	logical
home_team_record	character
away_team_id	integer
away_team_mascot	character
away_team_name	character
away_team_abbrev	character
away_team_logo	character
away_team_logo_dark	character
away_team_full_name	character
away_team_color	character
away_team_alternate_color	character



away_team_score	integer
away_team_winner	logical
away_team_record	character
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct

**Team**

col_name	types
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct
team_id	integer
team_uid	character
team_slug	character
team_location	character
team_name	character
team_abbreviation	character
team_display_name	character
team_short_display_name	character
team_color	character
team_alternate_color	character
team_logo	character
team_home_away	character
team_score	integer
team_winner	logical
assists	integer
blocks	integer
defensive_rebounds	integer
field_goal_pct	numeric
field_goals_made	integer
field_goals_attempted	integer
flagrant_fouls	integer
fouls	integer
free_throw_pct	numeric
free_throws_made	integer
free_throws_attempted	integer
largest_lead	character
offensive_rebounds	integer
steals	integer
team_turnovers	integer
technical_fouls	integer

three_point_field_goal_pct	numeric
three_point_field_goals_made	integer
three_point_field_goals_attempted	integer
total_rebounds	integer
total_technical_fouls	integer
total_turnovers	integer
turnovers	integer
opponent_team_id	integer
opponent_team_uid	character
opponent_team_slug	character
opponent_team_location	character
opponent_team_name	character
opponent_team_abbreviation	character
opponent_team_display_name	character
opponent_team_short_display_name	character
opponent_team_color	character
opponent_team_alternate_color	character
opponent_team_logo	character
opponent_team_score	integer

**Player**

col_name	types
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct
athlete_id	integer
athlete_display_name	character
team_id	integer
team_name	character
team_location	character
team_short_display_name	character
minutes	numeric
field_goals_made	integer
field_goals_attempted	integer
three_point_field_goals_made	integer
three_point_field_goals_attempted	integer
free_throws_made	integer
free_throws_attempted	integer
offensive_rebounds	integer
defensive_rebounds	integer
rebounds	integer
assists	integer
steals	integer
blocks	integer

turnovers	integer
fouls	integer
points	integer
starter	logical
ejected	logical
did_not_play	logical
active	logical
athlete_jersey	character
athlete_short_name	character
athlete_headshot_href	character
athlete_position_name	character
athlete_position_abbreviation	character
team_display_name	character
team_uid	character
team_slug	character
team_logo	character
team_abbreviation	character
team_color	character
team_alterate_color	character
home_away	character
team_winner	logical
team_score	integer
opponent_team_id	integer
opponent_team_name	character
opponent_team_location	character
opponent_team_display_name	character
opponent_team_abbreviation	character
opponent_team_logo	character
opponent_team_color	character
opponent_team_alterate_color	character
opponent_team_score	integer

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_rosters\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
try(espn_wbb_game_all(game_id = 401276115))
```

---

espn\_wbb\_game\_rovers **Get ESPN women's college basketball game rosters**

---

### Description

**Get ESPN women's college basketball game rosters**

### Usage

```
espn_wbb_game_rovers(game_id)
```

### Arguments

game\_id            Game ID

### Value

A game rosters data frame

col_name	types
athlete_id	integer
athlete_uid	character
athlete_guid	character
athlete_type	character
sdr	integer
first_name	character
last_name	character
full_name	character
athlete_display_name	character
short_name	character
height	integer
display_height	character
birth_place_city	character
birth_place_state	character
birth_place_country	character
slug	character
headshot_href	character
headshot_alt	character
jersey	character
position_id	integer
position_name	character
position_display_name	character
position_abbreviation	character
position_leaf	logical
linked	logical
experience_years	integer
experience_display_value	character

experience_abbreviation	character
active	logical
status_id	integer
status_name	character
status_type	character
status_abbreviation	character
starter	logical
valid	logical
did_not_play	logical
display_name	character
ejected	logical
team_id	integer
team_guid	character
team_uid	character
team_sdr	integer
team_slug	character
team_location	character
team_name	character
team_nickname	character
team_abbreviation	character
team_display_name	character
team_short_display_name	character
team_color	character
team_alternate_color	character
is_active	logical
is_all_star	logical
logo_href	character
logo_dark_href	character
game_id	integer
order	integer
home_away	character
winner	logical
roster_href	character
hand_type	character
hand_abbreviation	character
hand_display_value	character
age	integer
date_of_birth	character
weight	integer
display_weight	character

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
try(espn_wbb_game_rovers(game_id = 401276115))
```

---

 espn\_wbb\_pbp

*Get ESPN women's college basketball play by play data*


---

**Description**

Get ESPN women's college basketball play by play data

**Usage**

```
espn_wbb_pbp(game_id)
```

**Arguments**

game\_id            Game ID

**Value**

Returns a play-by-play data frame

**Plays**

col_name	types
id	character
sequence_number	character
text	character
away_score	integer
home_score	integer
scoring_play	logical
score_value	integer
wallclock	character
shooting_play	logical
type_id	integer
type_text	character
period_number	integer
period_display_value	character
clock_display_value	character
team_id	integer
coordinate_x_raw	numeric

coordinate_y_raw	numeric
coordinate_x	numeric
coordinate_y	numeric
play_id	character
athlete_id_1	integer
athlete_id_2	integer
home_team_id	integer
home_team_mascot	character
home_team_name	character
home_team_abbrev	character
home_team_logo	character
home_team_logo_dark	character
home_team_full_name	character
home_team_color	character
home_team_alternate_color	character
home_team_score	integer
home_team_winner	logical
home_team_record	character
away_team_id	integer
away_team_mascot	character
away_team_name	character
away_team_abbrev	character
away_team_logo	character
away_team_logo_dark	character
away_team_full_name	character
away_team_color	character
away_team_alternate_color	character
away_team_score	integer
away_team_winner	logical
away_team_record	character
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_game\\_rosters\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
try(espn_wbb_pbp(game_id = 401498717))
```

---

espn\_wbb\_player\_box    *Get ESPN women's college basketball player box*

---

**Description**

Get ESPN women's college basketball player box

**Usage**

```
espn_wbb_player_box(game_id)
```

**Arguments**

game\_id            Game ID

**Value**

Returns a player boxscore data frame

**Player**

col_name	types
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct
athlete_id	integer
athlete_display_name	character
team_id	integer
team_name	character
team_location	character
team_short_display_name	character
minutes	numeric
field_goals_made	integer
field_goals_attempted	integer
three_point_field_goals_made	integer
three_point_field_goals_attempted	integer
free_throws_made	integer
free_throws_attempted	integer
offensive_rebounds	integer
defensive_rebounds	integer
rebounds	integer



assists	integer
steals	integer
blocks	integer
turnovers	integer
fouls	integer
points	integer
starter	logical
ejected	logical
did_not_play	logical
active	logical
athlete_jersey	character
athlete_short_name	character
athlete_headshot_href	character
athlete_position_name	character
athlete_position_abbreviation	character
team_display_name	character
team_uid	character
team_slug	character
team_logo	character
team_abbreviation	character
team_color	character
team_alterate_color	character
home_away	character
team_winner	logical
team_score	integer
opponent_team_id	integer
opponent_team_name	character
opponent_team_location	character
opponent_team_display_name	character
opponent_team_abbreviation	character
opponent_team_logo	character
opponent_team_color	character
opponent_team_alterate_color	character
opponent_team_score	integer

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_game\\_rosters\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
try(espn_wbb_player_box(game_id = 401276115))
```

---

espn\_wbb\_player\_stats **Get ESPN women's college basketball player stats data**

---

### Description

**Get ESPN women's college basketball player stats data**

### Usage

```
espn_wbb_player_stats(athlete_id, year, season_type = "regular", total = FALSE)
```

### Arguments

athlete_id	Athlete ID
year	Year
season_type	(character, default: regular): Season type - regular or postseason
total	(boolean, default: FALSE): Totals

### Value

Returns a tibble with the player stats data

col_name	types
athlete_id	integer
athlete_uid	character
athlete_guid	character
athlete_type	character
sdr	integer
first_name	character
last_name	character
full_name	character
display_name	character
short_name	character
height	numeric
display_height	character
birth_place_city	character
birth_place_state	character
birth_place_country	character
slug	character
headshot_href	character
headshot_alt	character
jersey	character
position_id	integer
position_name	character

position_display_name	character
position_abbreviation	character
position_leaf	logical
linked	logical
experience_years	integer
experience_display_value	character
experience_abbreviation	character
active	logical
status_id	integer
status_name	character
status_type	character
status_abbreviation	character
defensive_blocks	numeric
defensive_defensive_rebounds	numeric
defensive_steals	numeric
defensive_turnover_points	numeric
defensive_avg_defensive_rebounds	numeric
defensive_avg_blocks	numeric
defensive_avg_steals	numeric
general_disqualifications	numeric
general_flagrant_fouls	numeric
general_fouls	numeric
general_per	numeric
general_ejections	numeric
general_technical_fouls	numeric
general_rebounds	numeric
general_minutes	numeric
general_avg_minutes	numeric
general_fantasy_rating	numeric
general_plus_minus	numeric
general_avg_rebounds	numeric
general_avg_fouls	numeric
general_avg_flagrant_fouls	numeric
general_avg_technical_fouls	numeric
general_avg_ejections	numeric
general_avg_disqualifications	numeric
general_assist_turnover_ratio	numeric
general_steal_foul_ratio	numeric
general_block_foul_ratio	numeric
general_avg_team_rebounds	numeric
general_total_rebounds	numeric
general_total_technical_fouls	numeric
general_steal_turnover_ratio	numeric
general_games_played	numeric
general_games_started	numeric
general_double_double	numeric
general_triple_double	numeric
offensive_assists	numeric

offensive_field_goals	numeric
offensive_field_goals_attempted	numeric
offensive_field_goals_made	numeric
offensive_field_goal_pct	numeric
offensive_free_throws	numeric
offensive_free_throw_pct	numeric
offensive_free_throws_attempted	numeric
offensive_free_throws_made	numeric
offensive_offensive_rebounds	numeric
offensive_points	numeric
offensive_turnovers	numeric
offensive_three_point_field_goals_attempted	numeric
offensive_three_point_field_goals_made	numeric
offensive_total_turnovers	numeric
offensive_points_in_paint	numeric
offensive_fast_break_points	numeric
offensive_avg_field_goals_made	numeric
offensive_avg_field_goals_attempted	numeric
offensive_avg_three_point_field_goals_made	numeric
offensive_avg_three_point_field_goals_attempted	numeric
offensive_avg_free_throws_made	numeric
offensive_avg_free_throws_attempted	numeric
offensive_avg_points	numeric
offensive_avg_offensive_rebounds	numeric
offensive_avg_assists	numeric
offensive_avg_turnovers	numeric
offensive_offensive_rebound_pct	numeric
offensive_estimated_possessions	numeric
offensive_avg_estimated_possessions	numeric
offensive_points_per_estimated_possessions	numeric
offensive_avg_team_turnovers	numeric
offensive_avg_total_turnovers	numeric
offensive_three_point_field_goal_pct	numeric
offensive_two_point_field_goals_made	numeric
offensive_two_point_field_goals_attempted	numeric
offensive_avg_two_point_field_goals_made	numeric
offensive_avg_two_point_field_goals_attempted	numeric
offensive_two_point_field_goal_pct	numeric
offensive_shooting_efficiency	numeric
offensive_scoring_efficiency	numeric
team_id	integer
team_guid	character
team_uid	character
team_sdr	integer
team_slug	character
team_location	character
team_name	character
team_nickname	character

team_abbreviation	character
team_display_name	character
team_short_display_name	character
team_color	character
team_alternate_color	character
team_is_active	logical
team_is_all_star	logical
logo_href	character
logo_dark_href	character

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_game\\_rosters\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
try(espn_wbb_player_stats(athlete_id = 2984250, year = 2022))
```

---

espn\_wbb\_rankings      *Get women's college basketball AP and Coaches poll rankings*

---

**Description**

Get women's college basketball AP and Coaches poll rankings

**Usage**

```
espn_wbb_rankings()
```

**Value**

Returns a tibble

col_name	types
id	integer
name	character
short_name	character
type	character
headline	character
short_headline	character

current	integer
previous	integer
points	numeric
first_place_votes	integer
trend	character
date	character
last_updated	character
record_summary	character
team_id	integer
team_uid	character
team_location	character
team_name	character
team_nickname	character
team_abbreviation	character
team_color	character
team_logo	character
occurrence_number	integer
occurrence_type	character
occurrence_last	logical
occurrence_value	character
occurrence_display_value	character
season_year	integer
season_start_date	character
season_end_date	character
season_display_name	character
season_type_type	integer
season_type_name	character
season_type_abbreviation	character
first_occurrence_type	character
first_occurrence_value	character

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_game\\_rosters\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
# Get current AP and Coaches Poll rankings

try(espn_wbb_rankings())
```

---

 espn\_wbb\_scoreboard    **Get ESPN women's college basketball schedule for a specific year**


---

**Description****Get ESPN women's college basketball schedule for a specific year****Usage**

espn\_wbb\_scoreboard(season)

**Arguments**

season            Either numeric or character

**Value**

Returns a tibble

col_name	types
matchup	character
matchup_short	character
season	integer
season_type	integer
season_slug	character
game_id	integer
game_uid	character
game_date	Date
attendance	integer
status_name	character
broadcast_market	character
broadcast_name	character
start_date	character
game_date_time	POSIXct
home_team_name	character
home_team_logo	character
home_team_abb	character
home_team_id	integer
home_team_location	character
home_team_full_name	character
home_team_color	character
home_score	integer
home_win	integer
home_record	character
away_team_name	character
away_team_logo	character
away_team_abb	character

away_team_id	integer
away_team_location	character
away_team_full_name	character
away_team_color	character
away_score	integer
away_win	integer
away_record	character

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_game\\_rovers\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
# Get schedule from date 2022-11-15

try(espn_wbb_scoreboard (season = "20230225"))
```

---

espn\_wbb\_standings      *Get ESPN women's college basketball standings*

---

**Description**

Get ESPN women's college basketball standings

**Usage**

```
espn_wbb_standings(year)
```

**Arguments**

year                      Either numeric or character (YYYY)

**Value**

Returns a tibble

col_name	types
team_id	integer
team	character
avgpointsagainst	numeric
avgpointsfor	numeric
gamesbehind	numeric
leaguelwinpercent	numeric



losses	numeric
playoffseed	numeric
pointsagainst	numeric
pointsfor	numeric
streak	numeric
winpercent	numeric
wins	numeric
total	character
home_avgpointsagainst	numeric
home_avgpointsfor	numeric
home_gamesbehind	numeric
home_leaguewinpercent	numeric
home_losses	numeric
home_playoffseed	numeric
home_pointsagainst	numeric
home_pointsfor	numeric
home_streak	numeric
home_winpercent	numeric
home_wins	numeric
home	character
road_avgpointsagainst	numeric
road_avgpointsfor	numeric
road_gamesbehind	numeric
road_leaguewinpercent	numeric
road_losses	numeric
road_playoffseed	numeric
road_pointsagainst	numeric
road_pointsfor	numeric
road_streak	numeric
road_winpercent	numeric
road_wins	numeric
road	character
vsaprantedteams_avgpointsagainst	numeric
vsaprantedteams_avgpointsfor	numeric
vsaprantedteams_gamesbehind	numeric
vsaprantedteams_leaguewinpercent	numeric
vsaprantedteams_losses	numeric
vsaprantedteams_playoffseed	numeric
vsaprantedteams_pointsagainst	numeric
vsaprantedteams_pointsfor	numeric
vsaprantedteams_streak	numeric
vsaprantedteams_winpercent	numeric
vsaprantedteams_wins	numeric
vsaprantedteams	character
vsusarantedteams_avgpointsagainst	numeric
vsusarantedteams_avgpointsfor	numeric
vsusarantedteams_gamesbehind	numeric
vsusarantedteams_leaguewinpercent	numeric

vsusarankedteams_losses	numeric
vsusarankedteams_playoffseed	numeric
vsusarankedteams_pointsagainst	numeric
vsusarankedteams_pointsfor	numeric
vsusarankedteams_streak	numeric
vsusarankedteams_winpercent	numeric
vsusarankedteams_wins	numeric
vsusarankedteams	character
vsconf_avgpointsagainst	numeric
vsconf_avgpointsfor	numeric
vsconf_gamesbehind	numeric
vsconf_leaguewinpercent	numeric
vsconf_losses	numeric
vsconf_playoffseed	numeric
vsconf_pointsagainst	numeric
vsconf_pointsfor	numeric
vsconf_streak	numeric
vsconf_winpercent	numeric
vsconf_wins	numeric
vsconf	character

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_game\\_rovers\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
try(espn_wbb_standings(2021))
```

---

espn\_wbb\_teams

*Get ESPN women's college basketball team names and ids*

---

**Description**

Get ESPN women's college basketball team names and ids

**Usage**

```
espn_wbb_teams(year = most_recent_wbb_season())
```

**Arguments**

year            Either numeric or character (YYYY)

**Value**

Returns a teams information data frame

col_name	types
team_id	integer
abbreviation	character
display_name	character
short_name	character
mascot	character
nickname	character
team	character
color	character
alternate_color	character
logo	character
logo_dark	character
href	character
conference_url	character
group_id	integer
conference_short_name	character
conference_uid	character
conference_name	character
conference_logo	character
parent_group_id	integer
conference_id	integer

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_game\\_rosters\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#)

**Examples**

```
try(espn_wbb_teams())
```

---

espn\_wbb\_team\_box

*Get ESPN women's college basketball team box data*

---

**Description**

Get ESPN women's college basketball team box data

**Usage**

```
espn_wbb_team_box(game_id)
```

**Arguments**

```
game_id      Game ID
```

**Value**

Returns a team boxscore data frame

**Team**

col_name	types
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct
team_id	integer
team_uid	character
team_slug	character
team_location	character
team_name	character
team_abbreviation	character
team_display_name	character
team_short_display_name	character
team_color	character
team_alternate_color	character
team_logo	character
team_home_away	character
team_score	integer
team_winner	logical
assists	integer
blocks	integer
defensive_rebounds	integer
field_goal_pct	numeric
field_goals_made	integer
field_goals_attempted	integer
flagrant_fouls	integer
fouls	integer
free_throw_pct	numeric
free_throws_made	integer
free_throws_attempted	integer
largest_lead	character
offensive_rebounds	integer
steals	integer
team_turnovers	integer
technical_fouls	integer

three_point_field_goal_pct	numeric
three_point_field_goals_made	integer
three_point_field_goals_attempted	integer
total_rebounds	integer
total_technical_fouls	integer
total_turnovers	integer
turnovers	integer
opponent_team_id	integer
opponent_team_uid	character
opponent_team_slug	character
opponent_team_location	character
opponent_team_name	character
opponent_team_abbreviation	character
opponent_team_display_name	character
opponent_team_short_display_name	character
opponent_team_color	character
opponent_team_alternate_color	character
opponent_team_logo	character
opponent_team_score	integer

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_game\\_rosters\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_stats\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
try(espn_wbb_team_box(game_id = 401276115))
```

---

espn\_wbb\_team\_stats      **Get ESPN women's college basketball team stats data**

---

**Description**

**Get ESPN women's college basketball team stats data**

**Usage**

```
espn_wbb_team_stats(team_id, year, season_type = "regular", total = FALSE)
```

**Arguments**

team_id	Team ID
year	Year
season_type	(character, default: regular): Season type - regular or postseason
total	(boolean, default: FALSE): Totals

**Value**

Returns a tibble with the team stats data

col_name	types
team_id	integer
team_guid	character
team_uid	character
team_sdr	integer
team_slug	character
team_location	character
team_name	character
team_nickname	character
team_abbreviation	character
team_display_name	character
team_short_display_name	character
team_color	character
team_alternate_color	character
team_is_active	logical
team_is_all_star	logical
logo_href	character
logo_dark_href	character
defensive_blocks	numeric
defensive_defensive_rebounds	numeric
defensive_steals	numeric
defensive_turnover_points	numeric
defensive_avg_defensive_rebounds	numeric
defensive_avg_blocks	numeric
defensive_avg_steals	numeric
general_disqualifications	numeric
general_flagrant_fouls	numeric
general_fouls	numeric
general_ejections	numeric
general_technical_fouls	numeric
general_rebounds	numeric
general_minutes	numeric
general_avg_minutes	numeric
general_fantasy_rating	numeric
general_avg_rebounds	numeric
general_avg_fouls	numeric
general_avg_flagrant_fouls	numeric

general_avg_technical_fouls	numeric
general_avg_ejections	numeric
general_avg_disqualifications	numeric
general_assist_turnover_ratio	numeric
general_steal_foul_ratio	numeric
general_block_foul_ratio	numeric
general_avg_team_rebounds	numeric
general_total_rebounds	numeric
general_total_technical_fouls	numeric
general_team_assist_turnover_ratio	numeric
general_team_rebounds	numeric
general_steal_turnover_ratio	numeric
general_games_played	numeric
general_games_started	numeric
general_double_double	numeric
general_triple_double	numeric
offensive_assists	numeric
offensive_field_goals	numeric
offensive_field_goals_attempted	numeric
offensive_field_goals_made	numeric
offensive_field_goal_pct	numeric
offensive_free_throws	numeric
offensive_free_throw_pct	numeric
offensive_free_throws_attempted	numeric
offensive_free_throws_made	numeric
offensive_offensive_rebounds	numeric
offensive_points	numeric
offensive_turnovers	numeric
offensive_three_point_field_goals_attempted	numeric
offensive_three_point_field_goals_made	numeric
offensive_team_turnovers	numeric
offensive_total_turnovers	numeric
offensive_fast_break_points	numeric
offensive_avg_field_goals_made	numeric
offensive_avg_field_goals_attempted	numeric
offensive_avg_three_point_field_goals_made	numeric
offensive_avg_three_point_field_goals_attempted	numeric
offensive_avg_free_throws_made	numeric
offensive_avg_free_throws_attempted	numeric
offensive_avg_points	numeric
offensive_avg_offensive_rebounds	numeric
offensive_avg_assists	numeric
offensive_avg_turnovers	numeric
offensive_offensive_rebound_pct	numeric
offensive_estimated_possessions	numeric
offensive_avg_estimated_possessions	numeric
offensive_points_per_estimated_possessions	numeric
offensive_avg_team_turnovers	numeric

offensive_avg_total_turnovers	numeric
offensive_three_point_field_goal_pct	numeric
offensive_two_point_field_goals_made	numeric
offensive_two_point_field_goals_attempted	numeric
offensive_avg_two_point_field_goals_made	numeric
offensive_avg_two_point_field_goals_attempted	numeric
offensive_two_point_field_goal_pct	numeric
offensive_shooting_efficiency	numeric
offensive_scoring_efficiency	numeric

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WBB Functions: [espn\\_wbb\\_conferences\(\)](#), [espn\\_wbb\\_game\\_all\(\)](#), [espn\\_wbb\\_game\\_rosters\(\)](#), [espn\\_wbb\\_pbp\(\)](#), [espn\\_wbb\\_player\\_box\(\)](#), [espn\\_wbb\\_player\\_stats\(\)](#), [espn\\_wbb\\_rankings\(\)](#), [espn\\_wbb\\_scoreboard\(\)](#), [espn\\_wbb\\_standings\(\)](#), [espn\\_wbb\\_team\\_box\(\)](#), [espn\\_wbb\\_teams\(\)](#)

**Examples**

```
try(espn_wbb_team_stats(team_id = 52, year = 2020))
```

---

espn\_wnba\_game\_all      *Get ESPN's WNBA game data (play-by-play, team and player box)*

---

**Description**

Get ESPN's WNBA game data (play-by-play, team and player box)

**Usage**

```
espn_wnba_game_all(game_id)
```

**Arguments**

game\_id      Game ID



**Value**

A named list of dataframes: Plays, Team, Player

**Plays**

col_name	types
id	character
sequence_number	character
text	character
away_score	integer
home_score	integer
scoring_play	logical
score_value	integer
wallclock	character
shooting_play	logical
type_id	integer
type_text	character
period_number	integer
period_display_value	character
clock_display_value	character
team_id	integer
coordinate_x_raw	numeric
coordinate_y_raw	numeric
coordinate_x	numeric
coordinate_y	numeric
play_id	character
athlete_id_1	integer
athlete_id_2	integer
athlete_id_3	integer
home_team_id	integer
home_team_mascot	character
home_team_name	character
home_team_abbrev	character
home_team_logo	character
home_team_logo_dark	character
home_team_full_name	character
home_team_color	character
home_team_alternate_color	character
home_team_score	integer
home_team_winner	logical
home_team_record	character
away_team_id	integer
away_team_mascot	character
away_team_name	character
away_team_abbrev	character
away_team_logo	character
away_team_logo_dark	character
away_team_full_name	character
away_team_color	character

away_team_alternate_color	character
away_team_score	integer
away_team_winner	logical
away_team_record	character
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct

**Team**

col_name	types
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct
team_id	integer
team_uid	character
team_slug	character
team_location	character
team_name	character
team_abbreviation	character
team_display_name	character
team_short_display_name	character
team_color	character
team_alternate_color	character
team_logo	character
team_home_away	character
team_score	integer
team_winner	logical
assists	integer
blocks	integer
defensive_rebounds	integer
field_goal_pct	numeric
field_goals_made	integer
field_goals_attempted	integer
flagrant_fouls	integer
fouls	integer
free_throw_pct	numeric
free_throws_made	integer
free_throws_attempted	integer
largest_lead	character
offensive_rebounds	integer
steals	integer
team_turnovers	integer

technical_fouls	integer
three_point_field_goal_pct	numeric
three_point_field_goals_made	integer
three_point_field_goals_attempted	integer
total_rebounds	integer
total_technical_fouls	integer
total_turnovers	integer
turnovers	integer
opponent_team_id	integer
opponent_team_uid	character
opponent_team_slug	character
opponent_team_location	character
opponent_team_name	character
opponent_team_abbreviation	character
opponent_team_display_name	character
opponent_team_short_display_name	character
opponent_team_color	character
opponent_team_alternate_color	character
opponent_team_logo	character
opponent_team_score	integer

**Player**

col_name	types
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct
athlete_id	integer
athlete_display_name	character
team_id	integer
team_name	character
team_location	character
team_short_display_name	character
minutes	numeric
field_goals_made	integer
field_goals_attempted	integer
three_point_field_goals_made	integer
three_point_field_goals_attempted	integer
free_throws_made	integer
free_throws_attempted	integer
offensive_rebounds	integer
defensive_rebounds	integer
rebounds	integer
assists	integer
steals	integer

blocks	integer
turnovers	integer
fouls	integer
plus_minus	character
points	integer
starter	logical
ejected	logical
did_not_play	logical
reason	character
active	logical
athlete_jersey	character
athlete_short_name	character
athlete_headshot_href	character
athlete_position_name	character
athlete_position_abbreviation	character
team_display_name	character
team_uid	character
team_slug	character
team_logo	character
team_abbreviation	character
team_color	character
team_alternate_color	character
home_away	character
team_winner	logical
team_score	integer
opponent_team_id	integer
opponent_team_name	character
opponent_team_location	character
opponent_team_display_name	character
opponent_team_abbreviation	character
opponent_team_logo	character
opponent_team_color	character
opponent_team_alternate_color	character
opponent_team_score	integer

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WNBA Functions: [espn\\_wnba\\_game\\_rosters\(\)](#), [espn\\_wnba\\_pbp\(\)](#), [espn\\_wnba\\_player\\_box\(\)](#), [espn\\_wnba\\_player\\_stats\(\)](#), [espn\\_wnba\\_scoreboard\(\)](#), [espn\\_wnba\\_standings\(\)](#), [espn\\_wnba\\_team\\_box\(\)](#), [espn\\_wnba\\_team\\_stats\(\)](#), [espn\\_wnba\\_teams\(\)](#)

**Examples**

```
try(espn_wnba_game_all(game_id = 401244185))
```

---

 espn\_wnba\_game\_rovers

**Get ESPN WNBA game rosters**


---

**Description**

**Get ESPN WNBA game rosters**

**Usage**

```
espn_wnba_game_rovers(game_id)
```

**Arguments**

game\_id            Game ID

**Value**

A game rosters data frame

col_name	types
athlete_id	integer
athlete_uid	character
athlete_guid	character
athlete_type	character
sdr	integer
first_name	character
last_name	character
full_name	character
athlete_display_name	character
short_name	character
weight	numeric
display_weight	character
height	numeric
display_height	character
age	integer
date_of_birth	character
slug	character
headshot_href	character
headshot_alt	character
jersey	character
position_id	integer
position_name	character
position_display_name	character
position_abbreviation	character

position_leaf	logical
linked	logical
years	integer
active	logical
status_id	integer
status_name	character
status_type	character
status_abbreviation	character
birth_place_city	character
birth_place_state	character
birth_place_country	character
starter	logical
valid	logical
did_not_play	logical
display_name	character
reason	character
ejected	logical
team_id	integer
team_guid	character
team_uid	character
team_sdr	integer
team_slug	character
team_location	character
team_name	character
team_abbreviation	character
team_display_name	character
team_short_display_name	character
team_color	character
team_alternate_color	character
team_is_active	logical
is_all_star	logical
logo_href	character
logo_dark_href	character
logos_href_2	character
logos_href_3	character
game_id	integer
order	integer
home_away	character
winner	logical
draft_display_text	character
draft_round	integer
draft_year	integer
draft_selection	integer
hand_type	character
hand_abbreviation	character
hand_display_value	character
citizenship	character

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WNBA Functions: [espn\\_wnba\\_game\\_all\(\)](#), [espn\\_wnba\\_pbp\(\)](#), [espn\\_wnba\\_player\\_box\(\)](#), [espn\\_wnba\\_player\\_stats\(\)](#), [espn\\_wnba\\_scoreboard\(\)](#), [espn\\_wnba\\_standings\(\)](#), [espn\\_wnba\\_team\\_box\(\)](#), [espn\\_wnba\\_team\\_stats\(\)](#), [espn\\_wnba\\_teams\(\)](#)

**Examples**

```
try(espn_wnba_game_rosters(game_id = 401244185))
```

espn\_wnba\_pbp

*Get ESPN's WNBA play by play data*

**Description**

Get ESPN's WNBA play by play data

**Usage**

```
espn_wnba_pbp(game_id)
```

**Arguments**

game\_id            Game ID

**Value**

Returns a play-by-play data frame

**Plays**

col_name	types
id	character
sequence_number	character
text	character
away_score	integer
home_score	integer
scoring_play	logical
score_value	integer
wallclock	character
shooting_play	logical
type_id	integer
type_text	character
period_number	integer

period_display_value	character
clock_display_value	character
team_id	integer
coordinate_x_raw	numeric
coordinate_y_raw	numeric
coordinate_x	numeric
coordinate_y	numeric
play_id	character
athlete_id_1	integer
athlete_id_2	integer
athlete_id_3	integer
home_team_id	integer
home_team_mascot	character
home_team_name	character
home_team_abbrev	character
home_team_logo	character
home_team_logo_dark	character
home_team_full_name	character
home_team_color	character
home_team_alternate_color	character
home_team_score	integer
home_team_winner	logical
home_team_record	character
away_team_id	integer
away_team_mascot	character
away_team_name	character
away_team_abbrev	character
away_team_logo	character
away_team_logo_dark	character
away_team_full_name	character
away_team_color	character
away_team_alternate_color	character
away_team_score	integer
away_team_winner	logical
away_team_record	character
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct

**Author(s)**

Saiem Gilani



**See Also**

Other ESPN WNBA Functions: [espn\\_wnba\\_game\\_all\(\)](#), [espn\\_wnba\\_game\\_rosters\(\)](#), [espn\\_wnba\\_player\\_box\(\)](#), [espn\\_wnba\\_player\\_stats\(\)](#), [espn\\_wnba\\_scoreboard\(\)](#), [espn\\_wnba\\_standings\(\)](#), [espn\\_wnba\\_team\\_box\(\)](#), [espn\\_wnba\\_team\\_stats\(\)](#), [espn\\_wnba\\_teams\(\)](#)

**Examples**

```
try(espn_wnba_pbp(game_id = 401455681))
```

---

espn\_wnba\_player\_box *Get ESPN's WNBA player box data*

---

**Description**

Get ESPN's WNBA player box data

**Usage**

```
espn_wnba_player_box(game_id)
```

**Arguments**

game\_id            Game ID

**Value**

Returns a player boxscore data frame

**Player**

col_name	types
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct
athlete_id	integer
athlete_display_name	character
team_id	integer
team_name	character
team_location	character
team_short_display_name	character
minutes	numeric
field_goals_made	integer
field_goals_attempted	integer
three_point_field_goals_made	integer

three_point_field_goals_attempted	integer
free_throws_made	integer
free_throws_attempted	integer
offensive_rebounds	integer
defensive_rebounds	integer
rebounds	integer
assists	integer
steals	integer
blocks	integer
turnovers	integer
fouls	integer
plus_minus	character
points	integer
starter	logical
ejected	logical
did_not_play	logical
reason	character
active	logical
athlete_jersey	character
athlete_short_name	character
athlete_headshot_href	character
athlete_position_name	character
athlete_position_abbreviation	character
team_display_name	character
team_uid	character
team_slug	character
team_logo	character
team_abbreviation	character
team_color	character
team_alternate_color	character
home_away	character
team_winner	logical
team_score	integer
opponent_team_id	integer
opponent_team_name	character
opponent_team_location	character
opponent_team_display_name	character
opponent_team_abbreviation	character
opponent_team_logo	character
opponent_team_color	character
opponent_team_alternate_color	character
opponent_team_score	integer

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WNBA Functions: [espn\\_wnba\\_game\\_all\(\)](#), [espn\\_wnba\\_game\\_rosters\(\)](#), [espn\\_wnba\\_pbp\(\)](#), [espn\\_wnba\\_player\\_stats\(\)](#), [espn\\_wnba\\_scoreboard\(\)](#), [espn\\_wnba\\_standings\(\)](#), [espn\\_wnba\\_team\\_box\(\)](#), [espn\\_wnba\\_team\\_stats\(\)](#), [espn\\_wnba\\_teams\(\)](#)

**Examples**

```
try(espn_wnba_player_box(game_id = 401244185))
```

---

espn\_wnba\_player\_stats

**Get ESPN WNBA player stats data**

---

**Description**

**Get ESPN WNBA player stats data**

**Usage**

```
espn_wnba_player_stats(
  athlete_id,
  year,
  season_type = "regular",
  total = FALSE
)
```

**Arguments**

athlete_id	Athlete ID
year	Year
season_type	(character, default: regular): Season type - regular or postseason
total	(boolean, default: FALSE): Totals

**Value**

Returns a tibble with the player stats data

col_name	types
athlete_id	integer
athlete_uid	character
athlete_guid	character
athlete_type	character
sdr	integer
first_name	character

last_name	character
full_name	character
display_name	character
short_name	character
weight	numeric
display_weight	character
height	numeric
display_height	character
age	integer
date_of_birth	character
slug	character
headshot_href	character
headshot_alt	character
position_id	integer
position_name	character
position_display_name	character
position_abbreviation	character
position_leaf	logical
linked	logical
years	integer
active	logical
status_id	integer
status_name	character
status_type	character
status_abbreviation	character
defensive_blocks	numeric
defensive_defensive_rebounds	numeric
defensive_steals	numeric
defensive_avg_defensive_rebounds	numeric
defensive_avg_blocks	numeric
defensive_avg_steals	numeric
defensive_avg48defensive_rebounds	numeric
defensive_avg48blocks	numeric
defensive_avg48steals	numeric
general_disqualifications	numeric
general_flagrant_fouls	numeric
general_fouls	numeric
general_ejections	numeric
general_technical_fouls	numeric
general_rebounds	numeric
general_vorp	numeric
general_minutes	numeric
general_avg_minutes	numeric
general_fantasy_rating	numeric
general_nba_rating	numeric
general_plus_minus	numeric
general_avg_rebounds	numeric
general_avg_fouls	numeric

general_avg_flagrant_fouls	numeric
general_avg_technical_fouls	numeric
general_avg_ejections	numeric
general_avg_disqualifications	numeric
general_assist_turnover_ratio	numeric
general_steal_foul_ratio	numeric
general_block_foul_ratio	numeric
general_avg_team_rebounds	numeric
general_total_rebounds	numeric
general_total_technical_fouls	numeric
general_team_assist_turnover_ratio	numeric
general_steal_turnover_ratio	numeric
general_avg48rebounds	numeric
general_avg48fouls	numeric
general_avg48flagrant_fouls	numeric
general_avg48technical_fouls	numeric
general_avg48ejections	numeric
general_avg48disqualifications	numeric
general_games_played	numeric
general_games_started	numeric
general_double_double	numeric
general_triple_double	numeric
offensive_assists	numeric
offensive_field_goals	numeric
offensive_field_goals_attempted	numeric
offensive_field_goals_made	numeric
offensive_field_goal_pct	numeric
offensive_free_throws	numeric
offensive_free_throw_pct	numeric
offensive_free_throws_attempted	numeric
offensive_free_throws_made	numeric
offensive_offensive_rebounds	numeric
offensive_points	numeric
offensive_turnovers	numeric
offensive_three_point_pct	numeric
offensive_three_point_field_goals_attempted	numeric
offensive_three_point_field_goals_made	numeric
offensive_total_turnovers	numeric
offensive_points_in_paint	numeric
offensive_brick_index	numeric
offensive_avg_field_goals_made	numeric
offensive_avg_field_goals_attempted	numeric
offensive_avg_three_point_field_goals_made	numeric
offensive_avg_three_point_field_goals_attempted	numeric
offensive_avg_free_throws_made	numeric
offensive_avg_free_throws_attempted	numeric
offensive_avg_points	numeric
offensive_avg_offensive_rebounds	numeric

offensive_avg_assists	numeric
offensive_avg_turnovers	numeric
offensive_offensive_rebound_pct	numeric
offensive_estimated_possessions	numeric
offensive_avg_estimated_possessions	numeric
offensive_points_per_estimated_possessions	numeric
offensive_avg_team_turnovers	numeric
offensive_avg_total_turnovers	numeric
offensive_three_point_field_goal_pct	numeric
offensive_two_point_field_goals_made	numeric
offensive_two_point_field_goals_attempted	numeric
offensive_avg_two_point_field_goals_made	numeric
offensive_avg_two_point_field_goals_attempted	numeric
offensive_two_point_field_goal_pct	numeric
offensive_shooting_efficiency	numeric
offensive_scoring_efficiency	numeric
offensive_avg48field_goals_made	numeric
offensive_avg48field_goals_attempted	numeric
offensive_avg48three_point_field_goals_made	numeric
offensive_avg48three_point_field_goals_attempted	numeric
offensive_avg48free_throws_made	numeric
offensive_avg48free_throws_attempted	numeric
offensive_avg48points	numeric
offensive_avg48offensive_rebounds	numeric
offensive_avg48assists	numeric
offensive_avg48turnovers	numeric
team_id	integer
team_guid	character
team_uid	character
team_sdr	integer
team_slug	character
team_location	character
team_name	character
team_abbreviation	character
team_display_name	character
team_short_display_name	character
team_color	character
team_alternate_color	character
team_is_active	logical
team_is_all_star	logical
logo_href	character
logo_dark_href	character

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WNBA Functions: [espn\\_wnba\\_game\\_all\(\)](#), [espn\\_wnba\\_game\\_rosters\(\)](#), [espn\\_wnba\\_pbp\(\)](#), [espn\\_wnba\\_player\\_box\(\)](#), [espn\\_wnba\\_scoreboard\(\)](#), [espn\\_wnba\\_standings\(\)](#), [espn\\_wnba\\_team\\_box\(\)](#), [espn\\_wnba\\_team\\_stats\(\)](#), [espn\\_wnba\\_teams\(\)](#)

**Examples**

```
try(espn_wnba_player_stats(athlete_id = 2529130, year = 2022))
```

---

espn\_wnba\_scoreboard **Get WNBA schedule for a specific year/date from ESPN's API**

---

**Description**

**Get WNBA schedule for a specific year/date from ESPN's API**

**Usage**

```
espn_wnba_scoreboard(season)
```

**Arguments**

season            Either numeric or character

**Value**

Returns a tibble

col_name	types
matchup	character
matchup_short	character
season	integer
season_type	integer
season_slug	character
game_id	integer
game_uid	character
game_date	Date
attendance	integer
status_name	character
broadcast_market	character
broadcast_name	character
start_date	character
game_date_time	POSIXct
home_team_name	character
home_team_logo	character
home_team_abb	character

home_team_id	integer
home_team_location	character
home_team_full_name	character
home_team_color	character
home_score	integer
home_win	integer
home_record	character
away_team_name	character
away_team_logo	character
away_team_abb	character
away_team_id	integer
away_team_location	character
away_team_full_name	character
away_team_color	character
away_score	integer
away_win	integer
away_record	character

**Author(s)**

Saiem Gilani.

**See Also**

Other ESPN WNBA Functions: [espn\\_wnba\\_game\\_all\(\)](#), [espn\\_wnba\\_game\\_rosters\(\)](#), [espn\\_wnba\\_pbp\(\)](#), [espn\\_wnba\\_player\\_box\(\)](#), [espn\\_wnba\\_player\\_stats\(\)](#), [espn\\_wnba\\_standings\(\)](#), [espn\\_wnba\\_team\\_box\(\)](#), [espn\\_wnba\\_team\\_stats\(\)](#), [espn\\_wnba\\_teams\(\)](#)

**Examples**

```
# Get schedule from date 2022-08-31

try(espn_wnba_scoreboard (season = "20220831"))
```

---

espn\_wnba\_standings      **Get ESPN WNBA Standings**

---

**Description**

**Get ESPN WNBA Standings**

**Usage**

```
espn_wnba_standings(year)
```



**Arguments**

year                    Either numeric or character (YYYY)

**Value**

Returns a tibble

col_name	types
team_id	integer
team	character
avgpointsagainst	numeric
avgpointsfor	numeric
clincher	numeric
differential	numeric
divisionwinpercent	numeric
gamesbehind	numeric
leaguewinpercent	numeric
losses	numeric
playoffseed	numeric
streak	numeric
winpercent	numeric
wins	numeric
leaguestandings	character
home	character
road	character
vsdiv	character
vsconf	character
lasttengames	character

**Author(s)**

Geoff Hutchinson

**See Also**

Other ESPN WNBA Functions: [espn\\_wnba\\_game\\_all\(\)](#), [espn\\_wnba\\_game\\_rosters\(\)](#), [espn\\_wnba\\_pbp\(\)](#), [espn\\_wnba\\_player\\_box\(\)](#), [espn\\_wnba\\_player\\_stats\(\)](#), [espn\\_wnba\\_scoreboard\(\)](#), [espn\\_wnba\\_team\\_box\(\)](#), [espn\\_wnba\\_team\\_stats\(\)](#), [espn\\_wnba\\_teams\(\)](#)

**Examples**

```
try(espn_wnba_standings(year = 2021))
```

---

`espn_wnba_teams`*Get ESPN's WNBA team names and ids*

---

**Description**

Get ESPN's WNBA team names and ids

**Usage**

```
espn_wnba_teams()
```

**Value**

Returns a tibble

col_name	types
team_id	integer
team	character
mascot	character
display_name	character
short_name	character
abbreviation	character
color	character
alternate_color	character
logo	character
logo_dark	character

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WNBA Functions: [espn\\_wnba\\_game\\_all\(\)](#), [espn\\_wnba\\_game\\_rovers\(\)](#), [espn\\_wnba\\_pbp\(\)](#), [espn\\_wnba\\_player\\_box\(\)](#), [espn\\_wnba\\_player\\_stats\(\)](#), [espn\\_wnba\\_scoreboard\(\)](#), [espn\\_wnba\\_standings\(\)](#), [espn\\_wnba\\_team\\_box\(\)](#), [espn\\_wnba\\_team\\_stats\(\)](#)

**Examples**

```
try(espn_wnba_teams())
```

---

 espn\_wnba\_team\_box     *Get ESPN's WNBA team box data*


---

**Description**

Get ESPN's WNBA team box data

**Usage**

```
espn_wnba_team_box(game_id)
```

**Arguments**

game\_id            Game ID

**Value**

Returns a team boxscore data frame

**Team**

col_name	types
game_id	integer
season	integer
season_type	integer
game_date	Date
game_date_time	POSIXct
team_id	integer
team_uid	character
team_slug	character
team_location	character
team_name	character
team_abbreviation	character
team_display_name	character
team_short_display_name	character
team_color	character
team_alternate_color	character
team_logo	character
team_home_away	character
team_score	integer
team_winner	logical
assists	integer
blocks	integer
defensive_rebounds	integer
field_goal_pct	numeric
field_goals_made	integer
field_goals_attempted	integer
flagrant_fouls	integer

fouls	integer
free_throw_pct	numeric
free_throws_made	integer
free_throws_attempted	integer
largest_lead	character
offensive_rebounds	integer
steals	integer
team_turnovers	integer
technical_fouls	integer
three_point_field_goal_pct	numeric
three_point_field_goals_made	integer
three_point_field_goals_attempted	integer
total_rebounds	integer
total_technical_fouls	integer
total_turnovers	integer
turnovers	integer
opponent_team_id	integer
opponent_team_uid	character
opponent_team_slug	character
opponent_team_location	character
opponent_team_name	character
opponent_team_abbreviation	character
opponent_team_display_name	character
opponent_team_short_display_name	character
opponent_team_color	character
opponent_team_alternate_color	character
opponent_team_logo	character
opponent_team_score	integer

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WNBA Functions: [espn\\_wnba\\_game\\_all\(\)](#), [espn\\_wnba\\_game\\_rosters\(\)](#), [espn\\_wnba\\_pbp\(\)](#), [espn\\_wnba\\_player\\_box\(\)](#), [espn\\_wnba\\_player\\_stats\(\)](#), [espn\\_wnba\\_scoreboard\(\)](#), [espn\\_wnba\\_standings\(\)](#), [espn\\_wnba\\_team\\_stats\(\)](#), [espn\\_wnba\\_teams\(\)](#)

**Examples**

```
try(espn_wnba_team_box(game_id = 401244185))
```

espn\_wnba\_team\_stats **Get ESPN WNBA team stats data**

**Description**

**Get ESPN WNBA team stats data**

**Usage**

espn\_wnba\_team\_stats(team\_id, year, season\_type = "regular", total = FALSE)

**Arguments**

team_id	Team ID
year	Year
season_type	(character, default: regular): Season type - regular or postseason
total	(boolean, default: FALSE): Totals

**Value**

Returns a tibble with the team stats data

col_name	types
team_id	integer
team_guid	character
team_uid	character
team_sdr	integer
team_slug	character
team_location	character
team_name	character
team_abbreviation	character
team_display_name	character
team_short_display_name	character
team_color	character
team_alternate_color	character
team_is_active	logical
team_is_all_star	logical
logo_href	character
logo_dark_href	character
defensive_blocks	numeric
defensive_defensive_rebounds	numeric
defensive_steals	numeric
defensive_avg_defensive_rebounds	numeric
defensive_avg_blocks	numeric
defensive_avg_steals	numeric
defensive_avg48defensive_rebounds	numeric

defensive_avg48blocks	numeric
defensive_avg48steals	numeric
general_disqualifications	numeric
general_flagrant_fouls	numeric
general_fouls	numeric
general_ejections	numeric
general_technical_fouls	numeric
general_rebounds	numeric
general_avg_minutes	numeric
general_nba_rating	numeric
general_plus_minus	numeric
general_game_day_of_year	numeric
general_avg_rebounds	numeric
general_avg_fouls	numeric
general_avg_flagrant_fouls	numeric
general_avg_technical_fouls	numeric
general_avg_ejections	numeric
general_avg_disqualifications	numeric
general_assist_turnover_ratio	numeric
general_steal_foul_ratio	numeric
general_block_foul_ratio	numeric
general_avg_team_rebounds	numeric
general_total_rebounds	numeric
general_total_technical_fouls	numeric
general_team_assist_turnover_ratio	numeric
general_team_rebounds	numeric
general_steal_turnover_ratio	numeric
general_avg48rebounds	numeric
general_avg48fouls	numeric
general_avg48flagrant_fouls	numeric
general_avg48technical_fouls	numeric
general_avg48ejections	numeric
general_avg48disqualifications	numeric
general_games_played	numeric
general_games_started	numeric
general_double_double	numeric
general_triple_double	numeric
offensive_assists	numeric
offensive_field_goals	numeric
offensive_field_goals_attempted	numeric
offensive_field_goals_made	numeric
offensive_field_goal_pct	numeric
offensive_free_throws	numeric
offensive_free_throw_pct	numeric
offensive_free_throws_attempted	numeric
offensive_free_throws_made	numeric
offensive_offensive_rebounds	numeric
offensive_points	numeric

offensive_turnovers	numeric
offensive_three_point_pct	numeric
offensive_three_point_field_goals_attempted	numeric
offensive_three_point_field_goals_made	numeric
offensive_team_turnovers	numeric
offensive_total_turnovers	numeric
offensive_points_in_paint	numeric
offensive_brick_index	numeric
offensive_avg_field_goals_made	numeric
offensive_avg_field_goals_attempted	numeric
offensive_avg_three_point_field_goals_made	numeric
offensive_avg_three_point_field_goals_attempted	numeric
offensive_avg_free_throws_made	numeric
offensive_avg_free_throws_attempted	numeric
offensive_avg_points	numeric
offensive_avg_points_allowed	numeric
offensive_avg_offensive_rebounds	numeric
offensive_avg_assists	numeric
offensive_avg_turnovers	numeric
offensive_offensive_rebound_pct	numeric
offensive_estimated_possessions	numeric
offensive_avg_estimated_possessions	numeric
offensive_points_per_estimated_possessions	numeric
offensive_avg_team_turnovers	numeric
offensive_avg_total_turnovers	numeric
offensive_three_point_field_goal_pct	numeric
offensive_two_point_field_goals_made	numeric
offensive_two_point_field_goals_attempted	numeric
offensive_avg_two_point_field_goals_made	numeric
offensive_avg_two_point_field_goals_attempted	numeric
offensive_two_point_field_goal_pct	numeric
offensive_shooting_efficiency	numeric
offensive_scoring_efficiency	numeric
offensive_avg48field_goals_made	numeric
offensive_avg48field_goals_attempted	numeric
offensive_avg48three_point_field_goals_made	numeric
offensive_avg48three_point_field_goals_attempted	numeric
offensive_avg48free_throws_made	numeric
offensive_avg48free_throws_attempted	numeric
offensive_avg48points	numeric
offensive_avg48offensive_rebounds	numeric
offensive_avg48assists	numeric
offensive_avg48turnovers	numeric

**Author(s)**

Saiem Gilani

**See Also**

Other ESPN WNBA Functions: [espn\\_wnba\\_game\\_all\(\)](#), [espn\\_wnba\\_game\\_rosters\(\)](#), [espn\\_wnba\\_pbp\(\)](#), [espn\\_wnba\\_player\\_box\(\)](#), [espn\\_wnba\\_player\\_stats\(\)](#), [espn\\_wnba\\_scoreboard\(\)](#), [espn\\_wnba\\_standings\(\)](#), [espn\\_wnba\\_team\\_box\(\)](#), [espn\\_wnba\\_teams\(\)](#)

**Examples**

```
try(espn_wnba_team_stats(team_id = 18, year = 2020))
```

---

helper\_espn\_wbb\_pbp      **Parse ESPN WBB PBP, helper function**

---

**Description**

**Parse ESPN WBB PBP, helper function**

**Usage**

```
helper_espn_wbb_pbp(resp)
```

**Arguments**

resp                      Response object from the ESPN WBB game summary endpoint

**Value**

Returns a tibble

---

helper\_espn\_wbb\_player\_box  
                                 **Parse ESPN WBB Player Box, helper function**

---

**Description**

**Parse ESPN WBB Player Box, helper function**

**Usage**

```
helper_espn_wbb_player_box(resp)
```

**Arguments**

resp                      Response object from the ESPN WBB game summary endpoint

**Value**

Returns a tibble



---

helper\_espn\_wbb\_team\_box

**Parse ESPN WBB Team Box, helper function**

---

**Description**

**Parse ESPN WBB Team Box, helper function**

**Usage**

helper\_espn\_wbb\_team\_box(resp)

**Arguments**

resp                    Response object from the ESPN WBB game summary endpoint

**Value**

Returns a tibble

---

helper\_espn\_wnba\_pbp

**Parse ESPN WNBA PBP, helper function**

---

**Description**

**Parse ESPN WNBA PBP, helper function**

**Usage**

helper\_espn\_wnba\_pbp(resp)

**Arguments**

resp                    Response object from the ESPN WNBA game summary endpoint

**Value**

Returns a tibble

---

helper\_espn\_wnba\_player\_box

**Parse ESPN WNBA Player Box, helper function**

---

**Description**

**Parse ESPN WNBA Player Box, helper function**

**Usage**

helper\_espn\_wnba\_player\_box(resp)

**Arguments**

resp                      Response object from the ESPN WNBA game summary endpoint

**Value**

Returns a tibble

---

helper\_espn\_wnba\_team\_box

**Parse ESPN WNBA Team Box, helper function**

---

**Description**

**Parse ESPN WNBA Team Box, helper function**

**Usage**

helper\_espn\_wnba\_team\_box(resp)

**Arguments**

resp                      Response object from the ESPN WNBA game summary endpoint

**Value**

Returns a tibble

load\_wbb\_pbp

**Load wehoop women's college basketball play-by-play****Description**

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

**Usage**

```
load_wbb_pbp(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

**Arguments**

seasons	A vector of 4-digit years associated with given women's college basketball seasons. (Min: 2004)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by <code>update_wbb_db()</code> ).
dbConnection	A DBIConnection object, as returned by <code>DBI::dbConnect()</code>
tablename	The name of the play by play data table within the database

**Value**

A dataframe with 55 columns:

**shooting\_play** Logical value (TRUE/FALSE) indicating whether the play was a shooting play

**sequence\_number** Sequence number is supposed to represent a shot-possession, examine the last two numbers to see if there are multiple events that occur within the same shot-possession. A shot-possession is basically any sequence of plays until there is a shot, change in possession, and probably things like technical fouls and the like. So as soon as a shot goes up, a new sequence starts regardless, even if the shooting team retains possession via offensive or deadball rebound. The first portion of the number is usually time related (i.e. the numeric representation of when the sequence started, from a seconds remaining in the period perspective or so)

**period\_display\_value** Long form of period (1st quarter, 2nd Quarter, OT, etc.)

**period\_number** The numeric period of play in the game

**home\_score** Home score at the time of the play

**scoring\_play** Logical value (TRUE/FALSE) indicating whether the play was a play on which the offense scored

**clock\_display\_value** Time left within the period

**team\_id** Unique team identification number for the offensive team

**type\_id** Unique play type identification number

**type\_text** Play type text description

**away\_score** Away score at the time of the play

**id** Unique play identification number

**text** Text description of the play

**score\_value** The points value of the shot taken

**participants\_0\_athlete\_id** Unique player identification number

**participants\_1\_athlete\_id** Unique player identification number

**season** Season of the game

**season\_type** Season type of the game, 1 is pre-season, 2 is regular season, 3 is post-season, 4 is off-season

**away\_team\_id** Unique away team identification number

**away\_team\_name** Away team name

**away\_team\_mascot** Away team mascot

**away\_team\_abbrev** Text abbreviation for the away team

**away\_team\_name\_alt** Alternate versions of the away team abbreviation

**home\_team\_id** Unique home team identification number

**home\_team\_name** home team name

**home\_team\_mascot** home team mascot

**home\_team\_abbrev** Text abbreviation for the home team

**home\_team\_name\_alt** Alternate versions of the home team abbreviation

**home\_team\_spread** The game spread with respect to the home team

**game\_spread** Game spread in (-X Team) format

**home\_favorite** Logical (TRUE/FALSE) indicating whether the home team is favored

**game\_spread\_available** Logical (TRUE/FALSE) indicating whether the spread was available from ESPN. Basically, I would just not recommend using any of the spread information, I think I defaulted a lot of them to -2.5 for the home team. Most games probably do not have spread information. This column should really be listed first

**game\_id** Unique identifier for the game event

**qtr** Quarter of the game

**time** Time left within the period

**clock\_minutes** Clock minutes split from seconds for developer convenience

**clock\_seconds** Clock seconds split from minutes for developer convenience

**half** Half of the game

**game\_half** Half of the game

**lag\_qtr** A lag column on the quarter

**lead\_qtr** A lead column on the quarter

**lag\_game\_half** A lag column on the half

**lead\_game\_half** A lead column on the half

**start\_quarter\_seconds\_remaining** Quarter seconds remaining at the start of the play (these are more or less code artifacts from other sports, but may eventually be used more seriously)

**start\_half\_seconds\_remaining** Game half seconds remaining at the start of the play (these are more or less code artifacts from other sports, but may eventually be used more seriously)

**start\_game\_seconds\_remaining** Game seconds remaining at the start of the play (")

**game\_play\_number** Game play number

**end\_quarter\_seconds\_remaining** Quarter seconds remaining at the end of the play (")

**end\_half\_seconds\_remaining** Game half seconds remaining at the end of the play (")

**end\_game\_seconds\_remaining** Game seconds remaining at the end of the play (")

**period** Period of the game

**coordinate\_x** The entire scale is a rectangle of size 25x47, intended as a half-court representation of the basketball court (i.e. on the side of the offense), with each coordinate unit representing a foot. It appears that the basket is roughly represented as the (25, 0) point. This is a nonsensical definition when considering that the basket overhangs the court, with the backboard aligned 48 inches from the baseline, then the center of the hoop being roughly 11 inches from there. This is an idiosyncrasy of either sensor placement or software and data entry. Use your best judgement in making your charts, I think you will find that making some translations will be helpful.

**coordinate\_y**

**week** Apparently there are weeks

**media\_id** Where did you come from

## Examples

```
try(load_wbb_pbp())
```

---

load\_wbb\_player\_box    **Load wehoop women's college basketball player box scores**

---

## Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

## Usage

```
load_wbb_player_box(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

**Arguments**

seasons	A vector of 4-digit years associated with given women's college basketball seasons. (Min: 2006)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by update_wbb_db()).
dbConnection	A DBIConnection object, as returned by <a href="#">DBI::dbConnect()</a>
tablename	The name of the play by play data table within the database

**Value**

Returns a tibble

**Examples**

```
try(load_wbb_player_box())
```

---

load_wbb_schedule	<b>Load wehoop women's college basketball schedule</b>
-------------------	--

---

**Description**

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

**Usage**

```
load_wbb_schedule(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

**Arguments**

seasons	A vector of 4-digit years associated with given women's college basketball seasons. (Min: 2002)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by update_wbb_db()).
dbConnection	A DBIConnection object, as returned by <a href="#">DBI::dbConnect()</a>
tablename	The name of the play by play data table within the database

**Value**

Returns a tibble

**Examples**

```
try(load_wbb_schedule())
```

---

load_wbb_team_box	<b>Load wehoop women's college basketball team box scores</b>
-------------------	---

---

**Description**

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

**Usage**

```
load_wbb_team_box(  
  seasons = most_recent_wbb_season(),  
  ...,  
  dbConnection = NULL,  
  tablename = NULL  
)
```

**Arguments**

seasons	A vector of 4-digit years associated with given women's college basketball seasons. (Min: 2006)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by <code>update_wbb_db()</code> ).
dbConnection	A <code>DBIConnection</code> object, as returned by <code>DBI::dbConnect()</code>
tablename	The name of the play by play data table within the database

**Value**

Returns a tibble

**Examples**

```
try(load_wbb_team_box())
```

---

load_wnba_pbp	<b>Load wehoop WNBA play-by-play</b>
---------------	--------------------------------------

---

**Description**

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

**Usage**

```
load_wnba_pbp(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

**Arguments**

seasons	A vector of 4-digit years associated with given WNBA seasons. (Min: 2002)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by <code>update_wnba_db()</code> ).
dbConnection	A DBIConnection object, as returned by <a href="#">DBI::dbConnect()</a>
tablename	The name of the play by play data table within the database

**Value**

A dataframe with 42 columns

**shooting\_play** Logical value (TRUE/FALSE) indicating whether the play was a shooting play

**sequence\_number** Sequence number is supposed to represent a shot-possession, examine the last two numbers to see if there are multiple events that occur within the same shot-possession. A shot-possession is basically any sequence of plays until there is a shot, change in possession, and probably things like technical fouls and the like. So as soon as a shot goes up, a new sequence starts regardless, even if the shooting team retains possession via offensive or deadball rebound. The first portion of the number is usually time related (i.e. the numeric representation of when the sequence started, from a seconds remaining in the period perspective or so)

**period\_display\_value** Long form of period (1st quarter, 2nd Quarter, OT, etc.)

**period\_number** The numeric period of play in the game

**home\_score** Home score at the time of the play

**coordinate\_x** The entire scale is a rectangle of size 25x47, intended as a half-court representation of the basketball court (i.e. on the side of the offense), with each coordinate unit representing a foot. It appears that the basket is roughly represented as the (25, 0) point. This is a nonsensical definition when considering that the basket overhangs the court, with the backboard aligned



48 inches from the baseline, then the center of the hoop being roughly 11 inches from there. This is an idiosyncrasy of either sensor placement or software and data entry. Use your best judgement in making your charts, I think you will find that making some translations will be helpful.

**coordinate\_y**

**scoring\_play** Logical value (TRUE/FALSE) indicating whether the play was a play on which the offense scored

**clock\_display\_value** Time left within the period

**team\_id** Unique team identification number for the offensive team

**type\_id** Unique play type identification number

**type\_text** Play type text description

**away\_score** Away score at the time of the play

**id** Unique play identification number

**text** Text description of the play

**score\_value** The points value of the shot taken

**participants\_0\_athlete\_id** Unique player identification number

**participants\_1\_athlete\_id** Unique player identification number

**participants\_2\_athlete\_id** Unique player identification number

**type\_abbreviation** Play type abbreviation

**season** Season of the game

**season\_type** Season type of the game, 1 is pre-season, 2 is regular season, 3 is post-season, 4 is off-season

**away\_team\_id** Unique away team identification number

**away\_team\_name** Away team name

**away\_team\_mascot** Away team mascot

**away\_team\_abbrev** Text abbreviation for the away team

**away\_team\_name\_alt** Alternate versions of the away team abbreviation

**home\_team\_id** Unique home team identification number

**home\_team\_name** home team name

**home\_team\_mascot** home team mascot

**home\_team\_abbrev** Text abbreviation for the home team

**home\_team\_name\_alt** Alternate versions of the home team abbreviation

**home\_team\_spread** The game spread with respect to the home team

**game\_spread** Game spread in (-X Team) format. There are almost none, I would recommend not trusting any of these three columns

**home\_favorite** Logical (TRUE/FALSE) indicating whether the home team is favored

**clock\_minutes** Clock minutes split from seconds for developer convenience

**clock\_seconds** Clock seconds split from minutes for developer convenience

**half** Half of the game

**lag\_half** A lag column on the half

**lead\_half** A lead column on the half

**game\_play\_number** Game play number

**game\_id** Unique identifier for the game event

### Examples

```
try(load_wnba_pbp())
```

---

load\_wnba\_player\_box    **Load wehoop WNBA player box scores**

---

### Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

### Usage

```
load_wnba_player_box(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

### Arguments

seasons	A vector of 4-digit years associated with given WNBA seasons. (Min: 2002)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by <code>update_wnba_db()</code> ).
dbConnection	A DBIConnection object, as returned by <a href="#">DBI::dbConnect()</a>
tablename	The name of the player box data table within the database

### Value

Returns a tibble

### Examples

```
try(load_wnba_player_box())
```

---

**load\_wnba\_schedule**      **Load wehoop WNBA schedules**

---

**Description**

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

**Usage**

```
load_wnba_schedule(  
  seasons = most_recent_wnba_season(),  
  ...,  
  dbConnection = NULL,  
  tablename = NULL  
)
```

**Arguments**

seasons	A vector of 4-digit years associated with given WNBA seasons. (Min: 2002)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by <code>update_wnba_db()</code> ).
dbConnection	A DBIConnection object, as returned by <code>DBI::dbConnect()</code>
tablename	The name of the schedule data table within the database

**Value**

Returns a tibble

**Examples**

```
try(load_wnba_schedule())
```

---

**load\_wnba\_team\_box**      **Load wehoop WNBA team box scores**

---

**Description**

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

**Usage**

```
load_wnba_team_box(  
  seasons = most_recent_wnba_season(),  
  ...,  
  dbConnection = NULL,  
  tablename = NULL  
)
```

**Arguments**

seasons	A vector of 4-digit years associated with given WNBA seasons. (Min: 2003)
...	Additional arguments passed to an underlying function that writes the season data into a database (used by <code>update_wnba_db()</code> ).
dbConnection	A <code>DBIConnection</code> object, as returned by <code>DBI::dbConnect()</code>
tablename	The name of the team box data table within the database

**Value**

Returns a tibble

**Examples**

```
try(load_wnba_team_box())
```

---

most\_recent\_wbb\_season

**Most Recent Women's College Basketball Season**

---

**Description**

**Most Recent Women's College Basketball Season**

**Usage**

```
most_recent_wbb_season()
```

---

 most\_recent\_wnba\_season

### Most Recent WNBA Season

---

#### Description

**Most Recent WNBA Season**

#### Usage

```
most_recent_wnba_season()
```

---

 ncaa\_wbb\_NET\_rankings *Get Women's college basketball NET rankings for the current date from the NCAA website*


---

#### Description

Get Women's college basketball NET rankings for the current date from the NCAA website

#### Usage

```
ncaa_wbb_NET_rankings()
```

#### Value

Returns a tibble

col_name	types
rank	integer
previous	integer
school	character
conference	character
record	character
road	character
neutral	character
home	character
non_div_i	character

#### Author(s)

Saiem Gilani

**Examples**

```
# Get current NCAA NET rankings

try(ncaa_wbb_NET_rankings())
```

---

ncaa_wbb_teams	<b>Scrape NCAA Women's Basketball Teams (Division I, II, and III)</b>
----------------	---

---

**Description**

This function allows the user to obtain NCAA teams by year and division

**Usage**

```
ncaa_wbb_teams(year = most_recent_wbb_season(), division = 1, ...)
```

**Arguments**

year	The season for which data should be returned, in the form of "YYYY". Years currently available: 2002 onward.
division	Division - 1, 2, 3
...	Additional arguments passed to an underlying function like httr.

**Details**

```
ncaa_wbb_teams(year = 2023, division = 1)
```

**Value**

A data frame with the following variables

col_name	types
team_id	character
team_name	character
team_url	character
conference_id	character
conference	character
division	numeric
year	numeric
season_id	character

---

progressively	<i>Progressively</i>
---------------	----------------------

---

**Description**

This function helps add progress-reporting to any function - given function `f()` and progressor `p()`, it will return a new function that calls `f()` and then (on-exiting) will call `p()` after every iteration.

**Usage**

```
progressively(f, p = NULL)
```

**Arguments**

<code>f</code>	a function to add progressr functionality to.
<code>p</code>	a progressor function as created by <code>progressr::progressor()</code>

**Details**

This is inspired by `purrr`'s `safely`, `quietly`, and `possibly` function decorators.

**Value**

a function that does the same as `f` but it calls `p()` after iteration.

---

<code>rds_from_url</code>	<b>Load .rds file from a remote connection</b>
---------------------------	--

---

**Description**

**Load .rds file from a remote connection**

**Usage**

```
rds_from_url(url)
```

**Arguments**

<code>url</code>	a character url
------------------	-----------------

**Value**

a dataframe as created by [readRDS\(\)](#)

update\_wbb\_db

**Build/update wehoop WBB play-by-play database****Description**

update\_wbb\_db() updates or creates a database with wehoop play by play data of all completed and available games since 2002.

**Usage**

```
update_wbb_db(
  dbdir = ".",
  dbname = "wehoop_db",
  tblname = "wehoop_wbb_pbp",
  force_rebuild = FALSE,
  db_connection = NULL
)
```

**Arguments**

dbdir	Directory in which the database is or shall be located
dbname	File name of an existing or desired SQLite database within dbdir
tblname	The name of the play by play data table within the database
force_rebuild	Hybrid parameter (logical or numeric) to rebuild parts of or the complete play by play data table within the database (please see details for further information)
db_connection	A DBIConnection object, as returned by <code>DBI::dbConnect()</code> (please see details for further information)

**Details**

This function creates and updates a data table with the name `tblname` within a SQLite database (other drivers via `db_connection`) located in `dbdir` and named `dbname`. The data table combines all play by play data for every available game back to the 2002 season and adds the most recent completed games as soon as they are available for wehoop.

The argument `force_rebuild` is of hybrid type. It can rebuild the play by play data table either for the whole wehoop era (with `force_rebuild = TRUE`) or just for specified seasons (e.g. `force_rebuild = c(2019, 2020)`). Please note the following behavior:

- `force_rebuild = TRUE`: The data table with the name `tblname` will be removed completely and rebuilt from scratch. This is helpful when new columns are added during the Off-Season.
- `force_rebuild = c(2019, 2020)`: The data table with the name `tblname` will be preserved and only rows from the 2019 and 2020 seasons will be deleted and re-added. This is intended to be used for ongoing seasons because ESPN's data provider can make changes to the underlying data during the week.



The parameter `db_connection` is intended for advanced users who want to use other DBI drivers, such as MariaDB, Postgres or `odbc`. Please note that the arguments `dbdir` and `dbname` are dropped in case a `db_connection` is provided but the argument `tblname` will still be used to write the data table into the database.

### Value

Logical TRUE/FALSE

---

update_wnba_db	<b>Build/update wehoop WNBA play-by-play database</b>
----------------	---

---

### Description

`update_wnba_db()` updates or creates a database with wehoop play by play data of all completed and available games since 2002.

### Usage

```
update_wnba_db(
  dbdir = ".",
  dbname = "wehoop_db",
  tblname = "wehoop_wnba_pbp",
  force_rebuild = FALSE,
  db_connection = NULL
)
```

### Arguments

<code>dbdir</code>	Directory in which the database is or shall be located
<code>dbname</code>	File name of an existing or desired SQLite database within <code>dbdir</code>
<code>tblname</code>	The name of the play by play data table within the database
<code>force_rebuild</code>	Hybrid parameter (logical or numeric) to rebuild parts of or the complete play by play data table within the database (please see details for further information)
<code>db_connection</code>	A DBIConnection object, as returned by <code>DBI::dbConnect()</code> (please see details for further information)

### Details

This function creates and updates a data table with the name `tblname` within a SQLite database (other drivers via `db_connection`) located in `dbdir` and named `dbname`. The data table combines all play by play data for every available game back to the 2002 season and adds the most recent completed games as soon as they are available for wehoop.

The argument `force_rebuild` is of hybrid type. It can rebuild the play by play data table either for the whole wehoop era (with `force_rebuild = TRUE`) or just for specified seasons (e.g. `force_rebuild = c(2019, 2020)`). Please note the following behavior:

- `force_rebuild = TRUE`: The data table with the name `tblname` will be removed completely and rebuilt from scratch. This is helpful when new columns are added during the Off-Season.
- `force_rebuild = c(2019, 2020)`: The data table with the name `tblname` will be preserved and only rows from the 2019 and 2020 seasons will be deleted and re-added. This is intended to be used for ongoing seasons because ESPN's data provider can make changes to the underlying data during the week.

The parameter `db_connection` is intended for advanced users who want to use other DBI drivers, such as MariaDB, Postgres or `odbc`. Please note that the arguments `dbdir` and `dbname` are dropped in case a `db_connection` is provided but the argument `tblname` will still be used to write the data table into the database.

### Value

Logical TRUE/FALSE

---

wnba\_alltimeleadersgrids

### Get WNBA Stats API All-time Leaders Grid

---

### Description

**Get WNBA Stats API All-time Leaders Grid**

**Get WNBA Stats API All-time Leaders Grid**

### Usage

```
wnba_alltimeleadersgrids(
  league_id = "10",
  per_mode = "PerGame",
  season_type = "Regular Season",
  top_x = 10,
  ...
)
```

### Arguments

<code>league_id</code>	League - default: '00'. Other options include '10': WWNBA, '20': G-League
<code>per_mode</code>	Per Mode - PerGame, Totals
<code>season_type</code>	Season Type - Regular Season, Playoffs, All-Star
<code>top_x</code>	Top X
<code>...</code>	Additional arguments passed to an underlying function like <code>httr</code> .

### Details

```
wnba_alltimeleadersgrids(league_id = '10')
```

**Value**

Returns a named list of data frames: ASTLeaders, BLKLeaders, DREBLeaders, FG3ALeaders, FG3MLeaders, FG3\_PCTLeaders, FGALeaders, FGMLeaders, FG\_PCTLeaders, FTALeaders, FTMLeaders, FT\_PCTLeaders, GPLeaders, OREBLeaders, PFLeaders, PTSLeaders, REBLeaders, STLLeaders, TOVLeaders

**GPLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
GP	character
GP_RANK	character
IS_ACTIVE_FLAG	character

**PTSLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
PTS	character
PTS_RANK	character
IS_ACTIVE_FLAG	character

**ASTLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
AST	character
AST_RANK	character
IS_ACTIVE_FLAG	character

**STLLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
STL	character
STL_RANK	character
IS_ACTIVE_FLAG	character

**OREBLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
OREB	character
OREB_RANK	character
IS_ACTIVE_FLAG	character

**DREBLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
DREB	character
DREB_RANK	character
IS_ACTIVE_FLAG	character

**REBLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
REB	character
REB_RANK	character
IS_ACTIVE_FLAG	character

**BLKLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
BLK	character
BLK_RANK	character
IS_ACTIVE_FLAG	character

**FGMLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
FGM	character
FGM_RANK	character
IS_ACTIVE_FLAG	character

**FGALeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
FGA	character
FGA_RANK	character
IS_ACTIVE_FLAG	character

**FG\_PCTLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
FG_PCT	character
FG_PCT_RANK	character
IS_ACTIVE_FLAG	character

**TOVLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TOV	character
TOV_RANK	character
IS_ACTIVE_FLAG	character

**FG3MLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
FG3M	character
FG3M_RANK	character
IS_ACTIVE_FLAG	character

**FG3ALeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
FG3A	character
FG3A_RANK	character

IS_ACTIVE_FLAG	character
----------------	-----------

**FG3\_PCTLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
FG3_PCT	character
FG3_PCT_RANK	character
IS_ACTIVE_FLAG	character

**PFLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
PF	character
PF_RANK	character
IS_ACTIVE_FLAG	character

**FTMLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
FTM	character
FTM_RANK	character
IS_ACTIVE_FLAG	character

**FTALeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
FTA	character
FTA_RANK	character
IS_ACTIVE_FLAG	character

**FT\_PCTLeaders**

col_name	types
PLAYER_ID	character

PLAYER_NAME	character
FT_PCT	character
FT_PCT_RANK	character
IS_ACTIVE_FLAG	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Leaders Functions: [wnba\\_assistleaders\(\)](#), [wnba\\_assisttracker\(\)](#), [wnba\\_homepagewidget\(\)](#), [wnba\\_leagueleaders\(\)](#)

---

wnba\_assistleaders      **Get WNBA Stats API Assist Leaders**

---

**Description**

**Get WNBA Stats API Assist Leaders**

**Get WNBA Stats API Assist Leaders**

**Usage**

```
wnba_assistleaders(
    league_id = "10",
    per_mode = "PerGame",
    player_or_team = "Team",
    season = most_recent_wnba_season() - 1,
    season_type = "Regular Season",
    ...
)
```

**Arguments**

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Per Mode - PerGame, Totals
player_or_team	Player or Team
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_assistleaders(league_id = '10', player_or_team = "Player")
wnba_assistleaders(league_id = '10', player_or_team = "Team")
```

**Value**

Returns a named list of data frames: AssistLeaders

**AssistLeaders**

col_name	types
RANK	character
PLAYER_ID	character
PLAYER	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
JERSEY_NUM	character
PLAYER_POSITION	character
AST	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Leaders Functions: [wnba\\_alltimeleadersgrids\(\)](#), [wnba\\_assisttracker\(\)](#), [wnba\\_homepagewidget\(\)](#), [wnba\\_leagueleaders\(\)](#)

---

wnba\_assisttracker      **Get WNBA Stats API Assist Tracker**

---

**Description**

**Get WNBA Stats API Assist Tracker**

**Get WNBA Stats API Assist Tracker**

**Usage**

```
wnba_assisttracker(
  league_id = "10",
  per_mode = "PerGame",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```



**Arguments**

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Per Mode - PerGame, Totals
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_assisttracker(league_id = '10')
```

**Value**

Returns a named list of data frames: AssistTracker

**AssistTracker**

col_name	types
ASSISTS	numeric

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Leaders Functions: [wnba\\_alltimeleadersgrids\(\)](#), [wnba\\_assistleaders\(\)](#), [wnba\\_homepagewidget\(\)](#), [wnba\\_leagueleaders\(\)](#)

---

wnba\_boxscoreadvancedv2

**Get WNBA Stats API Boxscore Advanced V2**

---

**Description**

**Get WNBA Stats API Boxscore Advanced V2**

**Get WNBA Stats API Boxscore Advanced V2**

**Usage**

```
wnba_boxscoreadvancedv2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

**Arguments**

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_boxscoreadvancedv2(game_id = "1022200034")
```

**Value**

Returns a named list of data frames: PlayerStats, TeamStats

**PlayerStats**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
PLAYER_ID	character
PLAYER_NAME	character
NICKNAME	character
START_POSITION	character
COMMENT	character
MIN	character
E_OFF_RATING	character
OFF_RATING	character
E_DEF_RATING	character
DEF_RATING	character
E_NET_RATING	character

NET_RATING	character
AST_PCT	character
AST_TOV	character
AST_RATIO	character
OREB_PCT	character
DREB_PCT	character
REB_PCT	character
TM_TOV_PCT	character
EFG_PCT	character
TS_PCT	character
USG_PCT	character
E_USG_PCT	character
E_PACE	character
PACE	character
PACE_PER40	character
POSS	character
PIE	character

**TeamStats**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
MIN	character
E_OFF_RATING	character
OFF_RATING	character
E_DEF_RATING	character
DEF_RATING	character
E_NET_RATING	character
NET_RATING	character
AST_PCT	character
AST_TOV	character
AST_RATIO	character
OREB_PCT	character
DREB_PCT	character
REB_PCT	character
E_TM_TOV_PCT	character
TM_TOV_PCT	character
EFG_PCT	character
TS_PCT	character
USG_PCT	character
E_USG_PCT	character
E_PACE	character
PACE	character

PACE_PER40	character
POSS	character
PIE	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore Functions: [wnba\\_boxscorefourfactorsv2\(\)](#), [wnba\\_boxscoremiscv2\(\)](#), [wnba\\_boxscoreplayertrackv2\(\)](#), [wnba\\_boxscorescoringv2\(\)](#), [wnba\\_boxscoresummaryv2\(\)](#), [wnba\\_boxscoretraditionalv2\(\)](#), [wnba\\_boxscoreusagev2\(\)](#), [wnba\\_gamerotation\(\)](#), [wnba\\_hustlestatsboxscore\(\)](#)

---

wnba\_boxscoreadvancedv3

**Get WNBA Stats API Boxscore Advanced V3**

---

**Description**

**Get WNBA Stats API Boxscore Advanced V3**

**Get WNBA Stats API Boxscore Advanced V3**

**Usage**

```
wnba_boxscoreadvancedv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

**Arguments**

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_boxscoreadvancedv3(game_id = "1022200034")
```

**Value**

A list of data frames: home\_team\_player\_advanced, away\_team\_player\_advanced, home\_team\_totals\_advanced, away\_team\_totals\_advanced

**home\_team\_player\_advanced**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
estimated_offensive_rating	numeric
offensive_rating	numeric
estimated_defensive_rating	numeric
defensive_rating	numeric
estimated_net_rating	numeric
net_rating	numeric
assist_percentage	numeric
assist_to_turnover	numeric
assist_ratio	numeric
offensive_rebound_percentage	numeric
defensive_rebound_percentage	numeric
rebound_percentage	numeric
turnover_ratio	numeric
effective_field_goal_percentage	numeric
true_shooting_percentage	numeric
usage_percentage	numeric
estimated_usage_percentage	numeric
estimated_pace	numeric
pace	numeric
pace_per40	numeric
possessions	numeric

pie	numeric
-----	---------

**away\_team\_player\_advanced**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
estimated_offensive_rating	numeric
offensive_rating	numeric
estimated_defensive_rating	numeric
defensive_rating	numeric
estimated_net_rating	numeric
net_rating	numeric
assist_percentage	numeric
assist_to_turnover	numeric
assist_ratio	numeric
offensive_rebound_percentage	numeric
defensive_rebound_percentage	numeric
rebound_percentage	numeric
turnover_ratio	numeric
effective_field_goal_percentage	numeric
true_shooting_percentage	numeric
usage_percentage	numeric
estimated_usage_percentage	numeric
estimated_pace	numeric
pace	numeric
pace_per40	numeric
possessions	numeric
pie	numeric

**home\_team\_totals\_advanced**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
estimated_offensive_rating	numeric
offensive_rating	numeric
estimated_defensive_rating	numeric
defensive_rating	numeric
estimated_net_rating	numeric
net_rating	numeric
assist_percentage	numeric
assist_to_turnover	numeric
assist_ratio	numeric
offensive_rebound_percentage	numeric
defensive_rebound_percentage	numeric
rebound_percentage	numeric
estimated_team_turnover_percentage	numeric
turnover_ratio	numeric
effective_field_goal_percentage	numeric
true_shooting_percentage	numeric
usage_percentage	numeric
estimated_usage_percentage	numeric
estimated_pace	numeric
pace	numeric
pace_per40	numeric
possessions	numeric
pie	numeric

**away\_team\_totals\_advanced**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
estimated_offensive_rating	numeric

offensive_rating	numeric
estimated_defensive_rating	numeric
defensive_rating	numeric
estimated_net_rating	numeric
net_rating	numeric
assist_percentage	numeric
assist_to_turnover	numeric
assist_ratio	numeric
offensive_rebound_percentage	numeric
defensive_rebound_percentage	numeric
rebound_percentage	numeric
estimated_team_turnover_percentage	numeric
turnover_ratio	numeric
effective_field_goal_percentage	numeric
true_shooting_percentage	numeric
usage_percentage	numeric
estimated_usage_percentage	numeric
estimated_pace	numeric
pace	numeric
pace_per40	numeric
possessions	numeric
pie	numeric

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore V3 Functions: [wnba\\_boxscorefourfactorsv3\(\)](#), [wnba\\_boxscorehustlev2\(\)](#), [wnba\\_boxscoremiscv3\(\)](#), [wnba\\_boxscoreplayertrackv3\(\)](#), [wnba\\_boxscorescoringv3\(\)](#), [wnba\\_boxscoretraditionalv3\(\)](#)

---

 wnba\_boxscorefourfactorsv2

### Get WNBA Stats API Boxscore Four Factors V2

---

**Description**

**Get WNBA Stats API Boxscore Four Factors V2**

**Get WNBA Stats API Boxscore Four Factors V2**

**Usage**

```
wnba_boxscorefourfactorsv2(
  game_id,
  start_period = 0,
```



```

    end_period = 14,
    start_range = 0,
    end_range = 0,
    range_type = 0,
    ...
)

```

### Arguments

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

### Details

```
wnba_boxscorefourfactorsv2(game_id = "1022200034")
```

### Value

Returns a named list of data frames: `sqlPlayersFourFactors`, `sqlTeamFourFactors`

#### **sqlPlayersFourFactors**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
PLAYER_ID	character
PLAYER_NAME	character
NICKNAME	character
START_POSITION	character
COMMENT	character
MIN	character
EFG_PCT	character
FTA_RATE	character
TM_TOV_PCT	character
OREB_PCT	character
OPP_EFG_PCT	character
OPP_FTA_RATE	character
OPP_TOV_PCT	character
OPP_OREB_PCT	character

**sqlTeamsFourFactors**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
MIN	character
EFG_PCT	character
FTA_RATE	character
TM_TOV_PCT	character
OREB_PCT	character
OPP_EFG_PCT	character
OPP_FTA_RATE	character
OPP_TOV_PCT	character
OPP_OREB_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore Functions: [wnba\\_boxscoreadvancedv2\(\)](#), [wnba\\_boxscoremiscv2\(\)](#), [wnba\\_boxscoreplayertrac](#)  
[wnba\\_boxscorescoringv2\(\)](#), [wnba\\_boxscoresummaryv2\(\)](#), [wnba\\_boxscoretraditionalv2\(\)](#),  
[wnba\\_boxscoreusagev2\(\)](#), [wnba\\_gamerotation\(\)](#), [wnba\\_hustlestatsboxscore\(\)](#)

---

wnba\_boxscorefourfactorsv3

**Get WNBA Stats API Boxscore Four Factors V3**

---

**Description**

**Get WNBA Stats API Boxscore Four Factors V3**

**Get WNBA Stats API Boxscore Four Factors V3**

**Usage**

```
wnba_boxscorefourfactorsv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

**Arguments**

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_boxscorefourfactorsv3(game_id = "1022200034")
```

**Value**

A list of data frames: home\_team\_player\_four\_factors, away\_team\_player\_four\_factors, home\_team\_totals\_four\_factors, away\_team\_totals\_four\_factors

**home\_team\_player\_four\_factors**

	col_name	types
	game_id	character
	away_team_id	integer
	home_team_id	integer
	team_id	integer
	team_name	character
	team_city	character
	team_tricode	character
	team_slug	character
	person_id	integer
	first_name	character
	family_name	character
	name_i	character
	player_slug	character
	position	character
	comment	character
	jersey_num	character
	minutes	character
	effective_field_goal_percentage	numeric
	free_throw_attempt_rate	numeric
	team_turnover_percentage	numeric
	offensive_rebound_percentage	numeric
	opp_effective_field_goal_percentage	numeric
	opp_free_throw_attempt_rate	numeric
	opp_team_turnover_percentage	numeric
	opp_offensive_rebound_percentage	numeric

**away\_team\_player\_four\_factors**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
effective_field_goal_percentage	numeric
free_throw_attempt_rate	numeric
team_turnover_percentage	numeric
offensive_rebound_percentage	numeric
opp_effective_field_goal_percentage	numeric
opp_free_throw_attempt_rate	numeric
opp_team_turnover_percentage	numeric
opp_offensive_rebound_percentage	numeric

**home\_team\_totals\_four\_factors**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
effective_field_goal_percentage	numeric
free_throw_attempt_rate	numeric
team_turnover_percentage	numeric
offensive_rebound_percentage	numeric
opp_effective_field_goal_percentage	numeric
opp_free_throw_attempt_rate	numeric

opp_team_turnover_percentage	numeric
opp_offensive_rebound_percentage	numeric

**away\_team\_totals\_four\_factors**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
effective_field_goal_percentage	numeric
free_throw_attempt_rate	numeric
team_turnover_percentage	numeric
offensive_rebound_percentage	numeric
opp_effective_field_goal_percentage	numeric
opp_free_throw_attempt_rate	numeric
opp_team_turnover_percentage	numeric
opp_offensive_rebound_percentage	numeric

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore V3 Functions: [wnba\\_boxscoreadvancedv3\(\)](#), [wnba\\_boxscorehustlev2\(\)](#), [wnba\\_boxscoremiscv3\(\)](#), [wnba\\_boxscoreplayertrackv3\(\)](#), [wnba\\_boxscorescoringv3\(\)](#), [wnba\\_boxscoretraditionalv3\(\)](#)

---

wnba\_boxscorehustlev2 **Get WNBA Stats API Boxscore Hustle V2**

---

**Description****Get WNBA Stats API Boxscore Hustle V2****Get WNBA Stats API Boxscore Hustle V2****Usage**

```
wnba_boxscorehustlev2(game_id = "1022200034", ...)
```

**Arguments**

game\_id            Game ID  
 ...                Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_boxscorehustlev2(game_id = "1022200034")
```

**Value**

Returns a named list of data frames: home\_team\_player\_hustle, away\_team\_player\_hustle, home\_team\_hustle\_totals, away\_team\_hustle\_totals

**home\_team\_player\_hustle**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
points	integer
contested_shots	integer
contested_shots2pt	integer
contested_shots3pt	integer
deflections	integer
charges_drawn	integer
screen_assists	integer
screen_assist_points	integer
loose_balls_recovered_offensive	integer
loose_balls_recovered_defensive	integer
loose_balls_recovered_total	integer
offensive_box_outs	integer
defensive_box_outs	integer
box_out_player_team_rebounds	integer
box_out_player_rebounds	integer
box_outs	integer

**away\_team\_player\_hustle**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
points	integer
contested_shots	integer
contested_shots2pt	integer
contested_shots3pt	integer
deflections	integer
charges_drawn	integer
screen_assists	integer
screen_assist_points	integer
loose_balls_recovered_offensive	integer
loose_balls_recovered_defensive	integer
loose_balls_recovered_total	integer
offensive_box_outs	integer
defensive_box_outs	integer
box_out_player_team_rebounds	integer
box_out_player_rebounds	integer
box_outs	integer

**home\_team\_totals\_hustle**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character

team_city	character
team_tricode	character
team_slug	character
minutes	character
points	integer
contested_shots	integer
contested_shots2pt	integer
contested_shots3pt	integer
deflections	integer
charges_drawn	integer
screen_assists	integer
screen_assist_points	integer
loose_balls_recovered_offensive	integer
loose_balls_recovered_defensive	integer
loose_balls_recovered_total	integer
offensive_box_outs	integer
defensive_box_outs	integer
box_out_player_team_rebounds	integer
box_out_player_rebounds	integer
box_outs	integer

**away\_team\_totals\_hustle**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
points	integer
contested_shots	integer
contested_shots2pt	integer
contested_shots3pt	integer
deflections	integer
charges_drawn	integer
screen_assists	integer
screen_assist_points	integer
loose_balls_recovered_offensive	integer
loose_balls_recovered_defensive	integer
loose_balls_recovered_total	integer
offensive_box_outs	integer
defensive_box_outs	integer
box_out_player_team_rebounds	integer



box_out_player_rebounds	integer
box_outs	integer

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore V3 Functions: [wnba\\_boxscoreadvancedv3\(\)](#), [wnba\\_boxscorefourfactorsv3\(\)](#), [wnba\\_boxscoremiscv3\(\)](#), [wnba\\_boxscoreplayertrackv3\(\)](#), [wnba\\_boxscorescoringv3\(\)](#), [wnba\\_boxscoretraditionalv3\(\)](#)

---

wnba\_boxscoremiscv2      **Get WNBA Stats API Boxscore Misc V2**

---

**Description****Get WNBA Stats API Boxscore Misc V2****Get WNBA Stats API Boxscore Misc V2****Usage**

```
wnba_boxscoremiscv2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

**Arguments**

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_boxscoremiscv2(game_id = "1022200034")
```

**Value**

Returns a named list of data frames: sqlPlayersMisc, sqlTeamsMisc

**sqlPlayersMisc**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
PLAYER_ID	character
PLAYER_NAME	character
NICKNAME	character
START_POSITION	character
COMMENT	character
MIN	character
PTS_OFF_TOV	character
PTS_2ND_CHANCE	character
PTS_FB	character
PTS_PAINT	character
OPP_PTS_OFF_TOV	character
OPP_PTS_2ND_CHANCE	character
OPP_PTS_FB	character
OPP_PTS_PAINT	character
BLK	character
BLKA	character
PF	character
PFD	character

**sqlTeamsMisc**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
MIN	character
PTS_OFF_TOV	character
PTS_2ND_CHANCE	character
PTS_FB	character
PTS_PAINT	character
OPP_PTS_OFF_TOV	character
OPP_PTS_2ND_CHANCE	character
OPP_PTS_FB	character
OPP_PTS_PAINT	character
BLK	character

BLKA	character
PF	character
PFD	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore Functions: [wnba\\_boxscoreadvancedv2\(\)](#), [wnba\\_boxscorefourfactorsv2\(\)](#), [wnba\\_boxscoreplayertrackv2\(\)](#), [wnba\\_boxscorescoringv2\(\)](#), [wnba\\_boxscoresummaryv2\(\)](#), [wnba\\_boxscoretraditionalv2\(\)](#), [wnba\\_boxscoreusagev2\(\)](#), [wnba\\_gamerotation\(\)](#), [wnba\\_hustlestatsboxscore\(\)](#)

---

wnba\_boxscoremiscv3      **Get WNBA Stats API Boxscore Misc V3**

---

**Description**

**Get WNBA Stats API Boxscore Misc V3**

**Get WNBA Stats API Boxscore Misc V3**

**Usage**

```
wnba_boxscoremiscv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

**Arguments**

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_boxscoremiscv3(game_id = "1022200034")
```

**Value**

A list of data frames: home\_team\_player\_misc, away\_team\_player\_misc, home\_team\_totals\_misc, away\_team\_totals\_misc

**home\_team\_player\_misc**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
points_off_turnovers	integer
points_second_chance	integer
points_fast_break	integer
points_paint	integer
opp_points_off_turnovers	integer
opp_points_second_chance	integer
opp_points_fast_break	integer
opp_points_paint	integer
blocks	integer
blocks_against	integer
fouls_personal	integer
fouls_drawn	integer

**away\_team\_player\_misc**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer

team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
points_off_turnovers	integer
points_second_chance	integer
points_fast_break	integer
points_paint	integer
opp_points_off_turnovers	integer
opp_points_second_chance	integer
opp_points_fast_break	integer
opp_points_paint	integer
blocks	integer
blocks_against	integer
fouls_personal	integer
fouls_drawn	integer

**home\_team\_totals\_misc**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
points_off_turnovers	integer
points_second_chance	integer
points_fast_break	integer
points_paint	integer
opp_points_off_turnovers	integer
opp_points_second_chance	integer
opp_points_fast_break	integer
opp_points_paint	integer

blocks	integer
blocks_against	integer
fouls_personal	integer
fouls_drawn	integer

**away\_team\_totals\_misc**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
points_off_turnovers	integer
points_second_chance	integer
points_fast_break	integer
points_paint	integer
opp_points_off_turnovers	integer
opp_points_second_chance	integer
opp_points_fast_break	integer
opp_points_paint	integer
blocks	integer
blocks_against	integer
fouls_personal	integer
fouls_drawn	integer

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore V3 Functions: [wnba\\_boxscoreadvancedv3\(\)](#), [wnba\\_boxscorefourfactorsv3\(\)](#), [wnba\\_boxscorehustlev2\(\)](#), [wnba\\_boxscoreplayertrackv3\(\)](#), [wnba\\_boxscorescoringv3\(\)](#), [wnba\\_boxscoretradition](#)

**Description****Get WNBA Stats API Boxscore Player Tracking V2****Get WNBA Stats API Boxscore Player Tracking V2****Usage**

wnba\_boxscoreplayertrackv2(game\_id, ...)

**Arguments**

game_id	Game ID
...	Additional arguments passed to an underlying function like httr.

**Details**

wnba\_boxscoreplayertrackv2(game\_id = "1022200034")

**Value**

Returns a named list of data frames: PlayerStats, TeamStats

**PlayerStats**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
PLAYER_ID	character
PLAYER_NAME	character
START_POSITION	character
COMMENT	character
MIN	character
SPD	character
DIST	character
ORBC	character
DRBC	character
RBC	character
TCHS	character
SAST	character
FTAST	character
PASS	character
AST	character
CFGM	character
CFGA	character
CFG_PCT	character
UFGM	character
UFGA	character
UFG_PCT	character

FG_PCT	character
DFGM	character
DFGA	character
DFG_PCT	character

### TeamStats

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
MIN	character
DIST	character
ORBC	character
DRBC	character
RBC	character
TCHS	character
SAST	character
FTAST	character
PASS	character
AST	character
CFGM	character
CFGGA	character
CFG_PCT	character
UFGM	character
UFGA	character
UFG_PCT	character
FG_PCT	character
DFGM	character
DFGA	character
DFG_PCT	character

### Author(s)

Saiem Gilani

### See Also

Other WNBA Boxscore Functions: [wnba\\_boxscoreadvancedv2\(\)](#), [wnba\\_boxscorefourfactorsv2\(\)](#), [wnba\\_boxscoremiscv2\(\)](#), [wnba\\_boxscorescoringv2\(\)](#), [wnba\\_boxscoresummaryv2\(\)](#), [wnba\\_boxscoretraditionalv2\(\)](#), [wnba\\_boxscoreusagev2\(\)](#), [wnba\\_gamerotation\(\)](#), [wnba\\_hustlestatsboxscore\(\)](#)



---

 wnba\_boxscoreplayertrackv3

### Get WNBA Stats API Boxscore Player Tracking V3

---

#### Description

**Get WNBA Stats API Boxscore Player Tracking V3**

**Get WNBA Stats API Boxscore Player Tracking V3**

#### Usage

```
wnba_boxscoreplayertrackv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

#### Arguments

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like htr.

#### Details

```
wnba_boxscoreplayertrackv3(game_id = "1022200034")
```

#### Value

A list of data frames: home\_team\_player\_player\_track, away\_team\_player\_player\_track, home\_team\_totals\_player\_track, away\_team\_totals\_player\_track

##### home\_team\_player\_player\_track

	col_name	types
	game_id	character
	away_team_id	integer

home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
speed	numeric
distance	numeric
rebound_chances_offensive	integer
rebound_chances_defensive	integer
rebound_chances_total	integer
touches	integer
secondary_assists	integer
free_throw_assists	integer
passes	integer
assists	integer
contested_field_goals_made	integer
contested_field_goals_attempted	integer
contested_field_goal_percentage	numeric
uncontested_field_goals_made	integer
uncontested_field_goals_attempted	integer
uncontested_field_goals_percentage	numeric
field_goal_percentage	numeric
defended_at_rim_field_goals_made	integer
defended_at_rim_field_goals_attempted	integer
defended_at_rim_field_goal_percentage	numeric

**away\_team\_player\_player\_track**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character

person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
speed	numeric
distance	numeric
rebound_chances_offensive	integer
rebound_chances_defensive	integer
rebound_chances_total	integer
touches	integer
secondary_assists	integer
free_throw_assists	integer
passes	integer
assists	integer
contested_field_goals_made	integer
contested_field_goals_attempted	integer
contested_field_goal_percentage	numeric
uncontested_field_goals_made	integer
uncontested_field_goals_attempted	integer
uncontested_field_goals_percentage	numeric
field_goal_percentage	numeric
defended_at_rim_field_goals_made	integer
defended_at_rim_field_goals_attempted	integer
defended_at_rim_field_goal_percentage	numeric

**home\_team\_totals\_player\_track**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
distance	numeric
rebound_chances_offensive	integer
rebound_chances_defensive	integer
rebound_chances_total	integer
touches	integer

secondary_assists	integer
free_throw_assists	integer
passes	integer
assists	integer
contested_field_goals_made	integer
contested_field_goals_attempted	integer
contested_field_goal_percentage	numeric
uncontested_field_goals_made	integer
uncontested_field_goals_attempted	integer
uncontested_field_goals_percentage	numeric
field_goal_percentage	numeric
defended_at_rim_field_goals_made	integer
defended_at_rim_field_goals_attempted	integer
defended_at_rim_field_goal_percentage	numeric

**away\_team\_totals\_player\_track**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
distance	numeric
rebound_chances_offensive	integer
rebound_chances_defensive	integer
rebound_chances_total	integer
touches	integer
secondary_assists	integer
free_throw_assists	integer
passes	integer
assists	integer
contested_field_goals_made	integer
contested_field_goals_attempted	integer
contested_field_goal_percentage	numeric
uncontested_field_goals_made	integer
uncontested_field_goals_attempted	integer
uncontested_field_goals_percentage	numeric
field_goal_percentage	numeric
defended_at_rim_field_goals_made	integer
defended_at_rim_field_goals_attempted	integer
defended_at_rim_field_goal_percentage	numeric

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore V3 Functions: [wnba\\_boxscoreadvancedv3\(\)](#), [wnba\\_boxscorefourfactorsv3\(\)](#), [wnba\\_boxscorehustlev2\(\)](#), [wnba\\_boxscoremiscv3\(\)](#), [wnba\\_boxscorescoringv3\(\)](#), [wnba\\_boxscoretraditionalv3\(\)](#)

---

 wnba\_boxscorescoringv2

### Get WNBA Stats API Boxscore Scoring V2

---

**Description**

**Get WNBA Stats API Boxscore Scoring V2**

**Get WNBA Stats API Boxscore Scoring V2**

**Usage**

```
wnba_boxscorescoringv2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

**Arguments**

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_boxscorescoringv2(game_id = "1022200034")
```

**Value**

Returns a named list of data frames: sqlPlayersScoring, sqlTeamsScoring

**sqlPlayersScoring**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
PLAYER_ID	character
PLAYER_NAME	character
NICKNAME	character
START_POSITION	character
COMMENT	character
MIN	character
PCT_FGA_2PT	character
PCT_FGA_3PT	character
PCT_PTS_2PT	character
PCT_PTS_2PT_MR	character
PCT_PTS_3PT	character
PCT_PTS_FB	character
PCT_PTS_FT	character
PCT_PTS_OFF_TOV	character
PCT_PTS_PAINT	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character

**sqlTeamsScoring**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
MIN	character
PCT_FGA_2PT	character
PCT_FGA_3PT	character
PCT_PTS_2PT	character
PCT_PTS_2PT_MR	character
PCT_PTS_3PT	character
PCT_PTS_FB	character

PCT_PTS_FT	character
PCT_PTS_OFF_TOV	character
PCT_PTS_PAINT	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore Functions: [wnba\\_boxscoreadvancedv2\(\)](#), [wnba\\_boxscorefourfactorsv2\(\)](#), [wnba\\_boxscoremiscv2\(\)](#), [wnba\\_boxscoreplayertrackv2\(\)](#), [wnba\\_boxscoresummaryv2\(\)](#), [wnba\\_boxscoretraditionalv2\(\)](#), [wnba\\_boxscoreusagev2\(\)](#), [wnba\\_gamerotation\(\)](#), [wnba\\_hustlestatsboxscore\(\)](#)

---

wnba\_boxscorescoringv3

**Get WNBA Stats API Boxscore Scoring V3**

---

**Description**

**Get WNBA Stats API Boxscore Scoring V3**

**Get WNBA Stats API Boxscore Scoring V3**

**Usage**

```
wnba_boxscorescoringv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

**Arguments**

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_boxscorescoringv3(game_id = "1022200034")
```

**Value**

A list of data frames: home\_team\_player\_scoring, away\_team\_player\_scoring, home\_team\_totals\_scoring, away\_team\_totals\_scoring

**home\_team\_player\_scoring**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
percentage_field_goals_attempted2pt	numeric
percentage_field_goals_attempted3pt	numeric
percentage_points2pt	numeric
percentage_points_midrange2pt	numeric
percentage_points3pt	numeric
percentage_points_fast_break	numeric
percentage_points_free_throw	numeric
percentage_points_off_turnovers	numeric
percentage_points_paint	numeric



percentage_assisted2pt	numeric
percentage_unassisted2pt	numeric
percentage_assisted3pt	numeric
percentage_unassisted3pt	numeric
percentage_assisted_fgm	numeric
percentage_unassisted_fgm	numeric

**away\_team\_player\_scoring**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
percentage_field_goals_attempted2pt	numeric
percentage_field_goals_attempted3pt	numeric
percentage_points2pt	numeric
percentage_points_midrange2pt	numeric
percentage_points3pt	numeric
percentage_points_fast_break	numeric
percentage_points_free_throw	numeric
percentage_points_off_turnovers	numeric
percentage_points_paint	numeric
percentage_assisted2pt	numeric
percentage_unassisted2pt	numeric
percentage_assisted3pt	numeric
percentage_unassisted3pt	numeric
percentage_assisted_fgm	numeric
percentage_unassisted_fgm	numeric

**home\_team\_totals\_scoring**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
percentage_field_goals_attempted2pt	numeric
percentage_field_goals_attempted3pt	numeric
percentage_points2pt	numeric
percentage_points_midrange2pt	numeric
percentage_points3pt	numeric
percentage_points_fast_break	numeric
percentage_points_free_throw	numeric
percentage_points_off_turnovers	numeric
percentage_points_paint	numeric
percentage_assisted2pt	numeric
percentage_unassisted2pt	numeric
percentage_assisted3pt	numeric
percentage_unassisted3pt	numeric
percentage_assisted_fgm	numeric
percentage_unassisted_fgm	numeric

**away\_team\_totals\_scoring**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
percentage_field_goals_attempted2pt	numeric
percentage_field_goals_attempted3pt	numeric
percentage_points2pt	numeric
percentage_points_midrange2pt	numeric
percentage_points3pt	numeric
percentage_points_fast_break	numeric
percentage_points_free_throw	numeric
percentage_points_off_turnovers	numeric
percentage_points_paint	numeric

percentage_assisted2pt	numeric
percentage_unassisted2pt	numeric
percentage_assisted3pt	numeric
percentage_unassisted3pt	numeric
percentage_assisted_fgm	numeric
percentage_unassisted_fgm	numeric

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore V3 Functions: [wnba\\_boxscoreadvancedv3\(\)](#), [wnba\\_boxscorefourfactorsv3\(\)](#), [wnba\\_boxscorehustlev2\(\)](#), [wnba\\_boxscoremiscv3\(\)](#), [wnba\\_boxscoreplayertrackv3\(\)](#), [wnba\\_boxscoretraditionalv3\(\)](#)

---

 wnba\_boxscoresummaryv2

### Get WNBA Stats API Boxscore Summary V2

---

**Description**

**Get WNBA Stats API Boxscore Summary V2**

**Get WNBA Stats API Boxscore Summary V2**

**Usage**

```
wnba_boxscoresummaryv2(game_id, ...)
```

**Arguments**

game_id	Game ID
...	Additional arguments passed to an underlying function like htr.

**Details**

```
wnba_boxscoresummaryv2(game_id = "1022200034")
```

**Value**

Returns a named list of data frames: AvailableVideo, GameInfo, GameSummary, InactivePlayers, LastMeeting, LineScore, Officials, OtherStats, SeasonSeries

**GameSummary**

col_name	types
----------	-------

GAME_DATE_EST	character
GAME_SEQUENCE	character
GAME_ID	character
GAME_STATUS_ID	character
GAME_STATUS_TEXT	character
GAMECODE	character
HOME_TEAM_ID	character
VISITOR_TEAM_ID	character
SEASON	character
LIVE_PERIOD	character
LIVE_PC_TIME	character
NATL_TV_BROADCASTER_ABBREVIATION	character
LIVE_PERIOD_TIME_BCAST	character
WH_STATUS	character

**OtherStats**

col_name	types
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
PTS_PAINT	character
PTS_2ND_CHANCE	character
PTS_FB	character
LARGEST_LEAD	character
LEAD_CHANGES	character
TIMES_TIED	character
TEAM_TURNOVERS	character
TOTAL_TURNOVERS	character
TEAM_REBOUNDS	character
PTS_OFF_TO	character

**Officials**

col_name	types
OFFICIAL_ID	character
FIRST_NAME	character
LAST_NAME	character
JERSEY_NUM	character

**InactivePlayers**

col_name	types
----------	-------

PLAYER_ID	character
FIRST_NAME	character
LAST_NAME	character
JERSEY_NUM	character
TEAM_ID	character
TEAM_CITY	character
TEAM_NAME	character
TEAM_ABBREVIATION	character

**GameInfo**

col_name	types
GAME_DATE	character
ATTENDANCE	character
GAME_TIME	character

**LineScore**

col_name	types
GAME_DATE_EST	character
GAME_SEQUENCE	character
GAME_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY_NAME	character
TEAM_NICKNAME	character
TEAM_WINS_LOSSES	character
PTS_QTR1	character
PTS_QTR2	character
PTS_QTR3	character
PTS_QTR4	character
PTS_OT1	character
PTS_OT2	character
PTS_OT3	character
PTS_OT4	character
PTS_OT5	character
PTS_OT6	character
PTS_OT7	character
PTS_OT8	character
PTS_OT9	character
PTS_OT10	character
PTS	character

**LastMeeting**

col_name	types
GAME_ID	character
LAST_GAME_ID	character
LAST_GAME_DATE_EST	character
LAST_GAME_HOME_TEAM_ID	character
LAST_GAME_HOME_TEAM_CITY	character
LAST_GAME_HOME_TEAM_NAME	character
LAST_GAME_HOME_TEAM_ABBREVIATION	character
LAST_GAME_HOME_TEAM_POINTS	character
LAST_GAME_VISITOR_TEAM_ID	character
LAST_GAME_VISITOR_TEAM_CITY	character
LAST_GAME_VISITOR_TEAM_NAME	character
LAST_GAME_VISITOR_TEAM_CITY1	character
LAST_GAME_VISITOR_TEAM_POINTS	character

### SeasonSeries

col_name	types
GAME_ID	character
HOME_TEAM_ID	character
VISITOR_TEAM_ID	character
GAME_DATE_EST	character
HOME_TEAM_WINS	character
HOME_TEAM_LOSSES	character
SERIES_LEADER	character

### AvailableVideo

col_name	types
GAME_ID	character
VIDEO_AVAILABLE_FLAG	character
PT_AVAILABLE	character
PT_XYZ_AVAILABLE	character
WH_STATUS	character
HUSTLE_STATUS	character
HISTORICAL_STATUS	character

### Author(s)

Saiem Gilani

### See Also

Other WNBA Boxscore Functions: [wnba\\_boxscoreadvancedv2\(\)](#), [wnba\\_boxscorefourfactorsv2\(\)](#), [wnba\\_boxscoremiscv2\(\)](#), [wnba\\_boxscoreplayertrackv2\(\)](#), [wnba\\_boxscorescoringv2\(\)](#), [wnba\\_boxscoretraditionalv2\(\)](#), [wnba\\_boxscoreusagev2\(\)](#), [wnba\\_gamerotation\(\)](#), [wnba\\_hustlestatsboxscore\(\)](#)

---

 wnba\_boxscoretraditionalv2

### Get WNBA Stats API Boxscore Traditional V2

---

#### Description

**Get WNBA Stats API Boxscore Traditional V2**

**Get WNBA Stats API Boxscore Traditional V2**

#### Usage

```
wnba_boxscoretraditionalv2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

#### Arguments

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

#### Details

```
wnba_boxscoretraditionalv2(game_id = "1022200034")
```

#### Value

A list of data frames: PlayerStats, TeamStarterBenchStats, TeamStats

##### PlayerStats

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY	character

PLAYER_ID	character
PLAYER_NAME	character
NICKNAME	character
START_POSITION	character
COMMENT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TO	character
PF	character
PTS	character
PLUS_MINUS	character

**TeamStats**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character



AST	character
STL	character
BLK	character
TO	character
PF	character
PTS	character
PLUS_MINUS	character

**TeamStarterBenchStats**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
STARTERS_BENCH	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TO	character
PF	character
PTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore Functions: [wnba\\_boxscoreadvancedv2\(\)](#), [wnba\\_boxscorefourfactorsv2\(\)](#), [wnba\\_boxscoremiscv2\(\)](#), [wnba\\_boxscoreplayertrackv2\(\)](#), [wnba\\_boxscorescoringv2\(\)](#), [wnba\\_boxscoresummaryv2\(\)](#), [wnba\\_boxscoreusagev2\(\)](#), [wnba\\_gamerotation\(\)](#), [wnba\\_hustlestatsboxscore\(\)](#)

---

 wnba\_boxscoretraditionalv3

### Get WNBA Stats API Boxscore Traditional V3

---

#### Description

**Get WNBA Stats API Boxscore Traditional V3**

**Get WNBA Stats API Boxscore Traditional V3**

#### Usage

```
wnba_boxscoretraditionalv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

#### Arguments

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

#### Details

```
wnba_boxscoretraditionalv3(game_id = "1022200034")
```

#### Value

A list of data frames: home\_team\_player\_traditional, away\_team\_player\_traditional, home\_team\_totals\_traditional, away\_team\_totals\_traditional, home\_team\_starters\_totals, away\_team\_starters\_totals, home\_team\_bench\_totals, away\_team\_bench\_totals

##### home\_team\_player\_traditional

col_name	types
game_id	character
away_team_id	integer

home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer
first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
field_goals_made	integer
field_goals_attempted	integer
field_goals_percentage	numeric
three_pointers_made	integer
three_pointers_attempted	integer
three_pointers_percentage	numeric
free_throws_made	integer
free_throws_attempted	integer
free_throws_percentage	numeric
rebounds_offensive	integer
rebounds_defensive	integer
rebounds_total	integer
assists	integer
steals	integer
blocks	integer
turnovers	integer
fouls_personal	integer
points	integer
plus_minus_points	numeric

**away\_team\_player\_traditional**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
person_id	integer

first_name	character
family_name	character
name_i	character
player_slug	character
position	character
comment	character
jersey_num	character
minutes	character
field_goals_made	integer
field_goals_attempted	integer
field_goals_percentage	numeric
three_pointers_made	integer
three_pointers_attempted	integer
three_pointers_percentage	numeric
free_throws_made	integer
free_throws_attempted	integer
free_throws_percentage	numeric
rebounds_offensive	integer
rebounds_defensive	integer
rebounds_total	integer
assists	integer
steals	integer
blocks	integer
turnovers	integer
fouls_personal	integer
points	integer
plus_minus_points	numeric

**home\_team\_totals\_traditional**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
field_goals_made	integer
field_goals_attempted	integer
field_goals_percentage	numeric
three_pointers_made	integer
three_pointers_attempted	integer
three_pointers_percentage	numeric
free_throws_made	integer

free_throws_attempted	integer
free_throws_percentage	numeric
rebounds_offensive	integer
rebounds_defensive	integer
rebounds_total	integer
assists	integer
steals	integer
blocks	integer
turnovers	integer
fouls_personal	integer
points	integer
plus_minus_points	numeric

**away\_team\_totals\_traditional**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
field_goals_made	integer
field_goals_attempted	integer
field_goals_percentage	numeric
three_pointers_made	integer
three_pointers_attempted	integer
three_pointers_percentage	numeric
free_throws_made	integer
free_throws_attempted	integer
free_throws_percentage	numeric
rebounds_offensive	integer
rebounds_defensive	integer
rebounds_total	integer
assists	integer
steals	integer
blocks	integer
turnovers	integer
fouls_personal	integer
points	integer
plus_minus_points	numeric

**home\_team\_starters\_totals**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
field_goals_made	integer
field_goals_attempted	integer
field_goals_percentage	numeric
three_pointers_made	integer
three_pointers_attempted	integer
three_pointers_percentage	numeric
free_throws_made	integer
free_throws_attempted	integer
free_throws_percentage	numeric
rebounds_offensive	integer
rebounds_defensive	integer
rebounds_total	integer
assists	integer
steals	integer
blocks	integer
turnovers	integer
fouls_personal	integer
points	integer

**away\_team\_starters\_totals**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
field_goals_made	integer
field_goals_attempted	integer
field_goals_percentage	numeric
three_pointers_made	integer
three_pointers_attempted	integer
three_pointers_percentage	numeric

free_throws_made	integer
free_throws_attempted	integer
free_throws_percentage	numeric
rebounds_offensive	integer
rebounds_defensive	integer
rebounds_total	integer
assists	integer
steals	integer
blocks	integer
turnovers	integer
fouls_personal	integer
points	integer

**home\_team\_bench\_totals**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
field_goals_made	integer
field_goals_attempted	integer
field_goals_percentage	numeric
three_pointers_made	integer
three_pointers_attempted	integer
three_pointers_percentage	numeric
free_throws_made	integer
free_throws_attempted	integer
free_throws_percentage	numeric
rebounds_offensive	integer
rebounds_defensive	integer
rebounds_total	integer
assists	integer
steals	integer
blocks	integer
turnovers	integer
fouls_personal	integer
points	integer

**away\_team\_bench\_totals**

col_name	types
game_id	character
away_team_id	integer
home_team_id	integer
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_slug	character
minutes	character
field_goals_made	integer
field_goals_attempted	integer
field_goals_percentage	numeric
three_pointers_made	integer
three_pointers_attempted	integer
three_pointers_percentage	numeric
free_throws_made	integer
free_throws_attempted	integer
free_throws_percentage	numeric
rebounds_offensive	integer
rebounds_defensive	integer
rebounds_total	integer
assists	integer
steals	integer
blocks	integer
turnovers	integer
fouls_personal	integer
points	integer

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore V3 Functions: [wnba\\_boxscoreadvancedv3\(\)](#), [wnba\\_boxscorefourfactorsv3\(\)](#), [wnba\\_boxscorehustlev2\(\)](#), [wnba\\_boxscoremiscv3\(\)](#), [wnba\\_boxscoreplayertrackv3\(\)](#), [wnba\\_boxscorescoringv3\(\)](#)

---

 wnba\_boxscoreusagev2    **Get WNBA Stats API Boxscore Usage V2**


---

**Description****Get WNBA Stats API Boxscore Usage V2****Get WNBA Stats API Boxscore Usage V2**



**Usage**

```
wnba_boxscoreusagev2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

**Arguments**

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_boxscoreusagev2(game_id = "1022200034")
```

**Value**

Returns a named list of data frames: sqlPlayersUsage, sqlTeamsUsage

**sqlPlayersUsage**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
PLAYER_ID	character
PLAYER_NAME	character
NICKNAME	character
START_POSITION	character
COMMENT	character
MIN	character
USG_PCT	character
PCT_FGM	character
PCT_FGA	character
PCT_FG3M	character
PCT_FG3A	character

PCT_FTM	character
PCT_FTA	character
PCT_OREB	character
PCT_DREB	character
PCT_REB	character
PCT_AST	character
PCT_TOV	character
PCT_STL	character
PCT_BLK	character
PCT_BLK_A	character
PCT_PF	character
PCT_PFD	character
PCT_PTS	character

**sqlTeamsUsage**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
MIN	character
USG_PCT	character
PCT_FGM	character
PCT_FGA	character
PCT_FG3M	character
PCT_FG3A	character
PCT_FTM	character
PCT_FTA	character
PCT_OREB	character
PCT_DREB	character
PCT_REB	character
PCT_AST	character
PCT_TOV	character
PCT_STL	character
PCT_BLK	character
PCT_BLK_A	character
PCT_PF	character
PCT_PFD	character
PCT_PTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore Functions: [wnba\\_boxscoreadvancedv2\(\)](#), [wnba\\_boxscorefourfactorsv2\(\)](#), [wnba\\_boxscoremiscv2\(\)](#), [wnba\\_boxscoreplayertrackv2\(\)](#), [wnba\\_boxscorescoringv2\(\)](#), [wnba\\_boxscoresummaryv2\(\)](#), [wnba\\_boxscoretraditionalv2\(\)](#), [wnba\\_gamerotation\(\)](#), [wnba\\_hustlestatsboxscore\(\)](#)

wnba\_commonallplayers **Get WNBA Stats API All Players**

**Description**

**Get WNBA Stats API All Players**  
**Get WNBA Stats API All Players**

**Usage**

```
wnba_commonallplayers(
  is_only_current_season = 0,
  league_id = "10",
  season = most_recent_wnba_season() - 1,
  ...
)
```

**Arguments**

is\_only\_current\_season      is\_only\_current\_season  
 league\_id                    league\_id  
 season                        season  
 ...                            Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_commonallplayers(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: CommonAllPlayers

**CommonAllPlayers**

col_name	types
PERSON_ID	character
DISPLAY_LAST_COMMA_FIRST	character
DISPLAY_FIRST_LAST	character
ROSTERSTATUS	character
FROM_YEAR	character

TO_YEAR	character
PLAYERCODE	character
PLAYER_SLUG	character
TEAM_ID	character
TEAM_CITY	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CODE	character
TEAM_SLUG	character
IS_NBA_ASSIGNED	character
NBA_ASSIGNED_TEAM_ID	character
GAMES_PLAYED_FLAG	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Roster Functions: [wnba\\_commonplayerinfo\(\)](#), [wnba\\_commonteamroster\(\)](#)

---

wnba\_commonplayerinfo **Get WNBA Stats API Player Info**

---

**Description**

**Get WNBA Stats API Player Info**

**Get WNBA Stats API Player Info**

**Usage**

```
wnba_commonplayerinfo(league_id = "10", player_id = "1628932", ...)
```

**Arguments**

league_id	league_id
player_id	player_id
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_commonplayerinfo(league_id = '10', player_id = '1628932')
```

**Value**

Return a named list of data frames: CommonPlayerInfo, PlayerHeadlineStats, AvailableSeasons

**CommonPlayerInfo**

col_name	types
PERSON_ID	character
FIRST_NAME	character
LAST_NAME	character
DISPLAY_FIRST_LAST	character
DISPLAY_LAST_COMMA_FIRST	character
DISPLAY_FI_LAST	character
PLAYER_SLUG	character
BIRTHDATE	character
SCHOOL	character
COUNTRY	character
LAST_AFFILIATION	character
HEIGHT	character
WEIGHT	character
SEASON_EXP	character
JERSEY	character
POSITION	character
ROSTERSTATUS	character
GAMES_PLAYED_CURRENT_SEASON_FLAG	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CODE	character
TEAM_CITY	character
PLAYERCODE	character
FROM_YEAR	character
TO_YEAR	character
DLEAGUE_FLAG	character
NBA_FLAG	character
GAMES_PLAYED_FLAG	character
DRAFT_YEAR	character
DRAFT_ROUND	character
DRAFT_NUMBER	character
GREATEST_75_FLAG	character

**PlayerHeadlineStats**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TimeFrame	character
PTS	character

AST	character
REB	character
ALL_STAR_APPEARANCES	character

**AvailableSeasons**

col_name	types
SEASON_ID	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Roster Functions: [wnba\\_commonallplayers\(\)](#), [wnba\\_commonteamroster\(\)](#)

---

wnba\_commonplayoffseries

**Get WNBA Stats API Playoff Series**

---

**Description**

**Get WNBA Stats API Playoff Series**

**Get WNBA Stats API Playoff Series**

**Usage**

```
wnba_commonplayoffseries(
  league_id = "10",
  season = most_recent_wnba_season() - 2,
  series_id = "",
  ...
)
```

**Arguments**

league_id	league_id
season	season
series_id	series_id
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_commonplayoffseries(league_id = '10', season = most_recent_wnba_season() - 2)
```

**Value**

Return a named list of data frames: PlayoffSeries

**PlayoffSeries**

col_name	types
GAME_ID	character
HOME_TEAM_ID	character
VISITOR_TEAM_ID	character
SERIES_ID	character
GAME_NUM	character

**Author(s)**

Saiem Gilani

---

wnba\_commonteamroster **Get WNBA Stats API Team Roster**

---

**Description**

**Get WNBA Stats API Team Roster**

**Get WNBA Stats API Team Roster**

**Usage**

```
wnba_commonteamroster(
  league_id = "10",
  season = most_recent_wnba_season() - 1,
  team_id = "1611661317",
  ...
)
```

**Arguments**

league_id	league_id
season	season
team_id	team_id
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_commonteamroster(season = most_recent_wnba_season() - 1, team_id = '1611661317')
```

**Value**

Return a named list of data frames: Coaches, CommonTeamRoster

**CommonTeamRoster**

col_name	types
TeamID	character
SEASON	character
LeagueID	character
PLAYER	character
NICKNAME	character
PLAYER_SLUG	character
NUM	character
POSITION	character
HEIGHT	character
WEIGHT	character
BIRTH_DATE	character
AGE	character
EXP	character
SCHOOL	character
PLAYER_ID	character
HOW_ACQUIRED	character

**Coaches**

col_name	types
TEAM_ID	character
SEASON	character
COACH_ID	character
FIRST_NAME	character
LAST_NAME	character
COACH_NAME	character
IS_ASSISTANT	character
COACH_TYPE	character
SORT_SEQUENCE	character
SUB_SORT_SEQUENCE	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Roster Functions: [wnba\\_commonallplayers\(\)](#), [wnba\\_commonplayerinfo\(\)](#)



---

 wnba\_cumestatsplayer **Get WNBA Stats API Cumulative Player Stats**


---

**Description****Get WNBA Stats API Cumulative Player Stats****Get WNBA Stats API Cumulative Player Stats****Usage**

```
wnba_cumestatsplayer(
  game_ids = "1022200018",
  league_id = "10",
  player_id = "204319",
  season = "2021-22",
  season_type = "Regular Season",
  team_id = "",
  ...
)
```

**Arguments**

game_ids	game_ids
league_id	league_id
player_id	player_id
season	season
season_type	season_type
team_id	team_id
...	Additional arguments passed to an underlying function like htrr.

**Details**

```
wnba_cumestatsplayer(game_ids = "1022200018", player_id = "204319", season = "2021-22")
```

**Value**

Return a named list of data frames: GameByGameStats, TotalPlayerStats

**GameByGameStats**

col_name	types
DATE_EST	character
VISITOR_TEAM	character
HOME_TEAM	character
GP	character
GS	character

ACTUAL_MINUTES	character
ACTUAL_SECONDS	character
FG	character
FGA	character
FG_PCT	character
FG3	character
FG3A	character
FG3_PCT	character
FT	character
FTA	character
FT_PCT	character
OFF_REB	character
DEF_REB	character
TOT_REB	character
AVG_TOT_REB	character
AST	character
PF	character
DQ	character
STL	character
TURNOVERS	character
BLK	character
PTS	character
AVG_PTS	character

**TotalPlayerStats**

col_name	types
DISPLAY_FI_LAST	character
PERSON_ID	character
JERSEY_NUM	character
GP	character
GS	character
ACTUAL_MINUTES	character
ACTUAL_SECONDS	character
FG	character
FGA	character
FG_PCT	character
FG3	character
FG3A	character
FG3_PCT	character
FT	character
FTA	character
FT_PCT	character
OFF_REB	character
DEF_REB	character
TOT_REB	character
AST	character

PF	character
DQ	character
STL	character
TURNOVERS	character
BLK	character
PTS	character
MAX_ACTUAL_MINUTES	character
MAX_ACTUAL_SECONDS	character
MAX_REB	character
MAX_AST	character
MAX_STL	character
MAX_TURNOVERS	character
MAX_BLK	character
MAX_PTS	character
AVG_ACTUAL_MINUTES	character
AVG_ACTUAL_SECONDS	character
AVG_TOT_REB	character
AVG_AST	character
AVG_STL	character
AVG_TURNOVERS	character
AVG_BLK	character
AVG_PTS	character
PER_MIN_TOT_REB	character
PER_MIN_AST	character
PER_MIN_STL	character
PER_MIN_TURNOVERS	character
PER_MIN_BLK	character
PER_MIN_PTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Cume Functions: [wnba\\_cumestatsplayergames\(\)](#), [wnba\\_cumestatsteamgames\(\)](#), [wnba\\_cumestatsteam\(\)](#)

---

wnba\_cumestatsplayergames

**Get WNBA Stats API Cumulative Player Game Stats**

---

**Description**

**Get WNBA Stats API Cumulative Player Game Stats**

**Get WNBA Stats API Cumulative Player Game Stats**

**Usage**

```
wnba_cumestatsplayergames(
  league_id = "10",
  location = "",
  outcome = "",
  player_id = "204319",
  season = "2021-22",
  season_type = "Regular Season",
  vs_conference = "",
  vs_division = "",
  vs_team_id = "",
  ...
)
```

**Arguments**

league_id	league_id
location	location
outcome	outcome
player_id	player_id
season	season
season_type	season_type
vs_conference	vs_conference
vs_division	vs_division
vs_team_id	vs_team_id
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_cumestatsplayergames(player_id = "204319", season = "2021-22")
```

**Value**

Returns a named list of data frames: CumeStatsPlayerGames

**CumeStatsPlayerGames**

col_name	types
MATCHUP	character
GAME_ID	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Cume Functions: [wnba\\_cumestatsplayer\(\)](#), [wnba\\_cumestatsteamgames\(\)](#), [wnba\\_cumestatsteam\(\)](#)

---

 wnba\_cumestatsteam      **Get WNBA Stats API Cumulative Team Stats**


---

**Description****Get WNBA Stats API Cumulative Team Stats****Get WNBA Stats API Cumulative Team Stats****Usage**

```
wnba_cumestatsteam(
  game_ids = "1022200018",
  league_id = "10",
  season = "2021-22",
  season_type = "Regular Season",
  team_id = "1611661317",
  ...
)
```

**Arguments**

game_ids	game_ids
league_id	league_id
season	season
season_type	season_type
team_id	team_id
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_cumestatsteam(game_ids = "1022200018", season = "2021-22", team_id = "1611661317")
```

**Value**

Returns a named list of data frames: GameByGameStats, TotalTeamStats

**GameByGameStats**

col_name	types
JERSEY_NUM	character
PLAYER	character
PERSON_ID	character
TEAM_ID	character
GP	character
GS	character
ACTUAL_MINUTES	character

ACTUAL_SECONDS	character
FG	character
FGA	character
FG_PCT	character
FG3	character
FG3A	character
FG3_PCT	character
FT	character
FTA	character
FT_PCT	character
OFF_REB	character
DEF_REB	character
TOT_REB	character
AST	character
PF	character
DQ	character
STL	character
TURNOVERS	character
BLK	character
PTS	character
MAX_ACTUAL_MINUTES	character
MAX_ACTUAL_SECONDS	character
MAX_REB	character
MAX_AST	character
MAX_STL	character
MAX_TURNOVERS	character
MAX_BLK	character
MAX_PTS	character
AVG_ACTUAL_MINUTES	character
AVG_ACTUAL_SECONDS	character
AVG_REB	character
AVG_AST	character
AVG_STL	character
AVG_TURNOVERS	character
AVG_BLK	character
AVG_PTS	character
PER_MIN_REB	character
PER_MIN_AST	character
PER_MIN_STL	character
PER_MIN_TURNOVERS	character
PER_MIN_BLK	character
PER_MIN_PTS	character

**TotalTeamStats**

col_name	types
CITY	character

NICKNAME	character
TEAM_ID	character
W	character
L	character
W_HOME	character
L_HOME	character
W_ROAD	character
L_ROAD	character
TEAM_TURNOVERS	character
TEAM_REBOUNDS	character
GP	character
GS	character
ACTUAL_MINUTES	character
ACTUAL_SECONDS	character
FG	character
FGA	character
FG_PCT	character
FG3	character
FG3A	character
FG3_PCT	character
FT	character
FTA	character
FT_PCT	character
OFF_REB	character
DEF_REB	character
TOT_REB	character
AST	character
PF	character
STL	character
TOTAL_TURNOVERS	character
BLK	character
PTS	character
AVG_REB	character
AVG_PTS	character
DQ	character

**Author(s)**

Saiem Gilani

**See Also**Other WNBA Cume Functions: [wnba\\_cumestatsplayergames\(\)](#), [wnba\\_cumestatsplayer\(\)](#), [wnba\\_cumestatsteamgames](#)

---

 wnba\_cumestatsteamgames

### Get WNBA Stats API Cumulative Team Game Stats

---

#### Description

**Get WNBA Stats API Cumulative Team Game Stats**

**Get WNBA Stats API Cumulative Team Game Stats**

#### Usage

```
wnba_cumestatsteamgames(
  league_id = "10",
  location = "",
  outcome = "",
  season = "2021-22",
  season_id = "",
  season_type = "Regular Season",
  team_id = 1611661317,
  vs_conference = "",
  vs_division = "",
  vs_team_id = "",
  ...
)
```

#### Arguments

league_id	league_id
location	location
outcome	outcome
season	season
season_id	season_id
season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_team_id	vs_team_id
...	Additional arguments passed to an underlying function like httr.

#### Details

```
wnba_cumestatsteamgames(team_id = 1611661317, season = "2021-22")
..
```



**Value**

Returns a named list of data frames: CumeStatsTeamGames

**CumeStatsTeamGames**

col_name	types
MATCHUP	character
GAME_ID	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Cume Functions: [wnba\\_cumestatsplayergames\(\)](#), [wnba\\_cumestatsplayer\(\)](#), [wnba\\_cumestatsteam\(\)](#)

---

 wnba\_data\_pbp

---

**Get WNBA Data API Play-by-Play**


---

**Description**

**Get WNBA Data API Play-by-Play**

**Get WNBA Data API Play-by-Play**

**Usage**

```
wnba_data_pbp(game_id = "1022200034", ...)
```

**Arguments**

game_id	Game ID - 10 digits, i.e. "0021900001"
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_data_pbp(game_id = "1022200034")
```

**Value**

Returns a tibble

col_name	types
game_id	character
league	character
period	integer

event_num	integer
clock	character
description	character
locX	integer
locY	integer
opt1	integer
opt2	integer
event_action_type	integer
event_type	integer
team_id	integer
offense_team_id	integer
player1_id	integer
player2_id	integer
player3_id	integer
home_score	integer
away_score	integer
order	integer

Event Message Types (event\_type):

- 1 -> MAKE
- 2 -> MISS
- 3 -> FreeThrow
- 4 -> Rebound
- 5 -> Turnover
- 6 -> Foul
- 7 -> Violation
- 8 -> Substitution
- 9 -> Timeout
- 10 -> JumpBall
- 11 -> Ejection
- 12 -> StartOfPeriod
- 13 -> EndOfPeriod
- 14 -> Empty

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA PBP Functions: [wnba\\_live\\_pbp\(\)](#), [wnba\\_pbps\(\)](#), [wnba\\_pbp\(\)](#)

---

 wnba\_draftboard      **Get WNBA Stats API Draft Board**


---

**Description****Get WNBA Stats API Draft Board****Get WNBA Stats API Draft Board****Usage**

```
wnba_draftboard(season = most_recent_wnba_season() - 1, ...)
```

**Arguments**

season	season
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_draftboard(season = most_recent_wnba_season() - 1)
```

**Value**

Returns a named list of data frames: teams,draft\_info, picks

**teams**

col_name	types
id	integer
external-id	character
slug	character
name	character
city	character
state	character
url	character
primarycolor	character
seconarycolor	character

**draft\_info**

col_name	types
draft_status	character
draft_modified	integer
draft_title	character
draft_show_players	character
draft_id	integer

draft_url	character
draft_location	character
sponsor_logo	character
header_image	character
sponsor_link	character
draft_date	character
draft_time_hh	character
draft_time_mm	character
draft_time_am	character
draft_time_tz	character
draft_round_1_channel	character
draft_round_2_channel	character
draft_round_3_channel	character
draft_interval	character

**picks**

col_name	types
team	character
details	character
player_name	character
player_id	integer
player_college	character
player_position	character
player_ppg	character
player_rpg	character
player_apg	character
player_fg	character
player_headshot	character
player_url	character
round	integer

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Draft Functions: [wnba\\_draftcombinedrillresults\(\)](#), [wnba\\_draftcombinenonstationaryshooting\(\)](#), [wnba\\_draftcombineplayeranthro\(\)](#), [wnba\\_draftcombinespotshooting\(\)](#), [wnba\\_draftcombinestats\(\)](#), [wnba\\_drafthistory\(\)](#)

---

`wnba_draftcombinedrillresults`**Get WNBA Stats API Draft Combine Drill Results**

---

**Description****Get WNBA Stats API Draft Combine Drill Results****Get WNBA Stats API Draft Combine Drill Results****Usage**

```
wnba_draftcombinedrillresults(  
  league_id = "10",  
  season_year = most_recent_wnba_season() - 1,  
  ...  
)
```

**Arguments**

<code>league_id</code>	<code>league_id</code>
<code>season_year</code>	<code>season_year</code>
<code>...</code>	Additional arguments passed to an underlying function like <code>httr</code> .

**Details**

(Possibly Defunct)

```
wnba_draftcombinedrillresults(season_year = most_recent_wnba_season() - 2)
```

**Value**

Returns a named list of data frames: Results

**Author(s)**

Saiem Gilani

**See Also**Other WNBA Draft Functions: [wnba\\_draftboard\(\)](#), [wnba\\_draftcombinenonstationaryshooting\(\)](#), [wnba\\_draftcombineplayeranthro\(\)](#), [wnba\\_draftcombinespotshooting\(\)](#), [wnba\\_draftcombinestats\(\)](#), [wnba\\_drafthistory\(\)](#)

---

 wnba\_draftcombinenonstationaryshooting

### Get WNBA Stats API Draft Combine Non-Stationary Shooting

---

#### Description

**Get WNBA Stats API Draft Combine Non-Stationary Shooting**

**Get WNBA Stats API Draft Combine Non-Stationary Shooting**

#### Usage

```
wnba_draftcombinenonstationaryshooting(
  league_id = "10",
  season_year = most_recent_wnba_season() - 1,
  ...
)
```

#### Arguments

league_id	league_id
season_year	season_year
...	Additional arguments passed to an underlying function like httr.

#### Details

(Possibly Defunct)

```
wnba_draftcombinenonstationaryshooting(season_year = most_recent_wnba_season() - 2)
```

#### Value

Returns a named list of data frames: Results

#### Author(s)

Saiem Gilani

#### See Also

Other WNBA Draft Functions: [wnba\\_draftboard\(\)](#), [wnba\\_draftcombinedrillresults\(\)](#), [wnba\\_draftcombineplayerar](#), [wnba\\_draftcombinespotshooting\(\)](#), [wnba\\_draftcombinestats\(\)](#), [wnba\\_drafthistory\(\)](#)

---

wnba\_draftcombineplayeranthro  
**Get WNBA Stats API Draft Combine Player Anthropological Measurements**

---

**Description**

**Get WNBA Stats API Draft Combine Player Anthropological Measurements**  
**Get WNBA Stats API Draft Combine Player Anthropological Measurements**

**Usage**

```
wnba_draftcombineplayeranthro(
  league_id = "10",
  season_year = most_recent_wnba_season() - 1,
  ...
)
```

**Arguments**

league_id	league_id
season_year	season_year
...	Additional arguments passed to an underlying function like httr.

**Details**

(Possibly Defunct)

```
wnba_draftcombineplayeranthro(season_year = most_recent_wnba_season() - 2)
```

**Value**

Returns a named list of data frames: Results

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Draft Functions: [wnba\\_draftboard\(\)](#), [wnba\\_draftcombinedrillresults\(\)](#), [wnba\\_draftcombinenonstat.](#)  
[wnba\\_draftcombinespotshooting\(\)](#), [wnba\\_draftcombinestats\(\)](#), [wnba\\_drafthistory\(\)](#)

---

wnba\_draftcombinespotshooting

**Get WNBA Stats API Draft Combine - Spot Shooting**

---

**Description**

**Get WNBA Stats API Draft Combine - Spot Shooting**

**Get WNBA Stats API Draft Combine - Spot Shooting**

**Usage**

```
wnba_draftcombinespotshooting(  
  league_id = "10",  
  season_year = most_recent_wnba_season() - 1,  
  ...  
)
```

**Arguments**

league_id	league_id
season_year	season_year
...	Additional arguments passed to an underlying function like htr.

**Details**

(Possibly Defunct)

```
wnba_draftcombinespotshooting(season_year = most_recent_wnba_season() - 2)
```

**Value**

Returns a named list of data frames: Results

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Draft Functions: [wnba\\_draftboard\(\)](#), [wnba\\_draftcombinedrillresults\(\)](#), [wnba\\_draftcombinenonstat.](#)  
[wnba\\_draftcombineplayeranthro\(\)](#), [wnba\\_draftcombinestats\(\)](#), [wnba\\_drafthistory\(\)](#)



---

 wnba\_draftcombinestats

### Get WNBA Stats API Draft Combine Stats

---

#### Description

**Get WNBA Stats API Draft Combine Stats**

**Get WNBA Stats API Draft Combine Stats**

#### Usage

```
wnba_draftcombinestats(
  league_id = "10",
  season_year = most_recent_wnba_season() - 1,
  ...
)
```

#### Arguments

league_id	league_id
season_year	season_year
...	Additional arguments passed to an underlying function like httr.

#### Details

```
wnba_draftcombinestats(season_year = most_recent_wnba_season() - 1)
```

#### Value

Returns a named list of data frames: DraftCombineStats

##### DraftCombineStats

col_name	types
SEASON	character
PLAYER_ID	character
FIRST_NAME	character
LAST_NAME	character
PLAYER_NAME	character
POSITION	character
HEIGHT_WO_SHOES	character
HEIGHT_WO_SHOES_FT_IN	character
HEIGHT_W_SHOES	character
HEIGHT_W_SHOES_FT_IN	character
WEIGHT	character
WINGSPAN	character
WINGSPAN_FT_IN	character

STANDING_REACH	character
STANDING_REACH_FT_IN	character
BODY_FAT_PCT	character
HAND_LENGTH	character
HAND_WIDTH	character
STANDING_VERTICAL_LEAP	character
MAX_VERTICAL_LEAP	character
LANE_AGILITY_TIME	character
MODIFIED_LANE_AGILITY_TIME	character
THREE_QUARTER_SPRINT	character
BENCH_PRESS	character
SPOT_FIFTEEN_CORNER_LEFT	character
SPOT_FIFTEEN_BREAK_LEFT	character
SPOT_FIFTEEN_TOP_KEY	character
SPOT_FIFTEEN_BREAK_RIGHT	character
SPOT_FIFTEEN_CORNER_RIGHT	character
SPOT_COLLEGE_CORNER_LEFT	character
SPOT_COLLEGE_BREAK_LEFT	character
SPOT_COLLEGE_TOP_KEY	character
SPOT_COLLEGE_BREAK_RIGHT	character
SPOT_COLLEGE_CORNER_RIGHT	character
SPOT_NBA_CORNER_LEFT	character
SPOT_NBA_BREAK_LEFT	character
SPOT_NBA_TOP_KEY	character
SPOT_NBA_BREAK_RIGHT	character
SPOT_NBA_CORNER_RIGHT	character
OFF_DRIB_FIFTEEN_BREAK_LEFT	character
OFF_DRIB_FIFTEEN_TOP_KEY	character
OFF_DRIB_FIFTEEN_BREAK_RIGHT	character
OFF_DRIB_COLLEGE_BREAK_LEFT	character
OFF_DRIB_COLLEGE_TOP_KEY	character
OFF_DRIB_COLLEGE_BREAK_RIGHT	character
ON_MOVE_FIFTEEN	character
ON_MOVE_COLLEGE	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Draft Functions: [wnba\\_draftboard\(\)](#), [wnba\\_draftcombinedrillresults\(\)](#), [wnba\\_draftcombinenonstat.](#)  
[wnba\\_draftcombineplayeranthro\(\)](#), [wnba\\_draftcombinespotshooting\(\)](#), [wnba\\_drafthistory\(\)](#)

---

 wnba\_drafthistory      **Get WNBA Stats API Draft History**


---

**Description****Get WNBA Stats API Draft History****Usage**

```
wnba_drafthistory(
  league_id = "10",
  college = "",
  overall_pick = "",
  round_pick = "",
  round_num = "",
  season = most_recent_wnba_season() - 1,
  team_id = "",
  top_x = "",
  ...
)
```

**Arguments**

league_id	league_id
college	college
overall_pick	overall_pick
round_pick	round_pick
round_num	round_num
season	season
team_id	team_id
top_x	top_x
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_drafthistory(season = most_recent_wnba_season() - 1)
```

**Value**

Returns a named list of data frames: DraftHistory

**DraftHistory**

col_name	types
PERSON_ID	character

PLAYER_NAME	character
SEASON	character
ROUND_NUMBER	character
ROUND_PICK	character
OVERALL_PICK	character
DRAFT_TYPE	character
TEAM_ID	character
TEAM_CITY	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
ORGANIZATION	character
ORGANIZATION_TYPE	character
PLAYER_PROFILE_FLAG	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Draft Functions: [wnba\\_draftboard\(\)](#), [wnba\\_draftcombinedrillresults\(\)](#), [wnba\\_draftcombinenonstat.](#)  
[wnba\\_draftcombineplayeranthro\(\)](#), [wnba\\_draftcombinespotshooting\(\)](#), [wnba\\_draftcombinestats\(\)](#)

---

wnba\_fantasywidget

**Get WNBA Stats API Fantasy Widget**

---

**Description**

**Get WNBA Stats API Fantasy Widget**

**Get WNBA Stats API Fantasy Widget**

**Usage**

```
wnba_fantasywidget(
  active_players = "N",
  date_from = "",
  date_to = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  month = "",
  opponent_team_id = "",
  po_round = "",
  player_id = "",
  position = "",
  season = most_recent_wnba_season() - 1,
```

```

    season_segment = "",
    season_type = "Regular Season",
    team_id = "",
    todays_opponent = 0,
    todays_players = "N",
    vs_conference = "",
    vs_division = "",
    ...
)

```

### Arguments

active_players	active_players
date_from	date_from date_from
date_to	date_to date_to
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
po_round	po_round
player_id	player_id
position	position
season	season
season_segment	season_segment
season_type	season_type
team_id	team_id
todays_opponent	todays_opponent
todays_players	todays_players
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

### Details

```
wnba_fantasywidget(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Returns a named list of data frames: FantasyWidgetResult

**FantasyWidgetResult**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
PLAYER_POSITION	character
TEAM_ID	character
TEAM_ABBREVIATION	character
GP	character
MIN	character
FAN_DUEL_PTS	character
NBA_FANTASY_PTS	character
PTS	character
REB	character
AST	character
BLK	character
STL	character
TOV	character
FG3M	character
FGA	character
FG_PCT	character
FTA	character
FT_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Fantasy Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#)

---

wnba\_franchisehistory **Get WNBA Stats API Franchise History**

---

**Description**

**Get WNBA Stats API Franchise History**

**Get WNBA Stats API Franchise History**

**Usage**

```
wnba_franchisehistory(league_id = "10", ...)
```

**Arguments**

league\_id      league\_id  
 ...            Additional arguments passed to an underlying function like httr.

**Details****Franchise History**

```
wnba_franchisehistory(league_id = '10')
```

**Value**

Returns a named list of data frames: DefunctTeams, FranchiseHistory

**FranchiseHistory**

col_name	types
LEAGUE_ID	character
TEAM_ID	character
TEAM_CITY	character
TEAM_NAME	character
START_YEAR	character
END_YEAR	character
YEARS	character
GAMES	character
WINS	character
LOSSES	character
WIN_PCT	character
PO_APPEARANCES	character
DIV_TITLES	character
CONF_TITLES	character
LEAGUE_TITLES	character

**DefunctTeams**

col_name	types
LEAGUE_ID	character
TEAM_ID	character
TEAM_CITY	character
TEAM_NAME	character
START_YEAR	character
END_YEAR	character
YEARS	character
GAMES	character
WINS	character
LOSSES	character
WIN_PCT	character

PO_APPEARANCES	character
DIV_TITLES	character
CONF_TITLES	character
LEAGUE_TITLES	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Franchise Functions: [wnba\\_franchiseleaderswrnk\(\)](#), [wnba\\_franchiseleaders\(\)](#), [wnba\\_franchiseplayers\(\)](#)

---

wnba\_franchiseleaders **Get WNBA Stats API Franchise Leaders**

---

**Description**

**Get WNBA Stats API Franchise Leaders**

**Get WNBA Stats API Franchise Leaders**

**Usage**

```
wnba_franchiseleaders(league_id = "10", team_id = "1611661324", ...)
```

**Arguments**

league_id	league_id
team_id	team_id
...	Additional arguments passed to an underlying function like httr.

**Details****Franchise Leaders**

```
wnba_franchiseleaders(league_id = '10', team_id = '1611661324')
```



**Value**

Returns a named list of data frames: FranchiseLeaders

**FranchiseLeaders**

col_name	types
TEAM_ID	character
PTS	character
PTS_PERSON_ID	character
PTS_PLAYER	character
AST	character
AST_PERSON_ID	character
AST_PLAYER	character
REB	character
REB_PERSON_ID	character
REB_PLAYER	character
BLK	character
BLK_PERSON_ID	character
BLK_PLAYER	character
STL	character
STL_PERSON_ID	character
STL_PLAYER	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Franchise Functions: [wnba\\_franchisehistory\(\)](#), [wnba\\_franchiseleaderswrnk\(\)](#), [wnba\\_franchiseplayers\(\)](#)

---

wnba\_franchiseleaderswrnk

**Get WNBA Stats API Franchise Leaders with Rank**

---

**Description**

**Get WNBA Stats API Franchise Leaders with Rank**

**Get WNBA Stats API Franchise Leaders with Rank**

**Usage**

```
wnba_franchiseleaderswrnk(
  league_id = "10",
  per_mode = "Totals",
  season_type = "Regular Season",
  team_id = "1611661324",
  ...
)
```

**Arguments**

league_id	league_id
per_mode	per_mode
season_type	season_type
team_id	team_id
...	Additional arguments passed to an underlying function like httr.

**Details****Franchise Leaders**

```
wnba_franchiseleaderswrnk(league_id = '10', team_id = '1611661324')
```

**Value**

Returns a named list of data frames: FranchiseLeaderswRank

**FranchiseLeaderswRank**

col_name	types
LEAGUE_ID	character
TEAM_ID	character
TEAM	character
PERSON_ID	character
PLAYER	character
SEASON_TYPE	character
ACTIVE_WITH_TEAM	character
GP	character
MINUTES	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character

OREB	character
DREB	character
REB	character
AST	character
PF	character
STL	character
TOV	character
BLK	character
PTS	character
F_RANK_GP	character
F_RANK_MINUTES	character
F_RANK_FGM	character
F_RANK_FGA	character
F_RANK_FG_PCT	character
F_RANK_FG3M	character
F_RANK_FG3A	character
F_RANK_FG3_PCT	character
F_RANK_FTM	character
F_RANK_FTA	character
F_RANK_FT_PCT	character
F_RANK_OREB	character
F_RANK_DREB	character
F_RANK_REB	character
F_RANK_AST	character
F_RANK_PF	character
F_RANK_STL	character
F_RANK_TOV	character
F_RANK_BLK	character
F_RANK_PTS	character

**Author(s)**

Saiem Gilani

**See Also**Other WNBA Franchise Functions: [wnba\\_franchisehistory\(\)](#), [wnba\\_franchiseleaders\(\)](#), [wnba\\_franchiseplayers\(\)](#)


---

 wnba\_franchiseplayers **Get WNBA Stats API Franchise Players**


---

**Description****Get WNBA Stats API Franchise Players****Get WNBA Stats API Franchise Players**

**Usage**

```
wnba_franchiseplayers(
  league_id = "10",
  per_mode = "Totals",
  season_type = "Regular Season",
  team_id = "1611661319",
  ...
)
```

**Arguments**

league_id	league_id
per_mode	per_mode
season_type	season_type
team_id	team_id
...	Additional arguments passed to an underlying function like httr.

**Details****Franchise Players**

```
wnba_franchiseplayers(league_id = '10', team_id = '1611661319')
wnba_franchiseplayers(league_id = '10', season_type = 'Playoffs', team_id = '1611661319')
```

**Value**

Returns a named list of data frames: FranchisePlayers

**FranchisePlayers**

col_name	types
LEAGUE_ID	character
TEAM_ID	character
TEAM	character
PERSON_ID	character
PLAYER	character
SEASON_TYPE	character
ACTIVE_WITH_TEAM	character
GP	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character

OREB	character
DREB	character
REB	character
AST	character
PF	character
STL	character
TOV	character
BLK	character
PTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Franchise Functions: [wnba\\_franchisehistory\(\)](#), [wnba\\_franchiseleaderswrnk\(\)](#), [wnba\\_franchiseleaders\(\)](#)

---

wnba_gamerotation	<b>Get WNBA Stats API Game Rotation</b>
-------------------	---

---

**Description**

**Get WNBA Stats API Game Rotation**

**Get WNBA Stats API Game Rotation**

**Usage**

```
wnba_gamerotation(game_id, league_id = "10", rotation_stat = "PLAYER_PTS", ...)
```

**Arguments**

game_id	Game ID
league_id	League ID
rotation_stat	Rotation stat to provide details on: PLAYER_PTS, PT_DIFF, USG_PCT
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_gamerotation(game_id = "1022200034")
```

**Value**

Returns a named list of data frames: AwayTeam, HomeTeam

**AwayTeam**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_CITY	character
TEAM_NAME	character
PERSON_ID	character
PLAYER_FIRST	character
PLAYER_LAST	character
IN_TIME_REAL	character
OUT_TIME_REAL	character
PLAYER_PTS	character
PT_DIFF	character
USG_PCT	character

**HomeTeam**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_CITY	character
TEAM_NAME	character
PERSON_ID	character
PLAYER_FIRST	character
PLAYER_LAST	character
IN_TIME_REAL	character
OUT_TIME_REAL	character
PLAYER_PTS	character
PT_DIFF	character
USG_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore Functions: [wnba\\_boxscoreadvancedv2\(\)](#), [wnba\\_boxscorefourfactorsv2\(\)](#), [wnba\\_boxscoremiscv2\(\)](#), [wnba\\_boxscoreplayertrackv2\(\)](#), [wnba\\_boxscorescoringv2\(\)](#), [wnba\\_boxscoresummaryv2\(\)](#), [wnba\\_boxscoretraditionalv2\(\)](#), [wnba\\_boxscoreusagev2\(\)](#), [wnba\\_hustlestatsboxscore\(\)](#)

Other WNBA Lineup Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_shotchartlineupdetailv2\(\)](#), [wnba\\_teamdashlineups\(\)](#)

---

 wnba\_homepagewidget **Get WNBA Stats API Homepage Widget Leaders**


---

**Description****Get WNBA Stats API Homepage Widget Leaders****Get WNBA Stats API Homepage Widget Leaders****Usage**

```
wnba_homepagewidget(player_or_team = "Player", ...)
```

**Arguments**

player\_or\_team Player or Team

... Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_homepagewidget(player_or_team = "Player")
```

```
wnba_homepagewidget(player_or_team = "Team")
```

**Value**

Returns, for current season, a named list of data frames: PTS, REB, AST, BLK, STL, FG\_PCT, FG3M, FG3\_PCT, FANTASY\_POINTS, TOTAL\_PTS, TOTAL\_REB, TOTAL\_AST, ALL\_TIME\_TD3, TD3, GAME\_FG3M, GAME\_PTS, GAME\_AST, GAME\_STL, GAME\_BLK, PCT\_PTS\_3PT, PCT\_PTS\_2PT, PCT\_PTS\_2PT\_MR

**PTS**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
season	character
seasontype	character
permode	character
RANK	integer
PLAYER_ID	integer
PLAYER_NAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
PTS	numeric
FIRST_NAME	character
NICKNAME	character

LAST_NAME	character
JERSEY_NUM	character
POSITION	character

**REB**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
season	character
seasontype	character
permode	character
RANK	integer
PLAYER_ID	integer
PLAYER_NAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
REB	numeric
FIRST_NAME	character
NICKNAME	character
LAST_NAME	character
JERSEY_NUM	character
POSITION	character

**AST**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
season	character
seasontype	character
permode	character
RANK	integer
PLAYER_ID	integer
PLAYER_NAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
AST	numeric
FIRST_NAME	character
NICKNAME	character
LAST_NAME	character
JERSEY_NUM	character



POSITION	character
----------	-----------

**BLK**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
season	character
seasontype	character
permode	character
RANK	integer
PLAYER_ID	integer
PLAYER_NAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
BLK	numeric
FIRST_NAME	character
NICKNAME	character
LAST_NAME	character
JERSEY_NUM	character
POSITION	character

**STL**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
season	character
seasontype	character
permode	character
RANK	integer
PLAYER_ID	integer
PLAYER_NAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
STL	numeric
FIRST_NAME	character
NICKNAME	character
LAST_NAME	character
JERSEY_NUM	character
POSITION	character

**FG\_PCT**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
season	character
seasontype	character
permode	character
RANK	integer
PLAYER_ID	integer
PLAYER_NAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
FG_PCT	numeric
FIRST_NAME	character
NICKNAME	character
LAST_NAME	character
JERSEY_NUM	character
POSITION	character

**FG3M**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
season	character
seasontype	character
permode	character
RANK	integer
PLAYER_ID	integer
PLAYER_NAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
FG3M	integer
FIRST_NAME	character
NICKNAME	character
LAST_NAME	character
JERSEY_NUM	character
POSITION	character

**FG3\_PCT**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
season	character
seasontype	character
permode	character
RANK	integer
PLAYER_ID	integer
PLAYER_NAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
FG3_PCT	numeric
FIRST_NAME	character
NICKNAME	character
LAST_NAME	character
JERSEY_NUM	character
POSITION	character

**FANTASY\_POINTS**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
season	character
seasontype	character
permode	character
PLAYER_ID	integer
PLAYER_NAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
FANTASY_POINTS	numeric
FIRST_NAME	character
NICKNAME	character
LAST_NAME	character
JERSEY_NUM	character
POSITION	character

**TOTAL\_PTS**

col_name	types
title	character
deep_link	character

name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
PTS	integer

**TOTAL\_REB**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
REB	integer

**TOTAL\_AST**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character

NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
AST	integer

**ALL\_TIME\_TD3**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
TD3	integer

**TD3**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
TEAM_ABBREVIATION	character
SEASON_YEAR	character
TD3	integer

**GAME\_FG3M**

col_name	types
title	character
deep_link	character
name	character

timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
FG3M	integer
GAME_ID	character

**GAME\_PTS**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
PTS	integer
GAME_ID	character

**GAME\_AST**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character

PLAYER_NAME_LAST_FIRST	character
NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
AST	integer
GAME_ID	character

**GAME\_STL**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
STL	integer
GAME_ID	character

**GAME\_BLK**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
BLK	integer

GAME_ID	character
---------	-----------

**PCT\_PTS\_3PT**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
PCT_PTS_3PT	numeric

**PCT\_PTS\_2PT**

col_name	types
title	character
deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
PCT_PTS_2PT	numeric

**PCT\_PTS\_2PT\_MR**

col_name	types
title	character



deep_link	character
name	character
timestamp	character
permode	character
season	character
seasontype	character
PLAYER_ID	integer
PLAYER_NAME	character
PLAYER_NAME_LAST_FIRST	character
NICKNAME	character
TEAM_ID	integer
TEAM_ABBREVIATION	character
TEAM_NAME	character
PCT_PTS_2PT_MR	numeric

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Leaders Functions: [wnba\\_alltimeleadersgrids\(\)](#), [wnba\\_assistleaders\(\)](#), [wnba\\_assisttracker\(\)](#), [wnba\\_leagueleaders\(\)](#)

---

wnba\_hustlestatsboxscore

**Get WNBA Stats API Hustle Stats Boxscore**

---

**Description**

**Get WNBA Stats API Hustle Stats Boxscore**

**Get WNBA Stats API Hustle Stats Boxscore**

**Usage**

```
wnba_hustlestatsboxscore(game_id, ...)
```

**Arguments**

game_id	Game ID
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_hustlestatsboxscore(game_id = "1022200034")
```

**Value**

Returns a named list of data frames: HustleStatsAvailable, PlayerStats, TeamStats

**HustleStatsAvailable**

col_name	types
GAME_ID	character
HUSTLE_STATUS	character

**PlayerStats**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY	character
PLAYER_ID	character
PLAYER_NAME	character
START_POSITION	character
COMMENT	character
MINUTES	character
PTS	character
CONTESTED_SHOTS	character
CONTESTED_SHOTS_2PT	character
CONTESTED_SHOTS_3PT	character
DEFLECTIONS	character
CHARGES_DRAWN	character
SCREEN_ASSISTS	character
SCREEN_AST_PTS	character
OFF_LOOSE_BALLS_RECOVERED	character
DEF_LOOSE_BALLS_RECOVERED	character
LOOSE_BALLS_RECOVERED	character
OFF_BOXOUTS	character
DEF_BOXOUTS	character
BOX_OUT_PLAYER_TEAM_REBS	character
BOX_OUT_PLAYER_REBS	character
BOX_OUTS	character

**TeamStats**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
TEAM_CITY	character

MINUTES	character
PTS	character
CONTESTED_SHOTS	character
CONTESTED_SHOTS_2PT	character
CONTESTED_SHOTS_3PT	character
DEFLECTIONS	character
CHARGES_DRAWN	character
SCREEN_ASSISTS	character
SCREEN_AST_PTS	character
OFF_LOOSE_BALLS_RECOVERED	character
DEF_LOOSE_BALLS_RECOVERED	character
LOOSE_BALLS_RECOVERED	character
OFF_BOXOUTS	character
DEF_BOXOUTS	character
BOX_OUT_PLAYER_TEAM_REBS	character
BOX_OUT_PLAYER_REBS	character
BOX_OUTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Boxscore Functions: [wnba\\_boxscoreadvancedv2\(\)](#), [wnba\\_boxscorefourfactorsv2\(\)](#), [wnba\\_boxscoremiscv2\(\)](#), [wnba\\_boxscoreplayertrackv2\(\)](#), [wnba\\_boxscorescoringv2\(\)](#), [wnba\\_boxscoresummaryv2\(\)](#), [wnba\\_boxscoretraditionalv2\(\)](#), [wnba\\_boxscoreusagev2\(\)](#), [wnba\\_gamerotation\(\)](#)

Other WNBA Hustle Functions: [wnba\\_leaguehustlestatsplayerleaders\(\)](#), [wnba\\_leaguehustlestatsplayer\(\)](#), [wnba\\_leaguehustlestatsteamleaders\(\)](#), [wnba\\_leaguehustlestatsteam\(\)](#)

---

 wnba\_infographicfanduelplayer

### Get WNBA Stats API FanDuel Player Infographic

---

**Description**

**Get WNBA Stats API FanDuel Player Infographic**

**Get WNBA Stats API FanDuel Player Infographic**

**Usage**

```
wnba_infographicfanduelplayer(game_id, ...)
```

**Arguments**

game_id	game_id
...	Additional arguments passed to an underlying function like <code>httr</code> .

**Details**

```
wnba_infographicfanduelplayer(game_id = "1022200034")
```

**Value**

Return a named list of data frames: FanDuelPlayer

**FanDuelPlayer**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
JERSEY_NUM	character
PLAYER_POSITION	character
LOCATION	character
FAN_DUEL_PTS	character
WNBA_FANTASY_PTS	character
USG_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollegerollup\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastgame\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamealog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

Other WNBA Fantasy Functions: [wnba\\_fantasywidget\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#)

---

 wnba\_leaguedashlineups

### Get WNBA Stats API League Dashboard Lineups

---

**Description**

**Get WNBA Stats API League Dashboard Lineups**

**Get WNBA Stats API League Dashboard Lineups**

**Usage**

```
wnba_leaguedashlineups(
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  game_segment = "",
  group_quantity = 5,
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
```

```

    season_segment = "",
    season_type = "Regular Season",
    shot_clock_range = "",
    team_id = "",
    vs_conference = "",
    vs_division = "",
    ...
)

```

### Arguments

conference	conference
date_from	date_from
date_to	date_to
division	division
game_segment	game_segment
group_quantity	group_quantity
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_leaguedashlineups(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Returns a named list of data frames: Lineups

**Lineups**

col_name	types
GROUP_SET	character
GROUP_ID	character
GROUP_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character

FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegameblog\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguwide\(\)](#)

Other WNBA Lineup Functions: [wnba\\_gamerotation\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_shotchartlineupdetail\(\)](#), [wnba\\_teamdashlineups\(\)](#)

---

wnba\_leaguedashplayerbiostats

**Get WNBA Stats API League Dashboard Player Biographical Stats**

---

**Description**

**Get WNBA Stats API League Dashboard Player Biographical Stats**

**Get WNBA Stats API League Dashboard Player Biographical Stats**



**Usage**

```

wnba_leaguedashplayerbiostats(
  college = "",
  conference = "",
  country = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_pick = "",
  draft_year = "",
  game_segment = "",
  game_scope = "",
  height = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  per_mode = "Totals",
  period = "",
  player_experience = "",
  player_position = "",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
  team_id = "",
  touch_time_range = "",
  vs_conference = "",
  vs_division = "",
  weight = "",
  ...
)

```

**Arguments**

college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
division	division
draft_pick	draft_pick

draft_year	draft_year
game_segment	game_segment
game_scope	game_scope
height	height
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
per_mode	per_mode
period	period
player_experience	player_experience
player_position	player_position
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
starter_bench	starter_bench
team_id	team_id
touch_time_range	touch_time_range
vs_conference	vs_conference
vs_division	vs_division
weight	weight
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_leaguedashplayerbiostats(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Returns a named list of data frames: LeagueDashPlayerBioStats

**LeagueDashPlayerBioStats**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
AGE	character
PLAYER_HEIGHT	character
PLAYER_HEIGHT_INCHES	character
PLAYER_WEIGHT	character
COLLEGE	character
COUNTRY	character
DRAFT_YEAR	character
DRAFT_ROUND	character
DRAFT_NUMBER	character
GP	character
PTS	character
REB	character
AST	character
NET_RATING	character
OREB_PCT	character
DREB_PCT	character
USG_PCT	character
TS_PCT	character
AST_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegamelog\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguwide\(\)](#)

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollegerollup\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastgame\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamelog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

 wnba\_leaguedashplayerclutch

### Get WNBA Stats API League Dashboard by Player Clutch Splits

---

#### Description

**Get WNBA Stats API League Dashboard by Player Clutch Splits**

**Get WNBA Stats API League Dashboard by Player Clutch Splits**

#### Usage

```
wnba_leaguedashplayerclutch(
  ahead_behind = "Ahead or Behind",
  clutch_time = "Last 5 Minutes",
  college = "",
  conference = "",
  country = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_pick = "",
  draft_year = "",
  game_scope = "",
  game_segment = "",
  height = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  point_diff = 5,
  po_round = "",
  per_mode = "Totals",
  period = 0,
  player_experience = "",
  player_position = "",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
```

```

    team_id = "",
    touch_time_range = "",
    vs_conference = "",
    vs_division = "",
    weight = "",
    ...
)

```

### Arguments

ahead_behind	ahead_behind
clutch_time	clutch_time
college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
division	division
draft_pick	draft_pick
draft_year	draft_year
game_scope	game_scope
game_segment	game_segment
height	height
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
point_diff	point_diff
po_round	po_round
per_mode	per_mode
period	period
player_experience	player_experience
player_position	player_position

rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
starter_bench	starter_bench
team_id	team_id
touch_time_range	touch_time_range
vs_conference	vs_conference
vs_division	vs_division
weight	weight
...	Additional arguments passed to an underlying function like httr.

**Details**

wnba\_leaguedashplayerclutch(league\_id = '10', season = most\_recent\_wnba\_season() - 1)

**Value**

Returns a named list of data frames: LeagueDashPlayerClutch

**LeagueDashPlayerClutch**

col_name	types
GROUP_SET	character
PLAYER_ID	character
PLAYER_NAME	character
NICKNAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
AGE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character

FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegamelog\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguewide\(\)](#)

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollegerollup\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclub\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastgame\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamelog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

 wnba\_leaguedashplayershotlocations

### Get WNBA Stats API League Dashboard Player Shot Locations

---

**Description**

**Get WNBA Stats API League Dashboard Player Shot Locations**

**Get WNBA Stats API League Dashboard Player Shot Locations**

**Usage**

```
wnba_leaguedashplayershotlocations(
    college = "",
    conference = "",
    country = "",
    date_from = "",
    date_to = "",
    distance_range = "By Zone",
    division = "",
    draft_pick = "",
    draft_year = "",
    dribble_range = "",
    game_scope = "",
    game_segment = "",
    height = "",
```



```

    last_n_games = 0,
    league_id = "10",
    location = "",
    measure_type = "Base",
    month = 0,
    opponent_team_id = 0,
    outcome = "",
    po_round = "",
    pace_adjust = "N",
    per_mode = "Totals",
    period = 0,
    player_experience = "",
    player_position = "",
    plus_minus = "N",
    rank = "N",
    season = most_recent_wnba_season() - 1,
    season_segment = "",
    season_type = "Regular Season",
    shot_clock_range = "",
    starter_bench = "",
    team_id = "",
    vs_conference = "",
    vs_division = "",
    weight = "",
    ...
)

```

### Arguments

college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
distance_range	distance_range
division	division
draft_pick	draft_pick
draft_year	draft_year
dribble_range	dribble_range
game_scope	game_scope
game_segment	game_segment
height	height
last_n_games	last_n_games
league_id	league_id

location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_experience	player_experience
player_position	player_position
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
starter_bench	starter_bench
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
weight	weight
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_leaguedashplayershotlocations(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Returns a named list of data frames: ShotLocations

**ShotLocations**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character

AGE	character
NICKNAME	character
Restricted_Area_FGM	character
Restricted_Area_FGA	character
Restricted_Area_FG_PCT	character
In_The_Paint_Non_RA_FGM	character
In_The_Paint_Non_RA_FGA	character
In_The_Paint_Non_RA_FG_PCT	character
Mid_Range_FGM	character
Mid_Range_FGA	character
Mid_Range_FG_PCT	character
Left_Corner_3_FGM	character
Left_Corner_3_FGA	character
Left_Corner_3_FG_PCT	character
Right_Corner_3_FGM	character
Right_Corner_3_FGA	character
Right_Corner_3_FG_PCT	character
Above_the_Break_3_FGM	character
Above_the_Break_3_FGA	character
Above_the_Break_3_FG_PCT	character
Backcourt_FGM	character
Backcourt_FGA	character
Backcourt_FG_PCT	character
Corner_3_FGM	character
Corner_3_FGA	character
Corner_3_FG_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegamealog\(\)](#), [wnba\\_leagueineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguwide\(\)](#)

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollegerollup\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbylastseason\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastseason\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingplits\(\)](#), [wnba\\_playerdashboardbyteamp\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamealogs\(\)](#), [wnba\\_playergamealog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

Other WNBA Shooting Functions: [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_playerdashboardbyshootingsplits](#), [wnba\\_shotchartdetail\(\)](#), [wnba\\_shotchartleaguewide\(\)](#), [wnba\\_shotchartlineupdetail\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#)

---

wnba\_leaguedashplayerstats

### Get WNBA Stats API League Dashboard Player Stats

---

#### Description

**Get WNBA Stats API League Dashboard Player Stats**

**Get WNBA Stats API League Dashboard Player Stats**

#### Usage

```
wnba_leaguedashplayerstats(
  college = "",
  conference = "",
  country = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_pick = "",
  draft_year = "",
  game_scope = "",
  game_segment = "",
  height = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  player_experience = "",
  player_position = "",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
```

```

    team_id = "",
    two_way = "",
    vs_conference = "",
    vs_division = "",
    weight = "",
    ...
)

```

### Arguments

college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
division	division
draft_pick	draft_pick
draft_year	draft_year
game_scope	game_scope
game_segment	game_segment
height	height
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
po_round	po_round
per_mode	per_mode
period	period
player_experience	player_experience
player_position	player_position
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment

season_type	season_type
shot_clock_range	shot_clock_range
starter_bench	starter_bench
team_id	team_id
two_way	two_way
vs_conference	vs_conference
vs_division	vs_division
weight	weight
...	Additional arguments passed to an underlying function like httr.

### Details

```
wnba_leaguedashplayerstats(league_id = '10', season = most_recent_wnba_season() - 1)
```

### Value

Returns a named list of data frames: LeagueDashPlayerStats

#### LeagueDashPlayerStats

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
NICKNAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
AGE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character

STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegameog\(\)](#), [wnba\\_leagueineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguwide\(\)](#)

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollegerollup\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylast5\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingplits\(\)](#), [wnba\\_playerdashboardbyteamp\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergameog\(\)](#), [wnba\\_playergameog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

wnba\_leaguedashteamclutch

**Get WNBA Stats API League Dashboard by Team Clutch Splits**

---

**Description**

**Get WNBA Stats API League Dashboard by Team Clutch Splits**

**Get WNBA Stats API League Dashboard by Team Clutch Splits**

**Usage**

```
wnba_leaguedashteamclutch(
    ahead_behind = "Ahead or Behind",
    clutch_time = "Last 5 Minutes",
    conference = "",
    date_from = "",
    date_to = "",
    division = "",
    game_scope = "",
    game_segment = "",
    last_n_games = 0,
    league_id = "10",
    location = "",
    measure_type = "Base",
    month = 0,
    opponent_team_id = 0,
    outcome = "",
    pace_adjust = "N",
    plus_minus = "N",
```



```

    point_diff = 5,
    po_round = "",
    per_mode = "Totals",
    period = 0,
    player_experience = "",
    player_position = "",
    rank = "N",
    season = most_recent_wnba_season() - 1,
    season_segment = "",
    season_type = "Regular Season",
    shot_clock_range = "",
    starter_bench = "",
    team_id = "",
    vs_conference = "",
    vs_division = "",
    ...
)

```

### Arguments

ahead_behind	ahead_behind
clutch_time	clutch_time
conference	conference
date_from	date_from
date_to	date_to
division	division
game_scope	game_scope
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
point_diff	point_diff
po_round	po_round
per_mode	per_mode
period	period

```

player_experience
      player_experience
player_position
      player_position
rank
      rank
season
      season
season_segment
      season_segment
season_type
      season_type
shot_clock_range
      shot_clock_range
starter_bench
      starter_bench
team_id
      team_id
vs_conference
      vs_conference
vs_division
      vs_division
...
      Additional arguments passed to an underlying function like httr.

```

**Details**

```
wnba_leaguedashteamclutch(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Returns a named list of data frames: LeagueDashTeamClutch

**LeagueDashTeamClutch**

col_name	types
TEAM_ID	character
TEAM_NAME	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character

AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegamelog\(\)](#), [wnba\\_league lineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguwide\(\)](#)

Other WNBA Clutch Functions: [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#)

---

 wnba\_leaguedashteamshotlocations

### Get WNBA Stats API League Dashboard Team Shot Locations

---

#### Description

**Get WNBA Stats API League Dashboard Team Shot Locations**

**Get WNBA Stats API League Dashboard Team Shot Locations**

#### Usage

```
wnba_leaguedashteamshotlocations(
  conference = "",
  date_from = "",
  date_to = "",
  distance_range = "By Zone",
  division = "",
  game_scope = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_experience = "",
  player_position = "",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
  team_id = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

**Arguments**

conference	conference
date_from	date_from
date_to	date_to
distance_range	distance_range
division	division
game_scope	game_scope
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_experience	player_experience
player_position	player_position
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
starter_bench	starter_bench
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

wnba\_leaguedashteamshotlocations(league\_id = '10', season = most\_recent\_wnba\_season() - 1)

**Value**

Returns a named list of data frames: ShotLocations

**ShotLocations**

col_name	types
TEAM_ID	character
TEAM_NAME	character
Restricted_Area_FGM	character
Restricted_Area_FGA	character
Restricted_Area_FG_PCT	character
In_The_Paint_Non_RA_FGM	character
In_The_Paint_Non_RA_FGA	character
In_The_Paint_Non_RA_FG_PCT	character
Mid_Range_FGM	character
Mid_Range_FGA	character
Mid_Range_FG_PCT	character
Left_Corner_3_FGM	character
Left_Corner_3_FGA	character
Left_Corner_3_FG_PCT	character
Right_Corner_3_FGM	character
Right_Corner_3_FGA	character
Right_Corner_3_FG_PCT	character
Above_the_Break_3_FGM	character
Above_the_Break_3_FGA	character
Above_the_Break_3_FG_PCT	character
Backcourt_FGM	character
Backcourt_FGA	character
Backcourt_FG_PCT	character
Corner_3_FGM	character
Corner_3_FGA	character
Corner_3_FG_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegameelog\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguwide\(\)](#)

Other WNBA Shooting Functions: [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_playerdashboardbyshootingspli](#), [wnba\\_shotchartdetail\(\)](#), [wnba\\_shotchartleaguwide\(\)](#), [wnba\\_shotchartlineupdetail\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#)

---

wnba\_leaguedashteamstats

**Get WNBA Stats API League Dashboard Team Stats**

---

**Description**

**Get WNBA Stats API League Dashboard Team Stats**

**Get WNBA Stats API League Dashboard Team Stats**

**Usage**

```
wnba_leaguedashteamstats(  
  conference = "",  
  date_from = "",  
  date_to = "",  
  division = "",  
  game_scope = "",  
  game_segment = "",  
  last_n_games = 0,  
  league_id = "10",  
  location = "",  
  measure_type = "Base",  
  month = 0,  
  opponent_team_id = 0,  
  outcome = "",  
  po_round = "",  
  pace_adjust = "N",  
  per_mode = "Totals",  
  period = 0,  
  plus_minus = "N",  
  rank = "N",  
  season = most_recent_wnba_season() - 1,  
  season_segment = "",  
  season_type = "Regular Season",  
  shot_clock_range = "",  
  starter_bench = "",  
  team_id = "",  
  two_way = "",  
  vs_conference = "",  
  vs_division = "",  
  ...  
)
```

**Arguments**

conference      conference

date_from	date_from
date_to	date_to
division	division
game_scope	game_scope
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
starter_bench	starter_bench
team_id	team_id
two_way	two_way
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like htrr.

**Details**

```
wnba_leaguedashteamstats(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Returns a named list of data frames: LeagueDashTeamStats

**LeagueDashTeamStats**



col_name	types
TEAM_ID	character
TEAM_NAME	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character

STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegamealog\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguewide\(\)](#)

Other WNBA Team Functions: [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamealogs\(\)](#), [wnba\\_teamgamealog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

wnba\_leaguegamefinder **Get WNBA Stats API League Game Streak Finder**

---

**Description**

**Get WNBA Stats API League Game Streak Finder**

**Get WNBA Stats API League Game Streak Finder**

**Usage**

```
wnba_leaguegamefinder(
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_year = "",
  draft_team_id = "",
  draft_round = "",
```

```
draft_number = "",
et_ast = "",
et_blk = "",
et_dd = "",
et_dreb = "",
et_fg3a = "",
et_fg3m = "",
et_fg3_pct = "",
et_fga = "",
et_fgm = "",
et_fg_pct = "",
et_fta = "",
et_ftm = "",
et_ft_pct = "",
et_minutes = "",
et_oreb = "",
et_pf = "",
et_pts = "",
et_reb = "",
et_stl = "",
et_td = "",
et_tov = "",
game_id = "",
gt_ast = "",
gt_blk = "",
gt_dd = "",
gt_dreb = "",
gt_fg3a = "",
gt_fg3m = "",
gt_fg3_pct = "",
gt_fga = "",
gt_fgm = "",
gt_fg_pct = "",
gt_fta = "",
gt_ftm = "",
gt_ft_pct = "",
gt_minutes = "",
gt_oreb = "",
gt_pf = "",
gt_pts = "",
gt_reb = "",
gt_stl = "",
gt_td = "",
gt_tov = "",
league_id = "10",
location = "",
lt_ast = "",
lt_blk = "",
```

```

lt_dd = "",
lt_dreb = "",
lt_fg3a = "",
lt_fg3m = "",
lt_fg3_pct = "",
lt_fga = "",
lt_fgm = "",
lt_fg_pct = "",
lt_fta = "",
lt_ftm = "",
lt_ft_pct = "",
lt_minutes = "",
lt_oreb = "",
lt_pf = "",
lt_pts = "",
lt_reb = "",
lt_stl = "",
lt_td = "",
lt_tov = "",
outcome = "",
po_round = "",
player_id = "",
player_or_team = "T",
rookie_year = "",
season = most_recent_wnba_season() - 1,
season_segment = "",
season_type = "Regular Season",
starter_bench = "",
team_id = "",
vs_conference = "",
vs_division = "",
vs_team_id = "",
years_experience = "",
...
)

```

### Arguments

conference	conference
date_from	date_from
date_to	date_to
division	division
draft_year	draft_year
draft_team_id	draft_team_id
draft_round	draft_round
draft_number	draft_number

et_ast	et_ast
et_blk	et_blk
et_dd	et_dd
et_dreb	et_dreb
et_fg3a	et_fg3a
et_fg3m	et_fg3m
et_fg3_pct	et_fg3_pct
et_fga	et_fga
et_fgm	et_fgm
et_fg_pct	et_fg_pct
et_fta	et_fta
et_ftm	et_ftm
et_ft_pct	et_ft_pct
et_minutes	et_minutes
et_oreb	et_oreb
et_pf	et_pf
et_pts	et_pts
et_reb	et_reb
et_stl	et_stl
et_td	et_td
et_tov	et_tov
game_id	game_id
gt_ast	gt_ast
gt_blk	gt_blk
gt_dd	gt_dd
gt_dreb	gt_dreb
gt_fg3a	gt_fg3a
gt_fg3m	gt_fg3m
gt_fg3_pct	gt_fg3_pct
gt_fga	gt_fga
gt_fgm	gt_fgm
gt_fg_pct	gt_fg_pct
gt_fta	gt_fta
gt_ftm	gt_ftm
gt_ft_pct	gt_ft_pct
gt_minutes	gt_minutes
gt_oreb	gt_oreb

gt_pf	gt_pf
gt_pts	gt_pts
gt_reb	gt_reb
gt_stl	gt_stl
gt_td	gt_td
gt_tov	gt_tov
league_id	league_id
location	location
lt_ast	lt_ast
lt_blk	lt_blk
lt_dd	lt_dd
lt_dreb	lt_dreb
lt_fg3a	lt_fg3a
lt_fg3m	lt_fg3m
lt_fg3_pct	lt_fg3_pct
lt_fga	lt_fga
lt_fgm	lt_fgm
lt_fg_pct	lt_fg_pct
lt_fta	lt_fta
lt_ftm	lt_ftm
lt_ft_pct	lt_ft_pct
lt_minutes	lt_minutes
lt_oreb	lt_oreb
lt_pf	lt_pf
lt_pts	lt_pts
lt_reb	lt_reb
lt_stl	lt_stl
lt_td	lt_td
lt_tov	lt_tov
outcome	outcome
po_round	po_round
player_id	player_id
player_or_team	player_or_team
rookie_year	rookie_year
season	season - Min: '1983-84'
season_segment	season_segment
season_type	season_type

```

starter_bench  starter_bench
team_id        team_id
vs_conference  vs_conference
vs_division    vs_division
vs_team_id     vs_team_id
years_experience
               years_experience
...           Additional arguments passed to an underlying function like httr.

```

**Details**

```
wnba_leaguegamefinder(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: `LeagueGameFinderResults`

**LeagueGameFinderResults**

col_name	types
SEASON_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
GAME_ID	character
GAME_DATE	character
MATCHUP	character
WL	character
MIN	character
PTS	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PLUS_MINUS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegameolog\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguewide\(\)](#)

Other WNBA Game Finder Functions: [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#)

---

wnba\_leaguegameolog      **Get WNBA Stats API League Game Log**

---

**Description****Get WNBA Stats API League Game Log****Get WNBA Stats API League Game Log****Usage**

```
wnba_leaguegameolog(
  counter = 0,
  date_from = "",
  date_to = "",
  direction = "ASC",
  league_id = "00",
  player_or_team = "T",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  sorter = "DATE",
  ...
)
```

**Arguments**

counter	counter
date_from	date_from
date_to	date_to
direction	direction
league_id	league_id



```

player_or_team player_or_team
season          season
season_type     season_type
sorter          sorter
...            Additional arguments passed to an underlying function like httr.

```

**Details****Player/Team Boxscores**

```
wnba_leaguegameLog(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: LeagueGameLog

**LeagueGameLog**

col_name	types
SEASON_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
GAME_ID	character
GAME_DATE	character
MATCHUP	character
WL	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character
PLUS_MINUS	character
VIDEO_AVAILABLE	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchup\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguwide\(\)](#)

---

wnba\_leaguehustlestatsplayer

**Get WNBA Stats API League Hustle Stats Player**

---

**Description**

**Get WNBA Stats API League Hustle Stats Player**

**Get WNBA Stats API League Hustle Stats Player**

**Usage**

```
wnba_leaguehustlestatsplayer(
    college = "",
    conference = "",
    country = "",
    date_from = "",
    date_to = "",
    division = "",
    draft_pick = "",
    draft_year = "",
    height = "",
    last_n_games = 0,
    league_id = "10",
    location = "",
    month = 0,
    opponent_team_id = 0,
    outcome = "",
    po_round = "",
    per_mode = "Totals",
    player_experience = "",
    player_position = "",
    season = most_recent_wnba_season() - 1,
    season_segment = "",
```

```

    season_type = "Regular Season",
    team_id = "",
    vs_conference = "",
    vs_division = "",
    weight = "",
    ...
)

```

### Arguments

college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
division	division
draft_pick	draft_pick
draft_year	draft_year
height	height
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
per_mode	per_mode
player_experience	player_experience
player_position	player_position
season	season
season_segment	season_segment
season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
weight	weight
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_leaguehustlestatsplayer(league_id = '10')
wnba_leaguehustlestatsplayer(league_id = '10', team_id = '1611661324')
```

**Value**

Returns a named list of data frames: HustleStatsPlayer

**HustleStatsPlayer**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
AGE	character
G	character
MIN	character
CONTESTED_SHOTS	character
CONTESTED_SHOTS_2PT	character
CONTESTED_SHOTS_3PT	character
DEFLECTIONS	character
CHARGES_DRAWN	character
SCREEN_ASSISTS	character
SCREEN_AST_PTS	character
OFF_LOOSE_BALLS_RECOVERED	character
DEF_LOOSE_BALLS_RECOVERED	character
LOOSE_BALLS_RECOVERED	character
PCT_LOOSE_BALLS_RECOVERED_OFF	character
PCT_LOOSE_BALLS_RECOVERED_DEF	character
OFF_BOXOUTS	character
DEF_BOXOUTS	character
BOX_OUT_PLAYER_TEAM_REBS	character
BOX_OUT_PLAYER_REBS	character
BOX_OUTS	character
PCT_BOX_OUTS_OFF	character
PCT_BOX_OUTS_DEF	character
PCT_BOX_OUTS_TEAM_REB	character
PCT_BOX_OUTS_REB	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Hustle Functions: [wnba\\_hustlestatsboxscore\(\)](#), [wnba\\_leaguehustlestatsplayerleaders\(\)](#), [wnba\\_leaguehustlestatsteamleaders\(\)](#), [wnba\\_leaguehustlestatsteam\(\)](#)

---

 wnba\_leaguehustlestatsplayerleaders

### Get WNBA Stats API League Hustle Stats Player Leaders

---

#### Description

**Get WNBA Stats API League Hustle Stats Player Leaders**

**Get WNBA Stats API League Hustle Stats Player Leaders**

#### Usage

```
wnba_leaguehustlestatsplayerleaders(
  college = "",
  conference = "",
  country = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_pick = "",
  draft_year = "",
  height = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  per_mode = "Totals",
  player_experience = "",
  player_position = "",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  team_id = "",
  vs_conference = "",
  vs_division = "",
  weight = "",
  ...
)
```

#### Arguments

college	college
conference	conference
country	country

date_from	date_from
date_to	date_to
division	division
draft_pick	draft_pick
draft_year	draft_year
height	height
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
per_mode	per_mode
player_experience	player_experience
player_position	player_position
season	season
season_segment	season_segment
season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
weight	weight
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_leaguehustlestatsplayerleaders(league_id = '10')
```

**Value**

Returns a named list of data frames: PlayerChargesDrawnLeaders, PlayerContestedShotsLeaders, PlayerDeflectionsLeaders, PlayerLooseBallLeaders, PlayerScreenAssistLeaders, Table5

**PlayerContestedShotsLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character

TEAM_ID	character
TEAM_ABBREVIATION	character
AGE	character
RANK	character
CONTESTED_SHOTS	character

**PlayerChargesDrawnLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
AGE	character
RANK	character
CHARGES_DRAWN	character

**PlayerDeflectionsLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
AGE	character
RANK	character
DEFLECTIONS	character

**PlayerLooseBallLeaders**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
AGE	character
RANK	character
LOOSE_BALLS_RECOVERED	character

**PlayerScreenAssistLeaders**

col_name	types
PLAYER_ID	character

PLAYER_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
AGE	character
RANK	character
SCREEN_ASSISTS	character

**Table5**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
AGE	character
RANK	character
BOX_OUTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Hustle Functions: [wnba\\_hustlestatsboxscore\(\)](#), [wnba\\_leaguehustlestatsplayer\(\)](#), [wnba\\_leaguehustlestatsteamleaders\(\)](#), [wnba\\_leaguehustlestatsteam\(\)](#)

---

wnba\_leaguehustlestatsteam

**Get WNBA Stats API League Hustle Stats Team**

---

**Description**

**Get WNBA Stats API League Hustle Stats Team**

**Get WNBA Stats API League Hustle Stats Team**

**Usage**

```
wnba_leaguehustlestatsteam(
  college = "",
  conference = "",
  country = "",
  date_from = "",
  date_to = "",
  division = "",
```



```

draft_pick = "",
draft_year = "",
height = "",
last_n_games = 0,
league_id = "10",
location = "",
month = 0,
opponent_team_id = 0,
outcome = "",
po_round = "",
per_mode = "Totals",
player_experience = "",
player_position = "",
season = most_recent_wnba_season() - 1,
season_segment = "",
season_type = "Regular Season",
team_id = "",
vs_conference = "",
vs_division = "",
weight = "",
...
)

```

### Arguments

college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
division	division
draft_pick	draft_pick
draft_year	draft_year
height	height
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
per_mode	per_mode

```

player_experience
    player_experience
player_position
    player_position
season
    season
season_segment
    season_segment
season_type
    season_type
team_id
    team_id
vs_conference
    vs_conference
vs_division
    vs_division
weight
    weight
...
    Additional arguments passed to an underlying function like httr.

```

**Details**

```
wnba_leaguehustlestatsteam(league_id = '10')
```

**Value**

Returns a named list of data frames: HustleStatsTeam

**HustleStatsTeam**

col_name	types
TEAM_ID	character
TEAM_NAME	character
MIN	character
CONTESTED_SHOTS	character
CONTESTED_SHOTS_2PT	character
CONTESTED_SHOTS_3PT	character
DEFLECTIONS	character
CHARGES_DRAWN	character
SCREEN_ASSISTS	character
SCREEN_AST_PTS	character
OFF_LOOSE_BALLS_RECOVERED	character
DEF_LOOSE_BALLS_RECOVERED	character
LOOSE_BALLS_RECOVERED	character
PCT_LOOSE_BALLS_RECOVERED_OFF	character
PCT_LOOSE_BALLS_RECOVERED_DEF	character
OFF_BOXOUTS	character
DEF_BOXOUTS	character
BOX_OUTS	character
PCT_BOX_OUTS_OFF	character
PCT_BOX_OUTS_DEF	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Hustle Functions: [wnba\\_hustlestatsboxscore\(\)](#), [wnba\\_leaguehustlestatsplayerleaders\(\)](#), [wnba\\_leaguehustlestatsplayer\(\)](#), [wnba\\_leaguehustlestatsteamleaders\(\)](#)

---

 wnba\_leaguehustlestatsteamleaders

**Get WNBA Stats API League Hustle Stats Team Leaders**

---

**Description**

**Get WNBA Stats API League Hustle Stats Team Leaders**

**Get WNBA Stats API League Hustle Stats Team Leaders**

**Usage**

```
wnba_leaguehustlestatsteamleaders(
    college = "",
    conference = "",
    country = "",
    date_from = "",
    date_to = "",
    division = "",
    draft_pick = "",
    draft_year = "",
    height = "",
    last_n_games = 0,
    league_id = "10",
    location = "",
    month = 0,
    opponent_team_id = 0,
    outcome = "",
    po_round = "",
    per_mode = "Totals",
    player_experience = "",
    player_position = "",
    season = most_recent_wnba_season() - 1,
    season_segment = "",
    season_type = "Regular Season",
    team_id = "",
    vs_conference = "",
    vs_division = "",
    weight = "",
    ...
)
```

**Arguments**

college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
division	division
draft_pick	draft_pick
draft_year	draft_year
height	height
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
per_mode	per_mode
player_experience	player_experience
player_position	player_position
season	season
season_segment	season_segment
season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
weight	weight
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_leaguehustlestatsteamleaders(league_id = '10')
```

**Value**

Returns a named list of data frames: Table5, Table6, TeamChargesDrawnLeaders, TeamContested-ShotsLeaders, TeamDeflectionsLeaders, TeamLooseBallLeaders, TeamScreenAssistLeaders

**TeamContestedShotsLeaders**

col_name	types
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
RANK	character
CONTESTED_SHOTS	character

**TeamChargesDrawnLeaders**

col_name	types
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
RANK	character
CHARGES_DRAWN	character

**TeamDeflectionsLeaders**

col_name	types
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
RANK	character
DEFLECTIONS	character

**TeamLooseBallLeaders**

col_name	types
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
RANK	character
LOOSE_BALLS_RECOVERED	character

**TeamScreenAssistLeaders**

col_name	types
----------	-------

TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
RANK	character
SCREEN_ASSISTS	character

**Table5**

col_name	types
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
RANK	character
BOX_OUTS	character

**Table6**

col_name	types
TEAM_ID	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
RANK	character
BOX_OUTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Hustle Functions: [wnba\\_hustlestatsboxscore\(\)](#), [wnba\\_leaguehustlestatsplayerleaders\(\)](#), [wnba\\_leaguehustlestatsplayer\(\)](#), [wnba\\_leaguehustlestatsteam\(\)](#)

---

wnba\_leagueleaders

**Get WNBA Stats API League Leaders**

---

**Description**

**Get WNBA Stats API League Leaders**

**Get WNBA Stats API League Leaders**

**Usage**

```
wnba_leagueleaders(
  active_flag = "",
  league_id = "10",
  per_mode = "Totals",
  scope = "S",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  stat_category = "PTS",
  ...
)
```

**Arguments**

active_flag	Active Flag
league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
per_mode	Per Mode - Totals, PerGame, Per48
scope	Scope - RS, S, Rookies
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs
stat_category	Stat Category: PTS, REB, AST, FG_PCT, FT_PCT, FG3_PCT, STL, BLK
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_leagueleaders(league_id = '10')
```

**Value**

Returns a named list of data frames: LeagueLeaders

**LeagueLeaders**

col_name	types
PLAYER_ID	character
RANK	character
PLAYER	character
TEAM_ID	character
TEAM	character
GP	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character

FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character
EFF	character
AST_TOV	character
STL_TOV	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Leaders Functions: [wnba\\_alltimeleadersgrids\(\)](#), [wnba\\_assistleaders\(\)](#), [wnba\\_assisttracker\(\)](#), [wnba\\_homepagewidget\(\)](#)

---

wnba\_leaguelineupviz **Get WNBA Stats API League Lineup Visual Data**

---

**Description**

**Get WNBA Stats API League Lineup Visual Data**

**Get WNBA Stats API League Lineup Visual Data**

**Usage**

```
wnba_leaguelineupviz(
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  game_segment = "",
  group_quantity = 5,
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
```



```

minutes_min = 10,
month = 0,
opponent_team_id = 0,
outcome = "",
po_round = "",
pace_adjust = "N",
per_mode = "Totals",
period = 0,
plus_minus = "N",
rank = "N",
season = most_recent_wnba_season() - 1,
season_segment = "",
season_type = "Regular Season",
shot_clock_range = "",
team_id = "",
vs_conference = "",
vs_division = "",
...
)

```

### Arguments

conference	conference
date_from	date_from
date_to	date_to
division	division
game_segment	game_segment
group_quantity	group_quantity
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
minutes_min	minutes_min
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
plus_minus	plus_minus
rank	rank

season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_leaguelineupviz(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Returns a named list of data frames: LeagueLineupViz

**LeagueLineupViz**

col_name	types
GROUP_ID	character
GROUP_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
MIN	character
OFF_RATING	character
DEF_RATING	character
NET_RATING	character
PACE	character
TS_PCT	character
FTA_RATE	character
TM_AST_PCT	character
PCT_FGA_2PT	character
PCT_FGA_3PT	character
PCT_PTS_2PT_MR	character
PCT_PTS_FB	character
PCT_PTS_FT	character
PCT_PTS_PAINT	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
OPP_FG3_PCT	character
OPP_EFG_PCT	character
OPP_FTA_RATE	character
OPP_TOV_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegamehog\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguwide\(\)](#)

Other WNBA Lineup Functions: [wnba\\_gamerotation\(\)](#), [wnba\\_leaguedashlineups\(\)](#), [wnba\\_shotchartlineupdetail\(\)](#), [wnba\\_teamdashlineups\(\)](#)

---

 wnba\_leagueplayerondetails

**Get WNBA Stats API League Player On/Off Details**

---

**Description**

**Get WNBA Stats API League Player On/Off Details**

**Get WNBA Stats API League Player On/Off Details**

**Usage**

```
wnba_leagueplayerondetails(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  team_id = "1611661313",
  vs_conference = "",
  vs_division = "",
```

```
    ...
  )
```

### Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
per_mode	per_mode
period	period
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

### Details

```
wnba_leagueplayerondetails(team_id = '1611661313', season = most_recent_wnba_season() - 1)
```

### Value

Returns a named list of data frames: `PlayersOnCourtLeaguePlayerDetails`

#### **PlayersOnCourtLeaguePlayerDetails**

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_ABBREVIATION	character

TEAM_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character

TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegamelog\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguewide\(\)](#)

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollegerollup\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastgame\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamperformance\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamelog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

 wnba\_leagueseasonmatchups

**Get WNBA Stats API League Season Matchups**

---

**Description**

**Get WNBA Stats API League Season Matchups**

**Get WNBA Stats API League Season Matchups**

**Usage**

```
wnba_leagueseasonmatchups(
  def_player_id = "",
  def_team_id = "",
```

```

league_id = "10",
off_player_id = "",
off_team_id = "",
per_mode = "Totals",
season = most_recent_wnba_season() - 1,
season_type = "Regular Season",
...
)

```

### Arguments

def_player_id	def_player_id
def_team_id	def_team_id
league_id	league_id
off_player_id	off_player_id
off_team_id	off_team_id
per_mode	per_mode
season	season
season_type	season_type
...	Additional arguments passed to an underlying function like httr.

### Details

(No Matchups Data for WNBA yet, so defunct)

```
wnba_leagueseasonmatchups(league_id = '10', season = most_recent_wnba_season() - 1)
```

### Value

Returns a named list of data frames: SeasonMatchups

#### SeasonMatchups

col_name	types
SEASON_ID	character
OFF_PLAYER_ID	character
OFF_PLAYER_NAME	character
DEF_PLAYER_ID	character
DEF_PLAYER_NAME	character
GP	character
MATCHUP_MIN	character
PARTIAL_POSS	character
PLAYER_PTS	character
TEAM_PTS	character
MATCHUP_AST	character
MATCHUP_TOV	character
MATCHUP_BLK	character

MATCHUP_FGM	character
MATCHUP_FGA	character
MATCHUP_FG_PCT	character
MATCHUP_FG3M	character
MATCHUP_FG3A	character
MATCHUP_FG3_PCT	character
HELP_BLK	character
HELP_FGM	character
HELP_FGA	character
HELP_FG_PERC	character
MATCHUP_FTM	character
MATCHUP_FTA	character
SFL	character
MATCHUP_TIME_SEC	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegamefog\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leaguestandingsv3\(\)](#), [wnba\\_shotchartleaguwide\(\)](#)

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollegerollup\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastgame\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteam\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamefog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playersvsplayer\(\)](#)

---

 wnba\_leaguestandingsv3

### Get WNBA Stats API League Standings V3

---

**Description**

**Get WNBA Stats API League Standings V3**

**Get WNBA Stats API League Standings V3**



**Usage**

```
wnba_leaguestandingsv3(
  league_id = "10",
  season = most_recent_wnba_season(),
  season_type = "Regular Season",
  season_year = "",
  ...
)
```

**Arguments**

league_id	league_id
season	season
season_type	season_type
season_year	season_year
...	Additional arguments passed to an underlying function like httr.

**Details****League Standings**

```
wnba_leaguestandingsv3(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: Standings

**Standings**

col_name	types
LeagueID	character
SeasonID	character
TeamID	character
TeamCity	character
TeamName	character
TeamSlug	character
Conference	character
ConferenceRecord	character
PlayoffRank	character
ClinchIndicator	character
Division	character
DivisionRecord	character
DivisionRank	character
WINS	character
LOSSES	character
WinPCT	character
LeagueRank	character
Record	character

HOME	character
ROAD	character
L10	character
Last10Home	character
Last10Road	character
OT	character
ThreePTSOrLess	character
TenPTSOrMore	character
LongHomeStreak	character
strLongHomeStreak	character
LongRoadStreak	character
strLongRoadStreak	character
LongWinStreak	character
LongLossStreak	character
CurrentHomeStreak	character
strCurrentHomeStreak	character
CurrentRoadStreak	character
strCurrentRoadStreak	character
CurrentStreak	character
strCurrentStreak	character
ConferenceGamesBack	character
DivisionGamesBack	character
ClinchedConferenceTitle	character
ClinchedDivisionTitle	character
ClinchedPlayoffBirth	character
ClinchedPlayIn	character
EliminatedConference	character
EliminatedDivision	character
AheadAtHalf	character
BehindAtHalf	character
TiedAtHalf	character
AheadAtThird	character
BehindAtThird	character
TiedAtThird	character
Score100PTS	character
OppScore100PTS	character
OppOver500	character
LeadInFGPCT	character
LeadInReb	character
FewerTurnovers	character
PointsPG	character
OppPointsPG	character
DiffPointsPG	character
vsEast	character
vsAtlantic	character
vsCentral	character
vsSoutheast	character
vsWest	character

vsNorthwest	character
vsPacific	character
vsSouthwest	character
Jan	character
Feb	character
Mar	character
Apr	character
May	character
Jun	character
Jul	character
Aug	character
Sep	character
Oct	character
Nov	character
Dec	character
Score_80_Plus	character
Opp_Score_80_Plus	character
Score_Below_80	character
Opp_Score_Below_80	character
TotalPoints	character
OppTotalPoints	character
DiffTotalPoints	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegamelog\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_shotchartleaguewide\(\)](#)

---

 wnba\_live\_boxscore      **Get WNBA Stats API Live Boxscore**


---

**Description****Get WNBA Stats API Live Boxscore****Get WNBA Stats API Live Boxscore****Usage**

```
wnba_live_boxscore(game_id, ...)
```

**Arguments**

game\_id            Game ID  
 ...                Additional arguments passed to an underlying function like htrr.

**Details**

```
wnba_live_boxscore(game_id = "1022200034")
```

**Value**

Returns a named list of data frames: game\_details, arena, officials, home\_team\_boxscore, away\_team\_boxscore, home\_team\_player\_boxscore, away\_team\_player\_boxscore, home\_team\_linescores, away\_team\_linescores

**game\_details**

col_name	types
game_id	character
game_time_local	character
game_time_utc	character
game_time_home	character
game_time_away	character
game_et	character
duration	integer
game_code	character
game_status_text	character
game_status	integer
regulation_periods	integer
period	integer
game_clock	character
attendance	integer
sellout	character
home_team_id	integer
home_team_name	character
home_team_city	character
home_team_tricode	character
home_team_score	integer
home_team_in_bonus	character
home_team_timeouts_remaining	integer
away_team_id	integer
away_team_name	character
away_team_city	character
away_team_tricode	character
away_team_score	integer
away_team_in_bonus	character
away_team_timeouts_remaining	integer

**arena**

col_name	types
arena_id	integer
arena_name	character
arena_city	character
arena_state	character
arena_country	character
arena_timezone	character

**officials**

col_name	types
person_id	integer
name	character
name_i	character
first_name	character
family_name	character
jersey_num	character
assignment	character

**home\_team\_boxscore**

col_name	types
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_score	integer
team_in_bonus	character
team_timeouts_remaining	integer
assists	integer
assists_turnover_ratio	numeric
bench_points	integer
biggest_lead	integer
biggest_lead_score	character
biggest_scoring_run	integer
biggest_scoring_run_score	character
blocks	integer
blocks_received	integer
fast_break_points_attempted	integer
fast_break_points_made	integer
fast_break_points_percentage	numeric
field_goals_attempted	integer
field_goals_effective_adjusted	numeric
field_goals_made	integer
field_goals_percentage	numeric
fouls_offensive	integer

fouls_drawn	integer
fouls_personal	integer
fouls_team	integer
fouls_technical	integer
fouls_team_technical	integer
free_throws_attempted	integer
free_throws_made	integer
free_throws_percentage	numeric
lead_changes	integer
minutes	character
minutes_calculated	character
points	integer
points_against	integer
points_fast_break	integer
points_from_turnovers	integer
points_in_the_paint	integer
points_in_the_paint_attempted	integer
points_in_the_paint_made	integer
points_in_the_paint_percentage	numeric
points_second_chance	integer
rebounds_defensive	integer
rebounds_offensive	integer
rebounds_personal	integer
rebounds_team	integer
rebounds_team_defensive	integer
rebounds_team_offensive	integer
rebounds_total	integer
second_chance_points_attempted	integer
second_chance_points_made	integer
second_chance_points_percentage	numeric
steals	integer
three_pointers_attempted	integer
three_pointers_made	integer
three_pointers_percentage	numeric
time_leading	character
times_tied	integer
true_shooting_attempts	numeric
true_shooting_percentage	numeric
turnovers	integer
turnovers_team	integer
turnovers_total	integer
two_pointers_attempted	integer
two_pointers_made	integer
two_pointers_percentage	numeric

**away\_team\_boxscore**

col_name	types
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_score	integer
team_in_bonus	character
team_timeouts_remaining	integer
assists	integer
assists_turnover_ratio	numeric
bench_points	integer
biggest_lead	integer
biggest_lead_score	character
biggest_scoring_run	integer
biggest_scoring_run_score	character
blocks	integer
blocks_received	integer
fast_break_points_attempted	integer
fast_break_points_made	integer
fast_break_points_percentage	numeric
field_goals_attempted	integer
field_goals_effective_adjusted	numeric
field_goals_made	integer
field_goals_percentage	numeric
fouls_offensive	integer
fouls_drawn	integer
fouls_personal	integer
fouls_team	integer
fouls_technical	integer
fouls_team_technical	integer
free_throws_attempted	integer
free_throws_made	integer
free_throws_percentage	numeric
lead_changes	integer
minutes	character
minutes_calculated	character
points	integer
points_against	integer
points_fast_break	integer
points_from_turnovers	integer
points_in_the_paint	integer
points_in_the_paint_attempted	integer
points_in_the_paint_made	integer
points_in_the_paint_percentage	numeric
points_second_chance	integer
rebounds_defensive	integer
rebounds_offensive	integer
rebounds_personal	integer

rebounds_team	integer
rebounds_team_defensive	integer
rebounds_team_offensive	integer
rebounds_total	integer
second_chance_points_attempted	integer
second_chance_points_made	integer
second_chance_points_percentage	numeric
steals	integer
three_pointers_attempted	integer
three_pointers_made	integer
three_pointers_percentage	numeric
time_leading	character
times_tied	integer
true_shooting_attempts	numeric
true_shooting_percentage	numeric
turnovers	integer
turnovers_team	integer
turnovers_total	integer
two_pointers_attempted	integer
two_pointers_made	integer
two_pointers_percentage	numeric

**home\_team\_player\_boxscore**

col_name	types
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_score	integer
team_in_bonus	character
team_timeouts_remaining	integer
status	character
order	integer
person_id	integer
jersey_num	character
position	character
starter	character
oncourt	character
played	character
assists	integer
blocks	integer
blocks_received	integer
field_goals_attempted	integer
field_goals_made	integer
field_goals_percentage	numeric
fouls_offensive	integer



fouls_drawn	integer
fouls_personal	integer
fouls_technical	integer
free_throws_attempted	integer
free_throws_made	integer
free_throws_percentage	numeric
minus	numeric
minutes	character
minutes_calculated	character
plus	numeric
plus_minus_points	numeric
points	integer
points_fast_break	integer
points_in_the_paint	integer
points_second_chance	integer
rebounds_defensive	integer
rebounds_offensive	integer
rebounds_total	integer
steals	integer
three_pointers_attempted	integer
three_pointers_made	integer
three_pointers_percentage	numeric
turnovers	integer
two_pointers_attempted	integer
two_pointers_made	integer
two_pointers_percentage	numeric
name	character
name_i	character
first_name	character
family_name	character
not_playing_reason	character
not_playing_description	character

**away\_team\_player\_boxscore**

col_name	types
team_id	integer
team_name	character
team_city	character
team_tricode	character
team_score	integer
team_in_bonus	character
team_timeouts_remaining	integer
status	character
order	integer
person_id	integer
jersey_num	character

position	character
starter	character
oncourt	character
played	character
assists	integer
blocks	integer
blocks_received	integer
field_goals_attempted	integer
field_goals_made	integer
field_goals_percentage	numeric
fouls_offensive	integer
fouls_drawn	integer
fouls_personal	integer
fouls_technical	integer
free_throws_attempted	integer
free_throws_made	integer
free_throws_percentage	numeric
minus	numeric
minutes	character
minutes_calculated	character
plus	numeric
plus_minus_points	numeric
points	integer
points_fast_break	integer
points_in_the_paint	integer
points_second_chance	integer
rebounds_defensive	integer
rebounds_offensive	integer
rebounds_total	integer
steals	integer
three_pointers_attempted	integer
three_pointers_made	integer
three_pointers_percentage	numeric
turnovers	integer
two_pointers_attempted	integer
two_pointers_made	integer
two_pointers_percentage	numeric
name	character
name_i	character
first_name	character
family_name	character
not_playing_reason	character
not_playing_description	character

**home\_team\_linescores**

col_name	types
----------	-------

period	integer
period_type	character
score	integer

**away\_team\_linescores**

col_name	types
period	integer
period_type	character
score	integer

**Author(s)**

Saiem Gilani

wnba\_live\_pbp

**Get WNBA Stats API Live play-by-play****Description****Get WNBA Stats API Live play-by-play****Get WNBA Stats API Live play-by-play****Usage**

wnba\_live\_pbp(game\_id, ...)

**Arguments**

game_id	Game ID
...	Additional arguments passed to an underlying function like http.

**Details**

wnba\_live\_pbp(game\_id = "1022200034")

**Value**

Returns a data frame: PlayByPlay

col_name	types
event_num	integer
clock	character
time_actual	character

period	integer
period_type	character
action_type	character
sub_type	character
qualifiers	list
player1_id	integer
x	numeric
y	numeric
offense_team_id	integer
home_score	character
away_score	character
edited	character
order	integer
x_legacy	integer
y_legacy	integer
is_field_goal	integer
side	character
description	character
person_ids_filter	list
team_id	integer
team_tricode	character
descriptor	character
jump_ball_recovered_name	character
jump_ball_recoverd_person_id	integer
player_name	character
player_name_i	character
jump_ball_won_player_name	character
jump_ball_won_person_id	integer
jump_ball_lost_player_name	character
jump_ball_lost_person_id	integer
shot_distance	numeric
shot_result	character
shot_action_number	integer
rebound_total	integer
rebound_defensive_total	integer
rebound_offensive_total	integer
turnover_total	integer
steal_player_name	character
steal_person_id	integer
points_total	integer
assist_player_name_initial	character
assist_person_id	integer
assist_total	integer
official_id	integer
foul_personal_total	integer
foul_technical_total	integer
foul_drawn_player_name	character
foul_drawn_person_id	integer

block_player_name	character
block_person_id	integer
value	character
player2_id	integer
player3_id	integer

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA PBP Functions: [wnba\\_data\\_pbp\(\)](#), [wnba\\_pbps\(\)](#), [wnba\\_pbp\(\)](#)

Other WNBA Live Functions: [wnba\\_todays\\_scoreboard\(\)](#)

---

 wnba\_pbp

---

**Get WNBA Stats API play-by-play**


---

**Description**

**Get WNBA Stats API play-by-play**

**Get WNBA Stats API play-by-play**

**Usage**

```
wnba_pbp(game_id, on_court = TRUE, version = "v2", p, ...)
```

**Arguments**

game_id	Game ID
on_court	IF TRUE will be added ID of players on court
version	Play-by-play version ("v2" available from 2016-17 onwards)
p	Progress bar
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_pbp(game_id = "1022200034", on_court = TRUE)
```

**Value**

Returns a data frame: PlayByPlay

col_name	types
game_id	character
event_num	character
event_type	character
event_action_type	character
period	numeric
minute_game	numeric
time_remaining	numeric
wc_time_string	character
time_quarter	character
minute_remaining_quarter	numeric
seconds_remaining_quarter	numeric
home_description	character
neutral_description	character
visitor_description	character
score	character
away_score	numeric
home_score	numeric
score_margin	character
person1type	character
player1_id	character
player1_name	character
player1_team_id	character
player1_team_city	character
player1_team_nickname	character
player1_team_abbreviation	character
person2type	character
player2_id	character
player2_name	character
player2_team_id	character
player2_team_city	character
player2_team_nickname	character
player2_team_abbreviation	character
person3type	character
player3_id	character
player3_name	character
player3_team_id	character
player3_team_city	character
player3_team_nickname	character
player3_team_abbreviation	character
video_available_flag	character
team_leading	character

**See Also**

Other WNBA PBP Functions: [wnba\\_data\\_pbp\(\)](#), [wnba\\_live\\_pbp\(\)](#), [wnba\\_pbps\(\)](#)

---

 wnba\_pbps

 Get WNBA Stats API play-by-play (Multiple Games)
 

---

**Description**

**Get WNBA Stats API play-by-play (Multiple Games)**

**Get WNBA Stats API play-by-play (Multiple Games)**

**Usage**

```
wnba_pbps(
  game_ids = NULL,
  on_court = TRUE,
  version = "v2",
  nest_data = FALSE,
  ...
)
```

**Arguments**

game_ids	Game IDs
on_court	IF TRUE will be added ID of players on court
version	Play-by-play version ("v2" available from 2016-17 onwards)
nest_data	If TRUE returns nested data by game
...	Additional arguments passed to an underlying function like httr.

**Details**

```
y <- c("1022200034", "1022200035" )
```

```
wnba_pbps(game_ids = y, version = "v2")
```

**Value**

Returns a data frame: PlayByPlay

col_name	types
game_id	character
event_num	character
event_type	character
event_action_type	character
period	numeric

minute_game	numeric
time_remaining	numeric
wc_time_string	character
time_quarter	character
minute_remaining_quarter	numeric
seconds_remaining_quarter	numeric
home_description	character
neutral_description	character
visitor_description	character
score	character
away_score	numeric
home_score	numeric
score_margin	character
person1type	character
player1_id	character
player1_name	character
player1_team_id	character
player1_team_city	character
player1_team_nickname	character
player1_team_abbreviation	character
person2type	character
player2_id	character
player2_name	character
player2_team_id	character
player2_team_city	character
player2_team_nickname	character
player2_team_abbreviation	character
person3type	character
player3_id	character
player3_name	character
player3_team_id	character
player3_team_city	character
player3_team_nickname	character
player3_team_abbreviation	character
video_available_flag	character
team_leading	character
away_player1	numeric
away_player2	numeric
away_player3	numeric
away_player4	numeric
away_player5	numeric
home_player1	numeric
home_player2	numeric
home_player3	numeric
home_player4	numeric
home_player5	numeric



**Author(s)**

Jason Lee

**See Also**Other WNBA PBP Functions: [wnba\\_data\\_pbp\(\)](#), [wnba\\_live\\_pbp\(\)](#), [wnba\\_pbp\(\)](#)


---

 wnba\_playerawards      **Get WNBA Stats API Player Awards**


---

**Description****Get WNBA Stats API Player Awards****Get WNBA Stats API Player Awards****Usage**

wnba\_playerawards(player\_id, ...)

**Arguments**

player_id	Player ID
...	Additional arguments passed to an underlying function like httr.

**Details****Player Awards**

wnba\_playerawards(player\_id = '1628932')

**Value**

Return a named list of data frames: PlayerAwards

**PlayerAwards**

col_name	types
PERSON_ID	character
FIRST_NAME	character
LAST_NAME	character
TEAM	character
DESCRIPTION	character
ALL_WNBA_TEAM_NUMBER	character
SEASON	character
MONTH	character
WEEK	character
CONFERENCE	character

TYPE	character
SUBTYPE1	character
SUBTYPE2	character
SUBTYPE3	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playercareerbycollegerollup\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclub\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylasttriple\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergameelog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playersvsplayer\(\)](#)

---

 wnba\_playercareerbycollege

### Get WNBA Stats API Player Career By College

---

**Description**

**Get WNBA Stats API Player Career By College**

**Get WNBA Stats API Player Career By College**

**Usage**

```
wnba_playercareerbycollege(
  college = "Florida State",
  league_id = "10",
  per_mode = "Totals",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

**Arguments**

college	College Name
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Per Mode - PerGame, Totals
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playercareerbycollege(college = 'Florida State', per_mode = 'PerGame')
```

**Value**

Return a named list of data frames: PlayerCareerByCollege

**PlayerCareerByCollege**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
COLLEGE	character
GP	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
PF	character
PTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollegerollup\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastngames\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamperformance\(\)](#), [wnba\\_playerdashboardbyteamperformance\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergameolog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playersvsplayer\(\)](#)

---

wnba\_playercareerbycollegerollup

**Get WNBA Stats API Player Career By College Rollup**

---

**Description**

**Get WNBA Stats API Player Career By College Rollup**

**Get WNBA Stats API Player Career By College Rollup**

**Usage**

```
wnba_playercareerbycollegerollup(
  league_id = "10",
  per_mode = "Totals",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

**Arguments**

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Per Mode - PerGame, Totals
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playercareerbycollegerollup(per_mode = 'Totals')
```

**Value**

Return a named list of data frames: East, Midwest, South, West

**East**

col_name	types
REGION	character
SEED	character
COLLEGE	character
PLAYERS	character
GP	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**South**

col_name	types
REGION	character
SEED	character
COLLEGE	character
PLAYERS	character
GP	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character

FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**Midwest**

col_name	types
REGION	character
SEED	character
COLLEGE	character
PLAYERS	character
GP	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**West**

col_name	types
REGION	character
SEED	character
COLLEGE	character

PLAYERS	character
GP	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycol](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardby](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastngames\(\)](#), [wnba\\_playerdashboardbyoppo](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamperformance\(\)](#), [wnba\\_playerdashboard](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergameolog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

 wnba\_playercareerstats

### Get WNBA Stats API Player Career Stats

---

**Description**

**Get WNBA Stats API Player Career Stats**

**Get WNBA Stats API Player Career Stats**

**Usage**

```
wnba_playercareerstats(
  league_id = "10",
  per_mode = "Totals",
  player_id = "1628932",
  ...
)
```

**Arguments**

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Per Mode - PerGame, Totals
player_id	Player ID
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playercareerstats(player_id = '1628932')
```

**Value**

Return a named list of data frames: CareerTotalsAllStarSeason, CareerTotalsCollegeSeason, CareerTotalsPostSeason, CareerTotalsRegularSeason, SeasonRankingsPostSeason, SeasonRankingsRegularSeason, SeasonTotalsAllStarSeason, SeasonTotalsCollegeSeason, SeasonTotalsPostSeason, SeasonTotalsRegularSeason

**SeasonTotalsRegularSeason**

col_name	types
PLAYER_ID	character
SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character



DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**CareerTotalsRegularSeason**

col_name	types
PLAYER_ID	character
LEAGUE_ID	character
Team_ID	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**SeasonTotalsPostSeason**

col_name	types
PLAYER_ID	character
SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character

GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**CareerTotalsPostSeason**

col_name	types
PLAYER_ID	character
LEAGUE_ID	character
Team_ID	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character

PF	character
PTS	character

**SeasonTotalsAllStarSeason**

col_name	types
PLAYER_ID	character
SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**CareerTotalsAllStarSeason**

col_name	types
PLAYER_ID	character
LEAGUE_ID	character
Team_ID	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character

FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**SeasonTotalsCollegeSeason****CareerTotalsCollegeSeason****SeasonTotalsShowcaseSeason****CareerTotalsShowcaseSeason****SeasonRankingsRegularSeason**

col_name	types
PLAYER_ID	character
SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character
GP	character
GS	character
RANK_MIN	character
RANK_FGM	character
RANK_FGA	character
RANK_FG_PCT	character
RANK_FG3M	character
RANK_FG3A	character
RANK_FG3_PCT	character
RANK_FTM	character
RANK_FTA	character
RANK_FT_PCT	character
RANK_OREB	character
RANK_DREB	character
RANK_REB	character
RANK_AST	character
RANK_STL	character

RANK_BLK	character
RANK_TOV	character
RANK_PTS	character
RANK_EFF	character

### SeasonRankingsPostSeason

col_name	types
PLAYER_ID	character
SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character
GP	character
GS	character
RANK_MIN	character
RANK_FGM	character
RANK_FGA	character
RANK_FG_PCT	character
RANK_FG3M	character
RANK_FG3A	character
RANK_FG3_PCT	character
RANK_FTM	character
RANK_FTA	character
RANK_FT_PCT	character
RANK_OREB	character
RANK_DREB	character
RANK_REB	character
RANK_AST	character
RANK_STL	character
RANK_BLK	character
RANK_TOV	character
RANK_PTS	character
RANK_EFF	character

### Author(s)

Saiem Gilani

### See Also

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycolle\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastt](#)

[wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp](#)  
[wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph](#)  
[wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamealog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#)  
[wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#),  
[wnba\\_playervsplayer\(\)](#)

---

wnba\_playercompare      **Get WNBA Stats API Player Compare**

---

## Description

**Get WNBA Stats API Player Compare**

**Get WNBA Stats API Player Compare**

## Usage

```

wnba_playercompare(
  conference = "",
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id_list = "100720,202250,204319,1627668,1628931",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  vs_player_id_list = "202252,203399,1631022,1628878,204333",
  ...
)

```

**Arguments**

conference	conference
date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id_list	Player ID
plus_minus	plus_minus
rank	rank
season	Season - format 2020-21
season_segment	season_segment
season_type	Season Type - Regular Season, Playoffs, All-Star
shot_clock_range	shot_clock_range
vs_conference	vs_conference
vs_division	vs_division
vs_player_id_list	vs_player_id_list
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playercompare(player_id_list = '100720,202250,204319,1627668,1628931', vs_player_id_list = '202
```

**Value**

Return a named list of data frames: Individual, OverallCompare

**OverallCompare**

col_name	types
GROUP_SET	character

DESCRIPTION	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character

**Individual**

col_name	types
GROUP_SET	character
DESCRIPTION	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character



PF	character
PFD	character
PTS	character
PLUS_MINUS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycol](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylast](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamealog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

 wnba\_playerdashboardbyclutch

### Get WNBA Stats API Player Dashboard by Clutch Splits

---

**Description**

**Get WNBA Stats API Player Dashboard by Clutch Splits**

**Get WNBA Stats API Player Dashboard by Clutch Splits**

**Usage**

```
wnba_playerdashboardbyclutch(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
```

```

    per_mode = "Totals",
    period = 0,
    player_id = "1628932",
    plus_minus = "N",
    rank = "N",
    season = most_recent_wnba_season() - 1,
    season_segment = "",
    season_type = "Regular Season",
    shot_clock_range = "",
    vs_conference = "",
    vs_division = "",
    ...
)

```

### Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	player_id
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playerdashboardbyclutch(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: Last10Sec3Point2PlayerDashboard, Last10Sec3PointPlayerDashboard, Last1Min5PointPlayerDashboard, Last1MinPlusMinus5PointPlayerDashboard, Last30Sec3Point2PlayerDashboard, Last30Sec3PointPlayerDashboard, Last3Min5PointPlayerDashboard, Last3MinPlusMinus5PointPlayerDashboard, Last5Min5PointPlayerDashboard, Last5MinPlusMinus5PointPlayerDashboard, OverallPlayerDashboard

**OverallPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character

W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### Last5Min5PointPlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character

OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Last3Min5PointPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character

FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Last1Min5PointPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character

PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### Last30Sec3PointPlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character



FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character

PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Last10Sec3PointPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character

MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### Last5MinPlusMinus5PointPlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character

DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Last3MinPlusMinus5PointPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character

DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### Last1MinPlusMinus5PointPlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character

NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Last30Sec3Point2PlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character

FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character



PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### Last10Sec3Point2PlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character

FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollegelogs\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbygameplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastngames\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamperformance\(\)](#), [wnba\\_playerdashboardbyteamstats\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergameelog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

Other WNBA Clutch Functions: [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#)

---

 wnba\_playerdashboardbygamesplits

**Get WNBA Stats API Player Dashboard by Game Splits**

---

**Description****Get WNBA Stats API Player Dashboard by Game Splits****Get WNBA Stats API Player Dashboard by Game Splits****Usage**

```

wnba_playerdashboardbygamesplits(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)

```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome

po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	player_id
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playerdashboardbygamesplits(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: `ByActualMarginPlayerDashboard`, `ByHalfPlayerDashboard`, `ByPeriodPlayerDashboard`, `ByScoreMarginPlayerDashboard`, `OverallPlayerDashboard`

**OverallPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character

DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**ByHalfPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character

DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**ByPeriodPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character

NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**ByScoreMarginPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character



FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character

PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### ByActualMarginPlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character

FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycolle](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbycl](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastngames\(\)](#), [wnba\\_playerdashboardbyoppo](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamperformance\(\)](#), [wnba\\_playerdashboard](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergameelog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

 wnba\_playerdashboardbygeneralsplits

**Get WNBA Stats API Player Dashboard by General Splits**

---

**Description****Get WNBA Stats API Player Dashboard by General Splits****Get WNBA Stats API Player Dashboard by General Splits****Usage**

```

wnba_playerdashboardbygeneralsplits(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)

```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome

po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	player_id
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playerdashboardbygeneralsplits(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: DaysRestPlayerDashboard, LocationPlayerDashboard, Month-PlayerDashboard, OverallPlayerDashboard, PrePostAllStarPlayerDashboard, StartingPosition, WinsLossesPlayerDashboard

**OverallPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character

OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**LocationPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character

FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**WinsLossesPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character



PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**MonthPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character

FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character

PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**PrePostAllStarPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character

MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**StartingPosition**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character

DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**DaysRestPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character

DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycolleage\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbylastngames\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamperformance\(\)](#), [wnba\\_playerdashboardbytriple\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamealog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

 wnba\_playerdashboardbylastngames

### Get WNBA Stats API Player Dashboard by Last N Games

---

**Description**

**Get WNBA Stats API Player Dashboard by Last N Games**

**Get WNBA Stats API Player Dashboard by Last N Games**

**Usage**

```
wnba_playerdashboardbylastngames(
    date_from = "",
    date_to = "",
```

```

game_segment = "",
last_n_games = 0,
league_id = "10",
location = "",
measure_type = "Base",
month = 0,
opponent_team_id = 0,
outcome = "",
po_round = "",
pace_adjust = "N",
per_mode = "Totals",
period = 0,
player_id = "1628932",
plus_minus = "N",
rank = "N",
season = most_recent_wnba_season() - 1,
season_segment = "",
season_type = "Regular Season",
shot_clock_range = "",
vs_conference = "",
vs_division = "",
...
)

```

### Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	player_id
plus_minus	plus_minus
rank	rank



```

season          season
season_segment  season_segment
season_type     season_type
shot_clock_range
                shot_clock_range
vs_conference   vs_conference
vs_division     vs_division
...            Additional arguments passed to an underlying function like httr.

```

**Details**

```
wnba_playerdashboardbylastngames(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: GameNumberPlayerDashboard, Last10PlayerDashboard, Last15PlayerDashboard, Last20PlayerDashboard, Last5PlayerDashboard, OverallPlayerDashboard

**OverallPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character

PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Last5PlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character

FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character

PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### Last10PlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character

FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Last15PlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character

REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Last20PlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character

DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**GameNumberPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character



NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycolle](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclu](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboarbygeneralsplits\(\)](#), [wnba\\_playerdashboardbyoppo](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamperformance\(\)](#), [wnba\\_playerdashboard](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#),

[wnba\\_playergamelogs\(\)](#), [wnba\\_playergamealog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#),  
[wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

wnba\_playerdashboardbyopponent

### Get WNBA Stats API Player Dashboard by Opponent

---

#### Description

**Get WNBA Stats API Player Dashboard by Opponent**

**Get WNBA Stats API Player Dashboard by Opponent**

#### Usage

```
wnba_playerdashboardbyopponent(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

#### Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment

last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	player_id
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playerdashboardbyopponent(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: ConferencePlayerDashboard, DivisionPlayerDashboard, OpponentPlayerDashboard, OverallPlayerDashboard

**OverallPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character

FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character

PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### ConferencePlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character

MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
WBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### DivisionPlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character

DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**OpponentPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character



DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycol](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclu](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylast](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamperformance\(\)](#), [wnba\\_playerdashboard](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamelog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

 wnba\_playerdashboardbyshootingsplits

### Get WNBA Stats API Player Dashboard by Shooting Splits

---

**Description**

**Get WNBA Stats API Player Dashboard by Shooting Splits**

**Get WNBA Stats API Player Dashboard by Shooting Splits**

**Usage**

```
wnba_playerdashboardbyshootingsplits(
  date_from = "",
  date_to = "",
```

```

game_segment = "",
last_n_games = 0,
league_id = "10",
location = "",
measure_type = "Base",
month = 0,
opponent_team_id = 0,
outcome = "",
po_round = "",
pace_adjust = "N",
per_mode = "Totals",
period = 0,
player_id = "1628932",
plus_minus = "N",
rank = "N",
season = most_recent_wnba_season() - 1,
season_segment = "",
season_type = "Regular Season",
shot_clock_range = "",
vs_conference = "",
vs_division = "",
...
)

```

### Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	player_id
plus_minus	plus_minus
rank	rank

```

season          season
season_segment  season_segment
season_type     season_type
shot_clock_range
                shot_clock_range
vs_conference   vs_conference
vs_division     vs_division
...            Additional arguments passed to an underlying function like httr.

```

### Details

```
wnba_playerdashboardbyshootingsplits(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

### Value

Return a named list of data frames: AssistedBy, AssitedShotPlayerDashboard, OverallPlayerDashboard, Shot5FTPlayerDashboard, Shot8FTPlayerDashboard, ShotAreaPlayerDashboard, ShotTypePlayerDashboard, ShotTypeSummaryPlayerDashboard

#### OverallPlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character

PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**Shot5FTPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**Shot8FTPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character

FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**ShotAreaPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character

FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**AssitedShotPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**ShotTypeSummaryPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character

**ShotTypePlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character

EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**AssistedBy**

col_name	types
GROUP_SET	character
PLAYER_ID	character
PLAYER_NAME	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**Author(s)**

Saiem Gilani



**See Also**

Other WNBA Player Functions: `wnba_infographicfanduelplayer()`, `wnba_leaguedashplayerbiostats()`, `wnba_leaguedashplayerclutch()`, `wnba_leaguedashplayershotlocations()`, `wnba_leaguedashplayerstats()`, `wnba_leagueplayerondetails()`, `wnba_leagueseasonmatchups()`, `wnba_playerawards()`, `wnba_playercareerbycollege()`, `wnba_playercareerstats()`, `wnba_playercompare()`, `wnba_playerdashboardbyclub()`, `wnba_playerdashboardbygamesplits()`, `wnba_playerdashboardbygeneralsplits()`, `wnba_playerdashboardbylastgame()`, `wnba_playerdashboardbyopponent()`, `wnba_playerdashboardbyteamperformance()`, `wnba_playerdashboardbyyear()`, `wnba_playerestimatedmetrics()`, `wnba_playerfantasyprofilebargraph()`, `wnba_playerfantasyprofile()`, `wnba_playergamelogs()`, `wnba_playergamelog()`, `wnba_playergamestreakfinder()`, `wnba_playerheadshot()`, `wnba_playerindex()`, `wnba_playernextngames()`, `wnba_playerprofilev2()`, `wnba_playervsplayer()`

Other WNBA Shooting Functions: `wnba_leaguedashplayershotlocations()`, `wnba_leaguedashteamshotlocations()`, `wnba_shotchartdetail()`, `wnba_shotchartleaguewide()`, `wnba_shotchartlineupdetail()`, `wnba_teamdashboardbyshootingsplits()`

---

wnba\_playerdashboardbyteamperformance

**Get WNBA Stats API Player Dashboard by Team Performance**

---

**Description**

**Get WNBA Stats API Player Dashboard by Team Performance**

**Get WNBA Stats API Player Dashboard by Team Performance**

**Usage**

```
wnba_playerdashboardbyteamperformance(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
```

```

    shot_clock_range = "",
    vs_conference = "",
    vs_division = "",
    ...
)

```

### Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	player_id
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

### Details

```
wnba_playerdashboardbyteamperformance(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: OverallPlayerDashboard, PointsScoredPlayerDashboard, PointsAgainstPlayerDashboard, ScoreDifferentialPlayerDashboard

**OverallPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character

FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### ScoreDifferentialPlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE_ORDER	character
GROUP_VALUE	character
GROUP_VALUE_2	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character

STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**PointsScoredPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE_ORDER	character

GROUP_VALUE	character
GROUP_VALUE_2	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character

REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

### PontsAgainstPlayerDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE_ORDER	character
GROUP_VALUE	character
GROUP_VALUE_2	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character

PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollegelastyear\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastyear\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#)



wnba\_playerestimatedmetrics(), wnba\_playerfantasyprofilebargraph(), wnba\_playerfantasyprofile(),  
 wnba\_playergamelogs(), wnba\_playergameelog(), wnba\_playergamestreakfinder(), wnba\_playerheadshot(),  
 wnba\_playerindex(), wnba\_playernextngames(), wnba\_playerprofilev2(), wnba\_playervsplayer()

---

wnba\_playerdashboardbyyearoveryear

**Get WNBA Stats API Player Dashboard Year over Year**

---

**Description**

**Get WNBA Stats API Player Dashboard Year over Year**

**Get WNBA Stats API Player Dashboard Year over Year**

**Usage**

```
wnba_playerdashboardbyyearoveryear(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

**Arguments**

date_from	date_from
date_to	date_to

game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	player_id
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playerdashboardbyyearoveryear(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: ByYearPlayerDashboard, OverallPlayerDashboard

**OverallPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
TEAM_ID	character
TEAM_ABBREVIATION	character
MAX_GAME_DATE	character
GP	character
W	character

L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character

BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**ByYearPlayerDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
TEAM_ID	character
TEAM_ABBREVIATION	character
MAX_GAME_DATE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character

TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycol](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclu](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylast](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamelog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

 wnba\_playerestimatedmetrics

### Get WNBA Stats API Player Estimated Metrics

---

#### Description

**Get WNBA Stats API Player Estimated Metrics**

**Get WNBA Stats API Player Estimated Metrics**

#### Usage

```
wnba_playerestimatedmetrics(
  league_id = "10",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

#### Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

#### Details

```
wnba_playerestimatedmetrics()
```

#### Value

Return a named list of data frames: PlayerEstimatedMetrics

#### PlayerEstimatedMetrics

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
E_OFF_RATING	character
E_DEF_RATING	character
E_NET_RATING	character

E_AST_RATIO	character
E_OREB_PCT	character
E_DREB_PCT	character
E_REB_PCT	character
E_TOV_PCT	character
E_USG_PCT	character
E_PACE	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
E_OFF_RATING_RANK	character
E_DEF_RATING_RANK	character
E_NET_RATING_RANK	character
E_AST_RATIO_RANK	character
E_OREB_PCT_RANK	character
E_DREB_PCT_RANK	character
E_REB_PCT_RANK	character
E_TOV_PCT_RANK	character
E_USG_PCT_RANK	character
E_PACE_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycol1](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclu](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylast](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergameog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

 wnba\_playerfantasyprofile

### Get WNBA Stats API Player Fantasy Profile

---

**Description**

**Get WNBA Stats API Player Fantasy Profile**

**Get WNBA Stats API Player Fantasy Profile**

**Usage**

```
wnba_playerfantasyprofile(
  league_id = "10",
  measure_type = "Base",
  pace_adjust = "N",
  per_mode = "Totals",
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

**Arguments**

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
measure_type	measure_type
pace_adjust	Pace Adjustment - Y/N
per_mode	Per Mode - PerGame, Totals
player_id	Player ID
plus_minus	Plus Minus - Y/N
rank	Rank - Y/N
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playerfantasyprofile(player_id = '1628932')
```

**Value**

Return a named list of data frames: DaysRestModified, LastNGames, Location, Opponent, Overall

**Overall**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character



FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
DD2	character
TD3	character
FAN_DUEL_PTS	character
WNBA_FANTASY_PTS	character

**Location**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character

AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
DD2	character
TD3	character
FAN_DUEL_PTS	character
WNBA_FANTASY_PTS	character

**LastNGames**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
DD2	character
TD3	character

FAN_DUEL_PTS	character
WNBA_FANTASY_PTS	character

**DaysRestModified**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
SEASON_YEAR	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
DD2	character
TD3	character
FAN_DUEL_PTS	character
WNBA_FANTASY_PTS	character

**Opponent**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character

W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
DD2	character
TD3	character
FAN_DUEL_PTS	character
NBA_FANTASY_PTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastgame\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamealog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

Other WNBA Fantasy Functions: [wnba\\_fantasywidget\(\)](#), [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#)

---

 wnba\_playerfantasyprofilebargraph

### Get WNBA Stats API Player Fantasy Profile Bar Graph

---

#### Description

#### Get WNBA Stats API Player Fantasy Profile Bar Graph

#### Get WNBA Stats API Player Fantasy Profile Bar Graph

#### Usage

```
wnba_playerfantasyprofilebargraph(
  league_id = "10",
  player_id = "1628932",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

#### Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
player_id	Player ID
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

#### Details

```
wnba_playerfantasyprofilebargraph(player_id = '1628932')
```

#### Value

Return a named list of data frames: LastFiveGamesAvg, SeasonAvg

#### SeasonAvg

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
FAN_DUEL_PTS	character
NBA_FANTASY_PTS	character
PTS	character
REB	character

AST	character
FG3M	character
FT_PCT	character
STL	character
BLK	character
TOV	character
FG_PCT	character

**LastFiveGamesAvg**

col_name	types
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
FAN_DUEL_PTS	character
NBA_FANTASY_PTS	character
PTS	character
REB	character
AST	character
FG3M	character
FT_PCT	character
STL	character
BLK	character
TOV	character
FG_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbycollege\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastseason\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteam\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamelog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

Other WNBA Fantasy Functions: [wnba\\_fantasywidget\(\)](#), [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_playerfantasyprofile\(\)](#)

---

 wnba\_playergamelog      **Get WNBA Stats API Player Game Log**


---

**Description****Get WNBA Stats API Player Game Log****Get WNBA Stats API Player Game Log****Usage**

```
wnba_playergamelog(
  date_from = "",
  date_to = "",
  league_id = "10",
  player_id = "1628932",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

**Arguments**

date_from	date_from
date_to	date_to
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
player_id	Player ID
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playergamelog(player_id = '1628932')
```

**Value**

Return a named list of data frames: PlayerGameLog

**PlayerGameLog**

col_name	types
SEASON_ID	character
Player_ID	character
Game_ID	character
GAME_DATE	character
MATCHUP	character

WL	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character
PLUS_MINUS	character
VIDEO_AVAILABLE	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycol1](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclu](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylast](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

wnba\_playergamelogs      **Get WNBA Stats API Player Game Logs**

---

**Description**

**Get WNBA Stats API Player Game Logs**

**Get WNBA Stats API Player Game Logs**



**Usage**

```
wnba_playergamelogs(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  team_id = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
per_mode	per_mode
period	period
player_id	Player ID
season	Season - format 2020-21
season_segment	season_segment

season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playergamelogs(player_id = '1628932')
```

**Value**

Return a named list of data frames: PlayerGameLogs

**PlayerGameLogs**

col_name	types
SEASON_YEAR	character
PLAYER_ID	character
PLAYER_NAME	character
NICKNAME	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
GAME_ID	character
GAME_DATE	character
MATCHUP	character
WL	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character

PTS	character
PLUS_MINUS	character
WNBA_FANTASY_PTS	character
DD2	character
TD3	character
WWNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
WNBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WWNBA_FANTASY_PTS_RANK	character
VIDEO_AVAILABLE_FLAG	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycolle](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbycl](#)

[wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylast](#)  
[wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp](#)  
[wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargrap](#)  
[wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergameog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#),  
[wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#),  
[wnba\\_playersvsplayer\(\)](#)

---

wnba\_playergamestreakfinder

### Get WNBA Stats API Player Game Streak Finder

---

#### Description

**Get WNBA Stats API Player Game Streak Finder**

**Get WNBA Stats API Player Game Streak Finder**

#### Usage

```

wnba_playergamestreakfinder(
  active_streaks_only = "",
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_year = "",
  draft_team_id = "",
  draft_round = "",
  draft_number = "",
  et_ast = "",
  et_blk = "",
  et_dd = "",
  et_dreb = "",
  et_fg3a = "",
  et_fg3m = "",
  et_fg3_pct = "",
  et_fga = "",
  et_fgm = "",
  et_fg_pct = "",
  et_fta = "",
  et_ftm = "",
  et_ft_pct = "",
  et_minutes = "",
  et_oreb = "",
  et_pf = "",
  et_pts = "",
  et_reb = "",
  et_stl = "",

```

```
et_td = "",
et_tov = "",
game_id = "",
gt_ast = "",
gt_blk = "",
gt_dd = "",
gt_dreb = "",
gt_fg3a = "",
gt_fg3m = "",
gt_fg3_pct = "",
gt_fga = "",
gt_fgm = "",
gt_fg_pct = "",
gt_fta = "",
gt_ftm = "",
gt_ft_pct = "",
gt_minutes = "",
gt_oreb = "",
gt_pf = "",
gt_pts = "",
gt_reb = "",
gt_stl = "",
gt_td = "",
gt_tov = "",
league_id = "10",
location = "",
lt_ast = "",
lt_blk = "",
lt_dd = "",
lt_dreb = "",
lt_fg3a = "",
lt_fg3m = "",
lt_fg3_pct = "",
lt_fga = "",
lt_fgm = "",
lt_fg_pct = "",
lt_fta = "",
lt_ftm = "",
lt_ft_pct = "",
lt_minutes = "",
lt_oreb = "",
lt_pf = "",
lt_pts = "",
lt_reb = "",
lt_stl = "",
lt_td = "",
lt_tov = "",
min_games = "",
```

```

outcome = "",
po_round = "",
player_id = "",
rookie_year = "",
season = most_recent_wnba_season() - 1,
season_segment = "",
season_type = "Regular Season",
starter_bench = "",
team_id = "",
vs_conference = "",
vs_division = "",
vs_team_id = "",
years_experience = "",
...
)

```

### Arguments

active_streaks_only	active_streaks_only
conference	conference
date_from	date_from
date_to	date_to
division	division
draft_year	draft_year
draft_team_id	draft_team_id
draft_round	draft_round
draft_number	draft_number
et_ast	et_ast
et_blk	et_blk
et_dd	et_dd
et_dreb	et_dreb
et_fg3a	et_fg3a
et_fg3m	et_fg3m
et_fg3_pct	et_fg3_pct
et_fga	et_fga
et_fgm	et_fgm
et_fg_pct	et_fg_pct
et_fta	et_fta
et_ftm	et_ftm
et_ft_pct	et_ft_pct
et_minutes	et_minutes

et_oreb	et_oreb
et_pf	et_pf
et_pts	et_pts
et_reb	et_reb
et_stl	et_stl
et_td	et_td
et_tov	et_tov
game_id	game_id
gt_ast	gt_ast
gt_blk	gt_blk
gt_dd	gt_dd
gt_dreb	gt_dreb
gt_fg3a	gt_fg3a
gt_fg3m	gt_fg3m
gt_fg3_pct	gt_fg3_pct
gt_fga	gt_fga
gt_fgm	gt_fgm
gt_fg_pct	gt_fg_pct
gt_fta	gt_fta
gt_ftm	gt_ftm
gt_ft_pct	gt_ft_pct
gt_minutes	gt_minutes
gt_oreb	gt_oreb
gt_pf	gt_pf
gt_pts	gt_pts
gt_reb	gt_reb
gt_stl	gt_stl
gt_td	gt_td
gt_tov	gt_tov
league_id	league_id
location	location
lt_ast	lt_ast
lt_blk	lt_blk
lt_dd	lt_dd
lt_dreb	lt_dreb
lt_fg3a	lt_fg3a
lt_fg3m	lt_fg3m

lt_fg3_pct	lt_fg3_pct
lt_fga	lt_fga
lt_fgm	lt_fgm
lt_fg_pct	lt_fg_pct
lt_fta	lt_fta
lt_ftm	lt_ftm
lt_ft_pct	lt_ft_pct
lt_minutes	lt_minutes
lt_oreb	lt_oreb
lt_pf	lt_pf
lt_pts	lt_pts
lt_reb	lt_reb
lt_stl	lt_stl
lt_td	lt_td
lt_tov	lt_tov
min_games	min_games
outcome	outcome
po_round	po_round
player_id	player_id
rookie_year	rookie_year
season	season
season_segment	season_segment
season_type	season_type
starter_bench	starter_bench
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_team_id	vs_team_id
years_experience	years_experience
...	Additional arguments passed to an underlying function like httr.

**Details**`wnba_playergamestreakfinder()`



**Value**

Return a named list of data frames: `PlayerGameStreakFinderResults`

**PlayerGameStreakFinderResults**

col_name	types
PLAYER_NAME_LAST_FIRST	character
PLAYER_ID	character
GAMESTREAK	character
STARTDATE	character
ENDDATE	character
ACTIVESTREAK	character
NUMSEASONS	character
LASTSEASON	character
FIRSTSEASON	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycol1\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastgame\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamelog\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

Other WNBA Game Finder Functions: [wnba\\_leaguegamefinder\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#)

---

wnba\_playerheadshot      **Get WNBA Stats API Player Head-shot**

---

**Description**

**Get WNBA Stats API Player Head-shot**

**Get WNBA Stats API Player Head-shot**

**Usage**

```
wnba_playerheadshot(player_id = "1628932", ...)
```

**Arguments**

player\_id      Player ID  
 ...            Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playerheadshot(player_id = '1628932')
```

**Value**

Returns a url of the png for the player\_id selected

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycolleague\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclub\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastgame\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingplits\(\)](#), [wnba\\_playerdashboardbyteam\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergame\\_log\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

wnba\_playerindex

**Get WNBA Stats API Player Index**

---

**Description**

**Get WNBA Stats API Player Index**

**Get WNBA Stats API Player Index**

**Usage**

```
wnba_playerindex(  
  college = "",  
  country = "",  
  draft_pick = "",  
  draft_round = "",  
  draft_year = "",  
  height = "",  
  historical = 1,  
  league_id = "10",
```

```

    season = most_recent_wnba_season() - 1,
    season_type = "Regular Season",
    team_id = "0",
    weight = "",
    ...
)

```

### Arguments

college	Player College
country	Player Country
draft_pick	Draft Pick
draft_round	Draft Round
draft_year	Draft Year
height	Player Height
historical	Whether to include only current players (0) or all historical (1).
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	Team ID. Default: 0 (all teams).
weight	Player weight
...	Additional arguments passed to an underlying function like httr.

### Details

```
wnba_playerindex()
```

### Value

Return a named list of data frames: PlayerIndex

#### PlayerIndex

col_name	types
PERSON_ID	character
PLAYER_LAST_NAME	character
PLAYER_FIRST_NAME	character
PLAYER_SLUG	character
TEAM_ID	character
TEAM_SLUG	character
IS_DEFUNCT	character
TEAM_CITY	character
TEAM_NAME	character
TEAM_ABBREVIATION	character
JERSEY_NUMBER	character
POSITION	character

HEIGHT	character
WEIGHT	character
COLLEGE	character
COUNTRY	character
DRAFT_YEAR	character
DRAFT_ROUND	character
DRAFT_NUMBER	character
ROSTER_STATUS	character
PTS	character
REB	character
AST	character
STATS_TIMEFRAME	character
FROM_YEAR	character
TO_YEAR	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycolleague\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastgame\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamperformance\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamealog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#), [wnba\\_playervsplayer\(\)](#)

---

wnba\_playernextngames **Get WNBA Stats API Player Next N Games**

---

**Description****Get WNBA Stats API Player Next N Games****Get WNBA Stats API Player Next N Games****Usage**

```
wnba_playernextngames(
  league_id = "10",
  number_of_games = 2147483647,
  player_id = "1628932",
  season = most_recent_wnba_season() - 1,
```

```

    season_type = "Regular Season",
    ...
)

```

### Arguments

league\_id      League - default: '00'. Other options include '10': WWNBA, '20': G-League  
number\_of\_games      N in number of games

player\_id      Player ID

season      Season - format 2020-21

season\_type      Season Type - Regular Season, Playoffs, All-Star

...      Additional arguments passed to an underlying function like httr.

### Details

```
wnba_playernextngames(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

### Value

Return a named list of data frames: NextNGames

#### NextNGames

col_name	types
GAME_ID	character
GAME_DATE	character
HOME_TEAM_ID	character
VISITOR_TEAM_ID	character
HOME_TEAM_NAME	character
VISITOR_TEAM_NAME	character
HOME_TEAM_ABBREVIATION	character
VISITOR_TEAM_ABBREVIATION	character
HOME_TEAM_NICKNAME	character
VISITOR_TEAM_NICKNAME	character
GAME_TIME	character
HOME_WL	character
VISITOR_WL	character

### Author(s)

Saiem Gilani

### See Also

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycol](#)

wnba\_playercareerbycollege(), wnba\_playercareerstats(), wnba\_playercompare(), wnba\_playerdashboardbyclub  
 wnba\_playerdashboardbygamesplits(), wnba\_playerdashboardbygeneralsplits(), wnba\_playerdashboardbylast  
 wnba\_playerdashboardbyopponent(), wnba\_playerdashboardbyshootingsplits(), wnba\_playerdashboardbyteam  
 wnba\_playerdashboardbyyearoveryear(), wnba\_playerestimatedmetrics(), wnba\_playerfantasyprofilebargraph  
 wnba\_playerfantasyprofile(), wnba\_playergamelogs(), wnba\_playergameLog(), wnba\_playergamestreakfinder()  
 wnba\_playerheadshot(), wnba\_playerindex(), wnba\_playerprofilev2(), wnba\_playervsplayer()

---

wnba\_playerprofilev2 **Get WNBA Stats API Player Profile V2**

---

### Description

**Get WNBA Stats API Player Profile V2**

**Get WNBA Stats API Player Profile V2**

### Usage

```
wnba_playerprofilev2(
  league_id = "",
  per_mode = "Totals",
  player_id = "1628932",
  ...
)
```

### Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Season - format 2020-21
player_id	Player ID
...	Additional arguments passed to an underlying function like httr.

### Details

```
wnba_playerprofilev2(player_id = '1628932')
```

### Value

Return a named list of data frames: CareerHighs, CareerTotalsAllStarSeason, CareerTotalsCollegeSeason, CareerTotalsPostSeason, CareerTotalsPreseason, CareerTotalsRegularSeason, NextGame, SeasonHighs, SeasonRankingsPostSeason, SeasonRankingsRegularSeason, SeasonTotalsAllStarSeason, SeasonTotalsCollegeSeason, SeasonTotalsPostSeason, SeasonTotalsPreseason, SeasonTotalsRegularSeason

#### SeasonTotalsRegularSeason

col_name	types
PLAYER_ID	character

SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**CareerTotalsRegularSeason**

col_name	types
PLAYER_ID	character
LEAGUE_ID	character
TEAM_ID	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character

REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**SeasonTotalsPostSeason**

col_name	types
PLAYER_ID	character
SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**CareerTotalsPostSeason**

col_name	types
PLAYER_ID	character
LEAGUE_ID	character
TEAM_ID	character
GP	character



GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**SeasonTotalsAllStarSeason**

col_name	types
PLAYER_ID	character
SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character

BLK	character
TOV	character
PF	character
PTS	character

**CareerTotalsAllStarSeason**

col_name	types
PLAYER_ID	character
LEAGUE_ID	character
TEAM_ID	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**SeasonTotalsCollegeSeason****CareerTotalsCollegeSeason****SeasonTotalsPreseason**

col_name	types
PLAYER_ID	character
SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character
GP	character

GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**CareerTotalsPreseason**

col_name	types
PLAYER_ID	character
LEAGUE_ID	character
TEAM_ID	character
GP	character
GS	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character

PTS character

### SeasonRankingsRegularSeason

col_name	types
PLAYER_ID	character
SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character
GP	character
GS	character
RANK_MIN	character
RANK_FGM	character
RANK_FGA	character
RANK_FG_PCT	character
RANK_FG3M	character
RANK_FG3A	character
RANK_FG3_PCT	character
RANK_FTM	character
RANK_FTA	character
RANK_FT_PCT	character
RANK_OREB	character
RANK_DREB	character
RANK_REB	character
RANK_AST	character
RANK_STL	character
RANK_BLK	character
RANK_TOV	character
RANK_PTS	character
RANK_EFF	character

### SeasonRankingsPostSeason

col_name	types
PLAYER_ID	character
SEASON_ID	character
LEAGUE_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
PLAYER_AGE	character
GP	character
GS	character
RANK_MIN	character
RANK_FGM	character

RANK_FGA	character
RANK_FG_PCT	character
RANK_FG3M	character
RANK_FG3A	character
RANK_FG3_PCT	character
RANK_FTM	character
RANK_FTA	character
RANK_FT_PCT	character
RANK_OREB	character
RANK_DREB	character
RANK_REB	character
RANK_AST	character
RANK_STL	character
RANK_BLK	character
RANK_TOV	character
RANK_PTS	character
RANK_EFF	character

**SeasonHighs**

col_name	types
PLAYER_ID	character
GAME_ID	character
GAME_DATE	character
VS_TEAM_ID	character
VS_TEAM_CITY	character
VS_TEAM_NAME	character
VS_TEAM_ABBREVIATION	character
STAT	character
STAT_VALUE	character
STAT_ORDER	character
DATE_EST	character

**CareerHighs**

col_name	types
PLAYER_ID	character
GAME_ID	character
GAME_DATE	character
VS_TEAM_ID	character
VS_TEAM_CITY	character
VS_TEAM_NAME	character
VS_TEAM_ABBREVIATION	character
STAT	character
STAT_VALUE	character
STAT_ORDER	character

DATE_EST	character
----------	-----------

**NextGame**

col_name	types
GAME_ID	character
GAME_DATE	character
GAME_TIME	character
LOCATION	character
PLAYER_TEAM_ID	character
PLAYER_TEAM_CITY	character
PLAYER_TEAM_NICKNAME	character
PLAYER_TEAM_ABBREVIATION	character
VS_TEAM_ID	character
VS_TEAM_CITY	character
VS_TEAM_NICKNAME	character
VS_TEAM_ABBREVIATION	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclub\(\)](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylastgame\(\)](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp\(\)](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargraph\(\)](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergameog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playersvsplayer\(\)](#)

---

 wnba\_playersvsplayer

**Get WNBA Stats API Player vs Player**


---

**Description****Get WNBA Stats API Player vs Player****Get WNBA Stats API Player vs Player**

**Usage**

```
wnba_playersvsplayer(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  vs_conference = "",
  vs_division = "",
  vs_player_id = "1629488",
  ...
)
```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	Player ID

plus_minus	plus_minus
rank	rank
season	Season - format 2020-21
season_segment	season_segment
season_type	Season Type - Regular Season, Playoffs, All-Star
vs_conference	vs_conference
vs_division	vs_division
vs_player_id	vs_player_id
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_playersvsplayer(player_id = '1628932', vs_player_id = '1629488')
```

**Value**

Return a named list of data frames: OnOffCourt, Overall, PlayerInfo, ShotAreaOffCourt, ShotAreaOnCourt, ShotAreaOverall, ShotDistanceOffCourt, ShotDistanceOnCourt, ShotDistanceOverall, Vs-PlayerInfo

**Overall**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
PLAYER_ID	character
PLAYER_NAME	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character



BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
WNBA_FANTASY_PTS	character

**OnOffCourt**

col_name	types
GROUP_SET	character
PLAYER_ID	character
PLAYER_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
WNBA_FANTASY_PTS	character

**ShotDistanceOverall**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
PLAYER_ID	character
PLAYER_NAME	character
FGM	character
FGA	character
FG_PCT	character

**ShotDistanceOnCourt**

col_name	types
GROUP_SET	character
PLAYER_ID	character
PLAYER_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character

**ShotDistanceOffCourt**

col_name	types
GROUP_SET	character
PLAYER_ID	character
PLAYER_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character

**ShotAreaOverall**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
PLAYER_ID	character
PLAYER_NAME	character

FGM	character
FGA	character
FG_PCT	character

**ShotAreaOnCourt**

col_name	types
GROUP_SET	character
PLAYER_ID	character
PLAYER_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character

**ShotAreaOffCourt**

col_name	types
GROUP_SET	character
PLAYER_ID	character
PLAYER_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character

**PlayerInfo**

col_name	types
PERSON_ID	character
FIRST_NAME	character
LAST_NAME	character
DISPLAY_FIRST_LAST	character
DISPLAY_LAST_COMMA_FIRST	character
DISPLAY_FI_LAST	character
BIRTHDATE	character
SCHOOL	character
COUNTRY	character

LAST_AFFILIATION	character
------------------	-----------

### VsPlayerInfo

col_name	types
PERSON_ID	character
FIRST_NAME	character
LAST_NAME	character
DISPLAY_FIRST_LAST	character
DISPLAY_LAST_COMMA_FIRST	character
DISPLAY_FI_LAST	character
BIRTHDATE	character
SCHOOL	character
COUNTRY	character
LAST_AFFILIATION	character

### Author(s)

Saiem Gilani

### See Also

Other WNBA Player Functions: [wnba\\_infographicfanduelplayer\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_playerawards\(\)](#), [wnba\\_playercareerbycolle](#), [wnba\\_playercareerbycollege\(\)](#), [wnba\\_playercareerstats\(\)](#), [wnba\\_playercompare\(\)](#), [wnba\\_playerdashboardbyclu](#), [wnba\\_playerdashboardbygamesplits\(\)](#), [wnba\\_playerdashboardbygeneralsplits\(\)](#), [wnba\\_playerdashboardbylast](#), [wnba\\_playerdashboardbyopponent\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_playerdashboardbyteamp](#), [wnba\\_playerdashboardbyyearoveryear\(\)](#), [wnba\\_playerestimatedmetrics\(\)](#), [wnba\\_playerfantasyprofilebargrap](#), [wnba\\_playerfantasyprofile\(\)](#), [wnba\\_playergamelogs\(\)](#), [wnba\\_playergamelog\(\)](#), [wnba\\_playergamestreakfinder\(\)](#), [wnba\\_playerheadshot\(\)](#), [wnba\\_playerindex\(\)](#), [wnba\\_playernextngames\(\)](#), [wnba\\_playerprofilev2\(\)](#)

---

wnba\_schedule

**Get WNBA Stats API Season Schedule**

---

### Description

**Get WNBA Stats API Season Schedule**

**Get WNBA Stats API Season Schedule**

### Usage

```
wnba_schedule(league_id = "10", season = most_recent_wnba_season() - 1, ...)
```

**Arguments**

league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
season	Season
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_schedule(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Returns a tibble with the following columns:

col_name	types
game_date	character
game_id	character
game_code	character
game_status	integer
game_status_text	character
game_sequence	integer
game_date_est	character
game_time_est	character
game_date_time_est	character
game_date_utc	character
game_time_utc	character
game_date_time_utc	character
away_team_time	character
home_team_time	character
day	character
month_num	integer
week_number	integer
week_name	character
if_necessary	character
series_game_number	character
series_text	character
arena_name	character
arena_state	character
arena_city	character
postponed_status	character
branch_link	character
game_subtype	character
home_team_id	integer
home_team_name	character
home_team_city	character
home_team_tricode	character
home_team_slug	character
home_team_wins	integer
home_team_losses	integer

home_team_score	integer
home_team_seed	integer
away_team_id	integer
away_team_name	character
away_team_city	character
away_team_tricode	character
away_team_slug	character
away_team_wins	integer
away_team_losses	integer
away_team_score	integer
away_team_seed	integer
season	character
league_id	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Schedule Functions: [wnba\\_scoreboardv2\(\)](#), [wnba\\_scoreboardv3\(\)](#), [wnba\\_todays\\_scoreboard\(\)](#)

---

 wnba\_scoreboardv2

**Get WNBA Stats API Scoreboard V2**


---

**Description**

**Get WNBA Stats API Scoreboard V2**

**Get WNBA Stats API Scoreboard V2**

**Usage**

```
wnba_scoreboardv2(
  league_id = "10",
  game_date = "2022-07-20",
  day_offset = 0,
  ...
)
```

**Arguments**

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
game_date	Game Date, format: 2022/05/17
day_offset	Day Offset (integer 0,-1)
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_scoreboardv2(league_id = '10', game_date = '2022-07-20')
```

**Value**

Return a named list of data frames: Available, EastConfStandingsByDay, GameHeader, LastMeeting, LineScore, SeriesStandings, TeamLeaders, TicketLinks, WestConfStandingsByDay, WinProbability

**GameHeader**

col_name	types
GAME_DATE_EST	character
GAME_SEQUENCE	character
GAME_ID	character
GAME_STATUS_ID	character
GAME_STATUS_TEXT	character
GAMECODE	character
HOME_TEAM_ID	character
VISITOR_TEAM_ID	character
SEASON	character
LIVE_PERIOD	character
LIVE_PC_TIME	character
NATL_TV_BROADCASTER_ABBREVIATION	character
HOME_TV_BROADCASTER_ABBREVIATION	character
AWAY_TV_BROADCASTER_ABBREVIATION	character
LIVE_PERIOD_TIME_BCAST	character
ARENA_NAME	character
WH_STATUS	character
WNBA_COMMISSIONER_FLAG	character

**LineScore**

col_name	types
GAME_DATE_EST	character
GAME_SEQUENCE	character
GAME_ID	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_CITY_NAME	character
TEAM_NAME	character
TEAM_WINS_LOSSES	character
PTS_QTR1	character
PTS_QTR2	character
PTS_QTR3	character
PTS_QTR4	character
PTS_OT1	character
PTS_OT2	character

PTS_OT3	character
PTS_OT4	character
PTS_OT5	character
PTS_OT6	character
PTS_OT7	character
PTS_OT8	character
PTS_OT9	character
PTS_OT10	character
PTS	character
FG_PCT	character
FT_PCT	character
FG3_PCT	character
AST	character
REB	character
TOV	character

**SeriesStandings**

col_name	types
GAME_ID	character
HOME_TEAM_ID	character
VISITOR_TEAM_ID	character
GAME_DATE_EST	character
HOME_TEAM_WINS	character
HOME_TEAM_LOSSES	character
SERIES_LEADER	character

**LastMeeting**

col_name	types
GAME_ID	character
LAST_GAME_ID	character
LAST_GAME_DATE_EST	character
LAST_GAME_HOME_TEAM_ID	character
LAST_GAME_HOME_TEAM_CITY	character
LAST_GAME_HOME_TEAM_NAME	character
LAST_GAME_HOME_TEAM_ABBREVIATION	character
LAST_GAME_HOME_TEAM_POINTS	character
LAST_GAME_VISITOR_TEAM_ID	character
LAST_GAME_VISITOR_TEAM_CITY	character
LAST_GAME_VISITOR_TEAM_NAME	character
LAST_GAME_VISITOR_TEAM_CITY1	character
LAST_GAME_VISITOR_TEAM_POINTS	character

**EastConfStandingsByDay**



col_name	types
TEAM_ID	character
LEAGUE_ID	character
SEASON_ID	character
STANDINGSDATE	character
CONFERENCE	character
TEAM	character
G	character
W	character
L	character
W_PCT	character
HOME_RECORD	character
ROAD_RECORD	character

**WestConfStandingsByDay**

col_name	types
TEAM_ID	character
LEAGUE_ID	character
SEASON_ID	character
STANDINGSDATE	character
CONFERENCE	character
TEAM	character
G	character
W	character
L	character
W_PCT	character
HOME_RECORD	character
ROAD_RECORD	character

**Available**

col_name	types
GAME_ID	character
PT_AVAILABLE	character

**TeamLeaders**

col_name	types
GAME_ID	character
TEAM_ID	character
TEAM_CITY	character
TEAM_NICKNAME	character
TEAM_ABBREVIATION	character
PTS_PLAYER_ID	character

PTS_PLAYER_NAME	character
PTS	character
REB_PLAYER_ID	character
REB_PLAYER_NAME	character
REB	character
AST_PLAYER_ID	character
AST_PLAYER_NAME	character
AST	character

**TicketLinks****WinProbability****Author(s)**

Saiem Gilani

**See Also**

Other WNBA Schedule Functions: [wnba\\_schedule\(\)](#), [wnba\\_scoreboardv3\(\)](#), [wnba\\_todays\\_scoreboard\(\)](#)

---

 wnba\_scoreboardv3

 Get WNBA Stats API Scoreboard V3
 

---

**Description**

**Get WNBA Stats API Scoreboard V3**

**Get WNBA Stats API Scoreboard V3**

**Usage**

```
wnba_scoreboardv3(league_id = "10", game_date = "2022-06-26", ...)
```

**Arguments**

league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
game_date	Game Date
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_scoreboardv3(league_id = '10', game_date = '2022-06-26')
```

**Value**

Return a tibble with the following scoreboard data:

col_name	types
game_id	character
game_code	character
game_status	integer
game_status_text	character
game_date	character
game_time_utc	character
game_et	character
home_team_id	integer
home_team_name	character
home_team_city	character
home_team_tricode	character
home_team_slug	character
away_team_id	integer
away_team_name	character
away_team_city	character
away_team_tricode	character
away_team_slug	character
period	integer
game_clock	character
regulation_periods	integer
series_game_number	character
series_text	character
if_necessary	logical
series_conference	character
po_round_desc	character
game_subtype	character
game_home_leaders_person_id	integer
game_home_leaders_name	character
game_home_leaders_player_slug	character
game_home_leaders_jersey_num	character
game_home_leaders_position	character
game_home_leaders_team_tricode	character
game_home_leaders_points	integer
game_home_leaders_rebounds	integer
game_home_leaders_assists	integer
game_away_leaders_person_id	integer
game_away_leaders_name	character
game_away_leaders_player_slug	character
game_away_leaders_jersey_num	character
game_away_leaders_position	character
game_away_leaders_team_tricode	character
game_away_leaders_points	integer
game_away_leaders_rebounds	integer
game_away_leaders_assists	integer

team_home_leaders_person_id	integer
team_home_leaders_name	character
team_home_leaders_player_slug	character
team_home_leaders_jersey_num	character
team_home_leaders_position	character
team_home_leaders_team_tricode	character
team_home_leaders_points	numeric
team_home_leaders_rebounds	numeric
team_home_leaders_assists	numeric
team_away_leaders_person_id	integer
team_away_leaders_name	character
team_away_leaders_player_slug	character
team_away_leaders_jersey_num	character
team_away_leaders_position	character
team_away_leaders_team_tricode	character
team_away_leaders_points	numeric
team_away_leaders_rebounds	numeric
team_away_leaders_assists	numeric
team_season_leaders_flag	integer
home_wins	integer
home_losses	integer
home_score	integer
home_seed	integer
home_in_bonus	logical
home_timeouts_remaining	integer
home_periods	list
away_wins	integer
away_losses	integer
away_score	integer
away_seed	integer
away_in_bonus	logical
away_timeouts_remaining	integer
away_periods	list
league_id	character
league	character
broadcasters	data.frame

**Author(s)**

Saiem Gilani

**See Also**Other WNBA Schedule Functions: [wnba\\_schedule\(\)](#), [wnba\\_scoreboardv2\(\)](#), [wnba\\_todays\\_scoreboard\(\)](#)

---

 wnba\_shotchartdetail **Get WNBA Stats API Shot Chart Detail**


---

**Description****Get WNBA Stats API Shot Chart Detail****Get WNBA Stats API Shot Chart Detail****Usage**

```

wnba_shotchartdetail(
  context_measure = "FGA",
  date_from = "",
  date_to = "",
  game_id = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  period = 0,
  player_id = "1628932",
  player_position = "",
  rookie_year = "",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  team_id = 0,
  vs_conference = "",
  vs_division = "",
  ...
)

```

**Arguments**

context_measure	context_measure
date_from	date_from
date_to	date_to
game_id	game_id
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id

location	location
month	month
opponent_team_id	opponent_team_id
outcome	outcome
period	period
player_id	player_id
player_position	player_position
rookie_year	rookie_year
season	season
season_segment	season_segment
season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_shotchartdetail(league_id = '10', player_id = '1628932', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: LeagueAverages, Shot\_Chart\_Detail

**Shot\_Chart\_Detail**

col_name	types
GRID_TYPE	character
GAME_ID	character
GAME_EVENT_ID	character
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_NAME	character
PERIOD	character
MINUTES_REMAINING	character
SECONDS_REMAINING	character
EVENT_TYPE	character
ACTION_TYPE	character
SHOT_TYPE	character
SHOT_ZONE_BASIC	character
SHOT_ZONE_AREA	character
SHOT_ZONE_RANGE	character

SHOT_DISTANCE	character
LOC_X	character
LOC_Y	character
SHOT_ATTEMPTED_FLAG	character
SHOT_MADE_FLAG	character
GAME_DATE	character
HTM	character
VTM	character

**LeagueAverages**

col_name	types
GRID_TYPE	character
SHOT_ZONE_BASIC	character
SHOT_ZONE_AREA	character
SHOT_ZONE_RANGE	character
FGA	character
FGM	character
FG_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Shooting Functions: [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_shotchartleaguewide\(\)](#), [wnba\\_shotchartlineupdetail\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#)

---

 wnba\_shotchartleaguewide
**Get WNBA Stats API Shot Chart League-Wide****Description****Get WNBA Stats API Shot Chart League-Wide****Get WNBA Stats API Shot Chart League-Wide****Usage**

```
wnba_shotchartleaguewide(
  league_id = "10",
  season = most_recent_wnba_season() - 1,
  ...
)
```

**Arguments**

league_id	League - default: '10'. Other options include '00': NBA, '20': G-League
season	season
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_shotchartleaguwide(league_id = '10', season = most_recent_wnba_season() - 1)
```

**Value**

Return a named list of data frames: League\_Wide

**League\_Wide**

col_name	types
GRID_TYPE	character
SHOT_ZONE_BASIC	character
SHOT_ZONE_AREA	character
SHOT_ZONE_RANGE	character
FGA	character
FGM	character
FG_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Shooting Functions: [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_shotchartdetail\(\)](#), [wnba\\_shotchartlineupdetail\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#)

Other WNBA League Functions: [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguedashplayerbiostats\(\)](#), [wnba\\_leaguedashplayerclutch\(\)](#), [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashplayerstats\(\)](#), [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_leaguegamefinder\(\)](#), [wnba\\_leaguegamehog\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_leagueplayerondetails\(\)](#), [wnba\\_leagueseasonmatchups\(\)](#), [wnba\\_leaguestandingsv3\(\)](#)



---

wnba\_shotchartlineupdetail

**Get WNBA Stats API Shot Chart for Lineups**

---

**Description**

**Get WNBA Stats API Shot Chart for Lineups**

**Get WNBA Stats API Shot Chart for Lineups**

**Usage**

```
wnba_shotchartlineupdetail(  
  ahead_behind = "",  
  cfid = "",  
  cfparams = "",  
  clutch_time = "",  
  conference = "",  
  context_filter = "",  
  context_measure = "FGA",  
  date_from = "",  
  date_to = "",  
  division = "",  
  end_period = "10",  
  end_range = "28800",  
  group_id = "-100720-202250-204319-1627668-1628931-",  
  game_event_id = "",  
  game_id = "",  
  game_segment = "",  
  group_mode = "",  
  group_quantity = "5",  
  last_n_games = "0",  
  league_id = "10",  
  location = "",  
  month = "0",  
  on_off = "",  
  opp_player_id = "",  
  opponent_team_id = "0",  
  outcome = "",  
  po_round = "0",  
  period = "0",  
  player_id = "0",  
  player_id1 = "",  
  player_id2 = "",  
  player_id3 = "",  
  player_id4 = "",  
  player_id5 = "",
```

```

player_position = "",
point_diff = "",
position = "",
range_type = "0",
rookie_year = "",
season = most_recent_wnba_season(),
season_segment = "",
season_type = "Regular Season",
shot_clock_range = "",
start_period = "1",
start_range = "0",
starter_bench = "",
team_id = "1611661328",
vs_conference = "",
vs_division = "",
vs_player_id1 = "",
vs_player_id2 = "",
vs_player_id3 = "",
vs_player_id4 = "",
vs_player_id5 = "",
vs_team_id = "",
...
)

```

### Arguments

ahead_behind	ahead_behind
cfid	cfid
cfparams	cfparams
clutch_time	clutch_time
conference	conference
context_filter	context_filter
context_measure	context_measure
date_from	date_from
date_to	date_to
division	division
end_period	end_period
end_range	end_range
group_id	group_id
game_event_id	game_event_id
game_id	game_id
game_segment	game_segment
group_mode	group_mode

group_quantity	group_quantity
last_n_games	last_n_games
league_id	league_id
location	location
month	month
on_off	on_off
opp_player_id	opp_player_id
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
period	period
player_id	player_id
player_id1	player_id1
player_id2	player_id2
player_id3	player_id3
player_id4	player_id4
player_id5	player_id5
player_position	player_position
point_diff	point_diff
position	position
range_type	range_type
rookie_year	rookie_year
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
start_period	start_period
start_range	start_range
starter_bench	starter_bench
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_player_id1	vs_player_id1
vs_player_id2	vs_player_id2
vs_player_id3	vs_player_id3
vs_player_id4	vs_player_id4
vs_player_id5	vs_player_id5
vs_team_id	vs_team_id
...	Additional arguments passed to an underlying function like httr.

**Details**

wnba\_shotchartlineupdetail(group\_id = '-100720-202250-204319-1627668-1628931-', season = most\_recent)

**Value**

Return a named list of data frames: ShotChartLineupDetail, ShotChartLineupLeagueAverage

**ShotChartLineupDetail**

col_name	types
GRID_TYPE	character
GAME_ID	character
GAME_EVENT_ID	character
GROUP_ID	character
GROUP_NAME	character
PLAYER_ID	character
PLAYER_NAME	character
TEAM_ID	character
TEAM_NAME	character
PERIOD	character
MINUTES_REMAINING	character
SECONDS_REMAINING	character
EVENT_TYPE	character
ACTION_TYPE	character
SHOT_TYPE	character
SHOT_ZONE_BASIC	character
SHOT_ZONE_AREA	character
SHOT_ZONE_RANGE	character
SHOT_DISTANCE	character
LOC_X	character
LOC_Y	character
SHOT_ATTEMPTED_FLAG	character
SHOT_MADE_FLAG	character
GAME_DATE	character
HTM	character
VTM	character

**ShotChartLineupLeagueAverage**

col_name	types
GRID_TYPE	character
SHOT_ZONE_BASIC	character
SHOT_ZONE_AREA	character
SHOT_ZONE_RANGE	character
FGA	character
FGM	character
FG_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Shooting Functions: [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_playerdashboardbyshootingsplits\(\)](#), [wnba\\_shotchartdetail\(\)](#), [wnba\\_shotchartleaguewide\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#)

Other WNBA Lineup Functions: [wnba\\_gamerotation\(\)](#), [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_teamdashlineups\(\)](#)

---

 wnba\_teamdashboardbyclutch

**Get WNBA Stats API Team Dashboard by Clutch Splits**

---

**Description**

**Get WNBA Stats API Team Dashboard by Clutch Splits**

**Get WNBA Stats API Team Dashboard by Clutch Splits**

**Usage**

```
wnba_teamdashboardbyclutch(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
```

```

    team_id = "1611661328",
    vs_conference = "",
    vs_division = "",
    ...
)

```

### Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

### Details

```
wnba_teamdashboardbyclutch(team_id = '1611661328', season = most_recent_wnba_season())
```

**Value**

Return a named list of data frames: Last10Sec3Point2TeamDashboard, Last10Sec3PointTeamDashboard, Last1Min5PointTeamDashboard, Last1MinPlusMinus5PointTeamDashboard, Last30Sec3Point2TeamDashboard, Last30Sec3PointTeamDashboard, Last3Min5PointTeamDashboard, Last3MinPlusMinus5PointTeamDashboard, Last5Min5PointTeamDashboard, Last5MinPlusMinus5PointTeamDashboard, OverallTeamDashboard

**OverallTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character

FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### **Last5Min5PointTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character



W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### Last3Min5PointTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character

REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### Last1Min5PointTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character

FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Last30Sec3PointTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character

TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Last10Sec3PointTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character

FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

#### **Last5MinPlusMinus5PointTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character

PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### Last3MinPlusMinus5PointTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character

FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### **Last1MinPlusMinus5PointTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character



GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character

PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### Last30Sec3Point2TeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character

FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Last10Sec3Point2TeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character

GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearstats\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgamelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

Other WNBA Clutch Functions: [wnba\\_leaguedashteamclutch\(\)](#), [wnba\\_playerdashboardbyclutch\(\)](#)

---

 wnba\_teamdashboardbygamesplits

**Get WNBA Stats API Team Dashboard by Game Splits**

---

**Description****Get WNBA Stats API Team Dashboard by Game Splits****Get WNBA Stats API Team Dashboard by Game Splits****Usage**

```
wnba_teamdashboardbygamesplits(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)
```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome

pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamdashboardbygamesplits(team_id = '1611661328', season = most_recent_wnba_season())
```

**Value**

Return a named list of data frames: `ByActualMarginTeamDashboard`, `ByHalfTeamDashboard`, `ByPeriodTeamDashboard`, `ByScoreMarginTeamDashboard`, `OverallTeamDashboard`

**OverallTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character

REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**ByHalfTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character

FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character



**ByPeriodTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character

AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### ByScoreMarginTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character

FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### ByActualMarginTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character

BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgamelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

 wnba\_teamdashboardbygeneralsplits

### Get WNBA Stats API Team Dashboard by General Splits

---

#### Description

**Get WNBA Stats API Team Dashboard by General Splits**

**Get WNBA Stats API Team Dashboard by General Splits**

#### Usage

```
wnba_teamdashboardbygeneralsplits(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)
```

#### Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id

location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamdashboardbygeneralsplits(team_id = '1611661328', season = most_recent_wnba_season())
```

**Value**

Return a named list of data frames: DaysRestTeamDashboard, LocationTeamDashboard, MonthTeamDashboard, OverallTeamDashboard, PrePostAllStarTeamDashboard, WinsLossesTeamDashboard

**OverallTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
SEASON_YEAR	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character

FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**LocationTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
TEAM_GAME_LOCATION	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character



AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**WinsLossesTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GAME_RESULT	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character

FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### MonthTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
SEASON_MONTH_NAME	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character

STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**PrePostAllStarTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
SEASON_SEGMENT	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character

FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**DaysRestTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
TEAM_DAYS_REST_RANGE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character

TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearstats\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgamelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboardbyyearstats\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

wnba\_teamdashboardbylastngames

**Get WNBA Stats API Team Dashboard by Last N Games**

---

**Description**

**Get WNBA Stats API Team Dashboard by Last N Games**

**Get WNBA Stats API Team Dashboard by Last N Games**

**Usage**

```
wnba_teamdashboardbylastngames(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
```

```

    plus_minus = "N",
    po_round = "",
    per_mode = "Totals",
    period = 0,
    rank = "N",
    season = most_recent_wnba_season(),
    season_segment = "",
    season_type = "Regular Season",
    shot_clock_range = "",
    team_id = "1611661328",
    vs_conference = "",
    vs_division = "",
    ...
)

```

### Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamdashboardbylastngames(team_id = '1611661328', season = most_recent_wnba_season())
```

**Value**

Return a named list of data frames: GameNumberTeamDashboard, Last10TeamDashboard, Last15TeamDashboard, Last20TeamDashboard, Last5TeamDashboard, OverallTeamDashboard

**OverallTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character



FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Last5TeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character

PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### Last10TeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character

OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Last15TeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character

W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character

PLUS\_MINUS\_RANK character

### Last20TeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character

OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**GameNumberTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character

W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgameog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

 wnba\_teamdashboardbyopponent

### Get WNBA Stats API Team Dashboard by Opponent

---

**Description**

**Get WNBA Stats API Team Dashboard by Opponent**

**Get WNBA Stats API Team Dashboard by Opponent**

**Usage**

```

wnba_teamdashboardbyopponent(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode



period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamdashboardbyopponent(team_id = '1611661328', season = most_recent_wnba_season())
```

**Value**

Return a named list of data frames: ConferenceTeamDashboard, DivisionTeamDashboard, OpponentTeamDashboard, OverallTeamDashboard

**OverallTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character

BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### ConferenceTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character

FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**DivisionTeamDashboard**

col_name	types
GROUP_SET	character

GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character

BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### OpponentTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character

FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngamesplits\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearstats\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgameog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

wnba\_teamdashboardbyshootingsplits

**Get WNBA Stats API Team Dashboard by Shooting Splits**

---

**Description**

**Get WNBA Stats API Team Dashboard by Shooting Splits**

**Get WNBA Stats API Team Dashboard by Shooting Splits**

**Usage**

```
wnba_teamdashboardbyshootingsplits(
  date_from = "",
  date_to = "",
  game_segment = "",
```

```

    last_n_games = 0,
    league_id = "10",
    location = "",
    measure_type = "Base",
    month = 0,
    opponent_team_id = 0,
    outcome = "",
    pace_adjust = "N",
    plus_minus = "N",
    po_round = "",
    per_mode = "Totals",
    period = 0,
    rank = "N",
    season = most_recent_wnba_season(),
    season_segment = "",
    season_type = "Regular Season",
    shot_clock_range = "",
    team_id = "1611661328",
    vs_conference = "",
    vs_division = "",
    ...
)

```

### Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment

```

season_type    season_type
shot_clock_range
              shot_clock_range

team_id        team_id
vs_conference  vs_conference
vs_division    vs_division
...           Additional arguments passed to an underlying function like httr.

```

## Details

### Team Dashboard by Shooting Splits

```
wnba_teamdashboardbyshootingsplits(team_id = '1611661328', season = most_recent_wnba_season())
```

## Value

Return a named list of data frames: AssistedBy, AssitedShotTeamDashboard, OverallTeamDashboard, Shot5FTTeamDashboard, Shot8FTTeamDashboard, ShotAreaTeamDashboard, ShotTypeTeamDashboard

### OverallTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character



PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**Shot5FTTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**Shot8FTTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character

FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**ShotAreaTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character

FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**AssitedShotTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character

PCT_UAST_FGM_RANK	character
-------------------	-----------

### ShotTypeTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

### AssistedBy

col_name	types
GROUP_SET	character
PLAYER_ID	character
PLAYER_NAME	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character

FG3A	character
FG3_PCT	character
EFG_PCT	character
BLKA	character
PCT_AST_2PM	character
PCT_UAST_2PM	character
PCT_AST_3PM	character
PCT_UAST_3PM	character
PCT_AST_FGM	character
PCT_UAST_FGM	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
EFG_PCT_RANK	character
BLKA_RANK	character
PCT_AST_2PM_RANK	character
PCT_UAST_2PM_RANK	character
PCT_AST_3PM_RANK	character
PCT_UAST_3PM_RANK	character
PCT_AST_FGM_RANK	character
PCT_UAST_FGM_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgameog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

Other WNBA Shooting Functions: [wnba\\_leaguedashplayershotlocations\(\)](#), [wnba\\_leaguedashteamshotlocations\(\)](#), [wnba\\_playerdashboardbyshootingplits\(\)](#), [wnba\\_shotchartdetail\(\)](#), [wnba\\_shotchartleaguewide\(\)](#), [wnba\\_shotchartlineupdetail\(\)](#)

---

 wnba\_teamdashboardbyteamperformance

**Get WNBA Stats API Team Dashboard by Team Performance**

---

**Description****Get WNBA Stats API Team Dashboard by Team Performance****Get WNBA Stats API Team Dashboard by Team Performance****Usage**

```

wnba_teamdashboardbyteamperformance(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome

pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamdashboardbyteamperformance(team_id = '1611661328', season = most_recent_wnba_season())
```

**Value**

Return a named list of data frames: OverallTeamDashboard, PointsScoredTeamDashboard, PntsAgainstTeamDashboard, ScoreDifferentialTeamDashboard

**OverallTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character

REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### ScoreDifferentialTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE_ORDER	character
GROUP_VALUE	character
GROUP_VALUE_2	character
GP	character
W	character
L	character



W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character

PLUS_MINUS_RANK	character
-----------------	-----------

### PointsScoredTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE_ORDER	character
GROUP_VALUE	character
GROUP_VALUE_2	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character

FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### PontsAgainstTeamDashboard

col_name	types
GROUP_SET	character
GROUP_VALUE_ORDER	character
GROUP_VALUE	character
GROUP_VALUE_2	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character

PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgamelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

 wnba\_teamdashboardbyyearoveryear

**Get WNBA Stats API Team Dashboard Year over Year**


---

**Description****Get WNBA Stats API Team Dashboard Year over Year****Get WNBA Stats API Team Dashboard Year over Year****Usage**

```

wnba_teamdashboardbyyearoveryear(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome

pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamdashboardbyyearoveryear(team_id = '1611661328', season = most_recent_wnba_season())
```

**Value**

Return a named list of data frames: ByYearTeamDashboard, OverallTeamDashboard

**OverallTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character

AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**ByYearTeamDashboard**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character

FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character



**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgamelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

wnba\_teamdashlineups    **Get WNBA Stats API Team Dashboard - Lineups**

---

**Description****Get WNBA Stats API Team Dashboard - Lineups****Get WNBA Stats API Team Dashboard - Lineups****Usage**

```
wnba_teamdashlineups(
  date_from = "",
  date_to = "",
  game_id = "",
  game_segment = "",
  group_quantity = 5,
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
```

```

    team_id = "1611661328",
    vs_conference = "",
    vs_division = "",
    ...
)

```

### Arguments

date_from	date_from
date_to	date_to
game_id	game_id
game_segment	game_segment
group_quantity	group_quantity
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

### Details

```
wnba_teamdashlineups(team_id = '1611661328', season = most_recent_wnba_season())
```

**Value**

Return a named list of data frames: Lineups, Overall

**Overall**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character

FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### Lineups

col_name	types
GROUP_SET	character
GROUP_ID	character
GROUP_NAME	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character

GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgameelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

Other WNBA Lineup Functions: [wnba\\_gamerotation\(\)](#), [wnba\\_leaguedashlineups\(\)](#), [wnba\\_leaguelineupviz\(\)](#), [wnba\\_shotchartlineupdetail\(\)](#)

wnba\_teamdetails

**Get WNBA Stats API Team Details****Description****Get WNBA Stats API Team Details****Get WNBA Stats API Team Details****Usage**

```
wnba_teamdetails(team_id = "1611661328", ...)
```

**Arguments**

team_id	Team ID
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamdetails(team_id = '1611661328')
```

**Value**

Return a named list of data frames: TeamAwardsChampionships, TeamAwardsConf, TeamAwards-Div, TeamBackground, TeamHistory, TeamHof, TeamRetired, TeamSocialSites

**TeamBackground**

col_name	types
TEAM_ID	character
ABBREVIATION	character
NICKNAME	character
YEARFOUNDED	character
CITY	character
ARENA	character
ARENACAPACITY	character
OWNER	character
GENERALMANAGER	character
HEADCOACH	character
DLEAGUEAFFILIATION	character

**TeamHistory**

col_name	types
TEAM_ID	character
CITY	character

NICKNAME	character
YEARFOUNDED	character
YEARACTIVETILL	character

**TeamSocialSites**

col_name	types
ACCOUNTTYPE	character
WEBSITE_LINK	character

**TeamAwardsChampionships**

col_name	types
YEARAWARDED	character
OPPOSITETEAM	character

**TeamAwardsConf**

col_name	types
YEARAWARDED	integer
OPPOSITETEAM	integer

**TeamAwardsDiv**

col_name	types
YEARAWARDED	integer
OPPOSITETEAM	integer

**TeamHof**

col_name	types
PLAYERID	character
PLAYER	character
POSITION	character
JERSEY	character
SEASONSWITHTEAM	character
YEAR	character

**TeamRetired**

col_name	types
PLAYERID	character
PLAYER	character
POSITION	character
JERSEY	character
SEASONSWITHTEAM	character
YEAR	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgameelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

wnba\_teamestimatedmetrics

**Get WNBA Stats API Team Estimated Metrics**

---

**Description**

**Get WNBA Stats API Team Estimated Metrics**

**Get WNBA Stats API Team Estimated Metrics**

**Usage**

```
wnba_teamestimatedmetrics(
  league_id = "10",
  season = most_recent_wnba_season(),
  season_type = "Regular Season",
  ...
)
```

**Arguments**

league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.



**Details**

```
wnba_teamestimatedmetrics()
```

**Value**

Return a named list of data frames: TeamEstimatedMetrics

**TeamEstimatedMetrics**

col_name	types
TEAM_NAME	character
TEAM_ID	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
E_OFF_RATING	character
E_DEF_RATING	character
E_NET_RATING	character
E_PACE	character
E_AST_RATIO	character
E_OREB_PCT	character
E_DREB_PCT	character
E_REB_PCT	character
E_TM_TOV_PCT	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
E_OFF_RATING_RANK	character
E_DEF_RATING_RANK	character
E_NET_RATING_RANK	character
E_AST_RATIO_RANK	character
E_OREB_PCT_RANK	character
E_DREB_PCT_RANK	character
E_REB_PCT_RANK	character
E_TM_TOV_PCT_RANK	character
E_PACE_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames](#)

[wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperforma](#)  
[wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamgamelogs\(\)](#),  
[wnba\\_teamgamelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboar](#)  
[wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#),  
[wnba\\_teamyearbyyearstats\(\)](#)

---

wnba_teamgame <span style="font-style: italic;">log</span>	<b>Get WNBA Stats API Team Game Log</b>
--	---

---

## Description

**Get WNBA Stats API Team Game Log**

**Get WNBA Stats API Team Game Log**

## Usage

```

wnba_teamgamelog(
  date_from = "",
  date_to = "",
  league_id = "10",
  season = most_recent_wnba_season(),
  season_type = "Regular Season",
  team_id = "1611661328",
  ...
)

```

## Arguments

date_from	date_from
date_to	date_to
league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	Team ID
...	Additional arguments passed to an underlying function like <code>httr</code> .

## Details

```
wnba_teamgamelog(team_id = '1611661328')
```

**Value**

Return a named list of data frames: TeamGameLog

**TeamGameLog**

col_name	types
Team_ID	character
Game_ID	character
GAME_DATE	character
MATCHUP	character
WL	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
STL	character
BLK	character
TOV	character
PF	character
PTS	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgameLogs\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

wnba\_teamgamelogs

**Get WNBA Stats API Team Game Logs****Description****Get WNBA Stats API Team Game Logs****Get WNBA Stats API Team Game Logs****Usage**

```

wnba_teamgamelogs(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  player_id = "",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
location	location
measure_type	measure_type
month	month

opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
per_mode	per_mode
period	period
player_id	Player ID
season	Season - format 2020-21
season_segment	season_segment
season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details****Teams Game Log**

```
wnba_teamgamelogs(team_id = '1611661328')
```

**Value**

Return a named list of data frames: TeamGameLogs

**TeamGameLogs**

col_name	types
SEASON_YEAR	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
GAME_ID	character
GAME_DATE	character
MATCHUP	character
WL	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character

OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformancesplits\(\)](#)

[wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetr](#)  
[wnba\\_teamgamealog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard](#)  
[wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#),  
[wnba\\_teamyearbyyearstats\(\)](#)

wnba\_teamgamestreakfinder

### Get WNBA Stats API Team Game Streak Finder

#### Description

**Get WNBA Stats API Team Game Streak Finder**

**Get WNBA Stats API Team Game Streak Finder**

#### Usage

```

wnba_teamgamestreakfinder(
  active_streaks_only = "",
  active_teams_only = "",
  btr_opp_ast = "",
  btr_opp_blk = "",
  btr_opp_dreb = "",
  btr_opp_fg3a = "",
  btr_opp_fg3m = "",
  btr_opp_fg3_pct = "",
  btr_opp_fga = "",
  btr_opp_fgm = "",
  btr_opp_fg_pct = "",
  btr_opp_fta = "",
  btr_opp_ftm = "",
  btr_opp_ft_pct = "",
  btr_opp_oreb = "",
  btr_opp_pf = "",
  btr_opp_pts = "",
  btr_opp_pts2nd_chance = "",
  btr_opp_pts_fb = "",
  btr_opp_pts_off_tov = "",
  btr_opp_pts_paint = "",
  btr_opp_reb = "",
  btr_opp_stl = "",
  btr_opp_tov = "",
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  et_ast = "",
  et_blk = "",

```

```
et_dd = "",
et_dreb = "",
et_fg3a = "",
et_fg3m = "",
et_fg3_pct = "",
et_fga = "",
et_fgm = "",
et_fg_pct = "",
et_fta = "",
et_ftm = "",
et_ft_pct = "",
et_minutes = "",
eq_opp_pts2nd_chance = "",
eq_opp_pts_fb = "",
eq_opp_pts_off_tov = "",
eq_opp_pts_paint = "",
et_oreb = "",
et_pf = "",
et_pts = "",
eq_pts2nd_chance = "",
eq_pts_fb = "",
eq_pts_off_tov = "",
eq_pts_paint = "",
et_reb = "",
et_stl = "",
et_td = "",
et_tov = "",
game_id = "",
gt_ast = "",
gt_blk = "",
gt_dd = "",
gt_dreb = "",
gt_fg3a = "",
gt_fg3m = "",
gt_fg3_pct = "",
gt_fga = "",
gt_fgm = "",
gt_fg_pct = "",
gt_fta = "",
gt_ftm = "",
gt_ft_pct = "",
gt_minutes = "",
gt_opp_ast = "",
gt_opp_blk = "",
gt_opp_dreb = "",
gt_opp_fg3a = "",
gt_opp_fg3m = "",
gt_opp_fg3_pct = "",
```



```
gt_opp_fga = "",
gt_opp_fgm = "",
gt_opp_fg_pct = "",
gt_opp_fta = "",
gt_opp_ftm = "",
gt_opp_ft_pct = "",
gt_opp_oreb = "",
gt_opp_pf = "",
gt_opp_pts = "",
gt_opp_pts2nd_chance = "",
gt_opp_pts_fb = "",
gt_opp_pts_off_tov = "",
gt_opp_pts_paint = "",
gt_opp_reb = "",
gt_opp_stl = "",
gt_opp_tov = "",
gt_oreb = "",
gt_pf = "",
gt_pts = "",
gt_pts2nd_chance = "",
gt_pts_fb = "",
gt_pts_off_tov = "",
gt_pts_paint = "",
gt_reb = "",
gt_stl = "",
gt_td = "",
gt_tov = "",
lstreak = "",
league_id = "10",
location = "",
lt_ast = "",
lt_blk = "",
lt_dd = "",
lt_dreb = "",
lt_fg3a = "",
lt_fg3m = "",
lt_fg3_pct = "",
lt_fga = "",
lt_fgm = "",
lt_fg_pct = "",
lt_fta = "",
lt_ftm = "",
lt_ft_pct = "",
lt_minutes = "",
lt_opp_ast = "",
lt_opp_blk = "",
lt_opp_dreb = "",
lt_opp_fg3a = "",
```

```
lt_opp_fg3m = "",
lt_opp_fg3_pct = "",
lt_opp_fga = "",
lt_opp_fgm = "",
lt_opp_fg_pct = "",
lt_opp_fta = "",
lt_opp_ftm = "",
lt_opp_ft_pct = "",
lt_opp_oreb = "",
lt_opp_pf = "",
lt_opp_pts = "",
lt_opp_pts2nd_chance = "",
lt_opp_pts_fb = "",
lt_opp_pts_off_tov = "",
lt_opp_pts_paint = "",
lt_opp_reb = "",
lt_opp_stl = "",
lt_opp_tov = "",
lt_oreb = "",
lt_pf = "",
lt_pts = "",
lt_pts2nd_chance = "",
lt_pts_fb = "",
lt_pts_off_tov = "",
lt_pts_paint = "",
lt_reb = "",
lt_stl = "",
lt_td = "",
lt_tov = "",
min_games = "",
outcome = "",
po_round = "",
season = most_recent_wnba_season(),
season_segment = "",
season_type = "Regular Season",
team_id = "",
vs_conference = "",
vs_division = "",
vs_team_id = "",
wstreak = "",
wrs_opp_ast = "",
wrs_opp_blk = "",
wrs_opp_dreb = "",
wrs_opp_fg3a = "",
wrs_opp_fg3m = "",
wrs_opp_fg3_pct = "",
wrs_opp_fga = "",
wrs_opp_fgm = "",
```

```

wrs_opp_fg_pct = "",
wrs_opp_fta = "",
wrs_opp_ftm = "",
wrs_opp_ft_pct = "",
wrs_opp_oreb = "",
wrs_opp_pf = "",
wrs_opp_pts = "",
wrs_opp_pts2nd_chance = "",
wrs_opp_pts_fb = "",
wrs_opp_pts_off_tov = "",
wrs_opp_pts_paint = "",
wrs_opp_reb = "",
wrs_opp_stl = "",
wrs_opp_tov = "",
...
)

```

### Arguments

```

active_streaks_only
    active_streaks_only
active_teams_only
    active_teams_only
btr_opp_ast    btr_opp_ast
btr_opp_blk    btr_opp_blk
btr_opp_dreb   btr_opp_dreb
btr_opp_fg3a   btr_opp_fg3a
btr_opp_fg3m   btr_opp_fg3m
btr_opp_fg3_pct
    btr_opp_fg3_pct
btr_opp_fga    btr_opp_fga
btr_opp_fgm    btr_opp_fgm
btr_opp_fg_pct btr_opp_fg_pct
btr_opp_fta    btr_opp_fta
btr_opp_ftm    btr_opp_ftm
btr_opp_ft_pct btr_opp_ft_pct
btr_opp_oreb   btr_opp_oreb
btr_opp_pf     btr_opp_pf
btr_opp_pts    btr_opp_pts
btr_opp_pts2nd_chance
    btr_opp_pts2nd_chance
btr_opp_pts_fb btr_opp_pts_fb
btr_opp_pts_off_tov
    btr_opp_pts_off_tov

```

btr_opp_pts_paint	btr_opp_pts_paint
btr_opp_reb	btr_opp_reb
btr_opp_stl	btr_opp_stl
btr_opp_tov	btr_opp_tov
conference	conference
date_from	date_from
date_to	date_to
division	division
et_ast	et_ast
et_blk	et_blk
et_dd	et_dd
et_dreb	et_dreb
et_fg3a	et_fg3a
et_fg3m	et_fg3m
et_fg3_pct	et_fg3_pct
et_fga	et_fga
et_fgm	et_fgm
et_fg_pct	et_fg_pct
et_fta	et_fta
et_ftm	et_ftm
et_ft_pct	et_ft_pct
et_minutes	et_minutes
eq_opp_pts2nd_chance	eq_opp_pts2nd_chance
eq_opp_pts_fb	eq_opp_pts_fb
eq_opp_pts_off_tov	eq_opp_pts_off_tov
eq_opp_pts_paint	eq_opp_pts_paint
et_oreb	et_oreb
et_pf	et_pf
et_pts	et_pts
eq_pts2nd_chance	eq_pts2nd_chance
eq_pts_fb	eq_pts_fb
eq_pts_off_tov	eq_pts_off_tov
eq_pts_paint	eq_pts_paint
et_reb	et_reb

et_stl	et_stl
et_td	et_td
et_tov	et_tov
game_id	game_id
gt_ast	gt_ast
gt_blk	gt_blk
gt_dd	gt_dd
gt_dreb	gt_dreb
gt_fg3a	gt_fg3a
gt_fg3m	gt_fg3m
gt_fg3_pct	gt_fg3_pct
gt_fga	gt_fga
gt_fgm	gt_fgm
gt_fg_pct	gt_fg_pct
gt_fta	gt_fta
gt_ftm	gt_ftm
gt_ft_pct	gt_ft_pct
gt_minutes	gt_minutes
gt_opp_ast	gt_opp_ast
gt_opp_blk	gt_opp_blk
gt_opp_dreb	gt_opp_dreb
gt_opp_fg3a	gt_opp_fg3a
gt_opp_fg3m	gt_opp_fg3m
gt_opp_fg3_pct	gt_opp_fg3_pct
gt_opp_fga	gt_opp_fga
gt_opp_fgm	gt_opp_fgm
gt_opp_fg_pct	gt_opp_fg_pct
gt_opp_fta	gt_opp_fta
gt_opp_ftm	gt_opp_ftm
gt_opp_ft_pct	gt_opp_ft_pct
gt_opp_oreb	gt_opp_oreb
gt_opp_pf	gt_opp_pf
gt_opp_pts	gt_opp_pts
gt_opp_pts2nd_chance	gt_opp_pts2nd_chance
gt_opp_pts_fb	gt_opp_pts_fb
gt_opp_pts_off_tov	gt_opp_pts_off_tov

gt_opp_pts_paint	gt_opp_pts_paint
gt_opp_reb	gt_opp_reb
gt_opp_stl	gt_opp_stl
gt_opp_tov	gt_opp_tov
gt_oreb	gt_oreb
gt_pf	gt_pf
gt_pts	gt_pts
gt_pts2nd_chance	gt_pts2nd_chance
gt_pts_fb	gt_pts_fb
gt_pts_off_tov	gt_pts_off_tov
gt_pts_paint	gt_pts_paint
gt_reb	gt_reb
gt_stl	gt_stl
gt_td	gt_td
gt_tov	gt_tov
lstreak	lstreak
league_id	league_id
location	location
lt_ast	lt_ast
lt_blk	lt_blk
lt_dd	lt_dd
lt_dreb	lt_dreb
lt_fg3a	lt_fg3a
lt_fg3m	lt_fg3m
lt_fg3_pct	lt_fg3_pct
lt_fga	lt_fga
lt_fgm	lt_fgm
lt_fg_pct	lt_fg_pct
lt_fta	lt_fta
lt_ftm	lt_ftm
lt_ft_pct	lt_ft_pct
lt_minutes	lt_minutes
lt_opp_ast	lt_opp_ast
lt_opp_blk	lt_opp_blk
lt_opp_dreb	lt_opp_dreb
lt_opp_fg3a	lt_opp_fg3a

lt_opp_fg3m	lt_opp_fg3m
lt_opp_fg3_pct	lt_opp_fg3_pct
lt_opp_fga	lt_opp_fga
lt_opp_fgm	lt_opp_fgm
lt_opp_fg_pct	lt_opp_fg_pct
lt_opp_fta	lt_opp_fta
lt_opp_ftm	lt_opp_ftm
lt_opp_ft_pct	lt_opp_ft_pct
lt_opp_oreb	lt_opp_oreb
lt_opp_pf	lt_opp_pf
lt_opp_pts	lt_opp_pts
lt_opp_pts2nd_chance	lt_opp_pts2nd_chance
lt_opp_pts_fb	lt_opp_pts_fb
lt_opp_pts_off_tov	lt_opp_pts_off_tov
lt_opp_pts_paint	lt_opp_pts_paint
lt_opp_reb	lt_opp_reb
lt_opp_stl	lt_opp_stl
lt_opp_tov	lt_opp_tov
lt_oreb	lt_oreb
lt_pf	lt_pf
lt_pts	lt_pts
lt_pts2nd_chance	lt_pts2nd_chance
lt_pts_fb	lt_pts_fb
lt_pts_off_tov	lt_pts_off_tov
lt_pts_paint	lt_pts_paint
lt_reb	lt_reb
lt_stl	lt_stl
lt_td	lt_td
lt_tov	lt_tov
min_games	min_games
outcome	outcome
po_round	po_round
season	season
season_segment	season_segment

season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_team_id	vs_team_id
wstreak	wstreak
wrs_opp_ast	wrs_opp_ast
wrs_opp_blk	wrs_opp_blk
wrs_opp_dreb	wrs_opp_dreb
wrs_opp_fg3a	wrs_opp_fg3a
wrs_opp_fg3m	wrs_opp_fg3m
wrs_opp_fg3_pct	wrs_opp_fg3_pct
wrs_opp_fga	wrs_opp_fga
wrs_opp_fgm	wrs_opp_fgm
wrs_opp_fg_pct	wrs_opp_fg_pct
wrs_opp_fta	wrs_opp_fta
wrs_opp_ftm	wrs_opp_ftm
wrs_opp_ft_pct	wrs_opp_ft_pct
wrs_opp_oreb	wrs_opp_oreb
wrs_opp_pf	wrs_opp_pf
wrs_opp_pts	wrs_opp_pts
wrs_opp_pts2nd_chance	wrs_opp_pts2nd_chance
wrs_opp_pts_fb	wrs_opp_pts_fb
wrs_opp_pts_off_tov	wrs_opp_pts_off_tov
wrs_opp_pts_paint	wrs_opp_pts_paint
wrs_opp_reb	wrs_opp_reb
wrs_opp_stl	wrs_opp_stl
wrs_opp_tov	wrs_opp_tov
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamgamestreakfinder()
```



**Value**

Return a named list of data frames: TeamGameStreakFinderParametersResults

**TeamGameStreakFinderParametersResults**

col_name	types
TEAM_NAME	character
TEAM_ID	character
GAMESTREAK	character
STARTDATE	character
ENDDATE	character
ACTIVESTREAK	character
NUMSEASONS	character
LASTSEASON	character
FIRSTSEASON	character
ABBREVIATION	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgamealog\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

Other WNBA Game Finder Functions: [wnba\\_leaguegamefinder\(\)](#), [wnba\\_playergamestreakfinder\(\)](#)

---

wnba\_teamhistoricalleaders

**Get WNBA Stats API Team Historical Leaders**

---

**Description**

**Get WNBA Stats API Team Historical Leaders**

**Get WNBA Stats API Team Historical Leaders**

**Usage**

```
wnba_teamhistoricalleaders(
  league_id = "10",
  season_id = "22022",
  team_id = "1611661328",
  ...
)
```

**Arguments**

league_id	league_id
season_id	season_id
team_id	team_id
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamhistoricalleaders(team_id = '1611661328')
```

**Value**

Return a named list of data frames: CareerLeadersByTeam

**CareerLeadersByTeam**

col_name	types
TEAM_ID	character
PTS	character
PTS_PERSON_ID	character
PTS_PLAYER	character
AST	character
AST_PERSON_ID	character
AST_PLAYER	character
REB	character
REB_PERSON_ID	character
REB_PLAYER	character
BLK	character
BLK_PERSON_ID	character
BLK_PLAYER	character
STL	character
STL_PERSON_ID	character
STL_PLAYER	character
SEASON_YEAR	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgamelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

 wnba\_teamplayerdashboard

### Get WNBA Stats API Team Player Dashboard

---

**Description**

**Get WNBA Stats API Team Player Dashboard**

**Get WNBA Stats API Team Player Dashboard**

**Usage**

```
wnba_teamplayerdashboard(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)
```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamplayerdashboard(team_id = '1611661328')
```

**Value**

Return a named list of data frames: PlayersSeasonTotals, TeamOverall

**TeamOverall**

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_NAME	character

GROUP_VALUE	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character

BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### PlayersSeasonTotals

col_name	types
GROUP_SET	character
PLAYER_ID	character
PLAYER_NAME	character
NICKNAME	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character

MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgameelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

 wnba\_teamplayeronoffdetails

**Get WNBA Stats API Team Player On/Off Details**

---

**Description****Get WNBA Stats API Team Player On/Off Details****Get WNBA Stats API Team Player On/Off Details****Usage**

```

wnba_teamplayeronoffdetails(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome



pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamplayeronoffdetails(team_id = '1611661328')
```

**Value**

Return a named list of data frames: OverallTeamPlayerOnOffDetails, PlayersOffCourtTeamPlayerOnOffDetails, PlayersOnCourtTeamPlayerOnOffDetails

**OverallTeamPlayerOnOffDetails**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character

FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

#### **PlayersOnCourtTeamPlayerOnOffDetails**

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_ABBREVIATION	character

TEAM_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character

TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### PlayersOffCourtTeamPlayerOnOffDetails

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character

L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgameelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

 wnba\_teamplayeronoffsummary

### Get WNBA Stats API Team Player On/Off Summary

---

**Description**

**Get WNBA Stats API Team Player On/Off Summary**

**Get WNBA Stats API Team Player On/Off Summary**

**Usage**

```

wnba_teamplayeronoffsummary(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

```

**Arguments**

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode

period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamplayeronoffsummary(team_id = '1611661328')
```

**Value**

Return a named list of data frames: OverallTeamPlayerOnOffSummary, PlayersOffCourtTeamPlayerOnOffSummary, PlayersOnCourtTeamPlayerOnOffSummary

**OverallTeamPlayerOnOffSummary**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character

TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

### PlayersOnCourtTeamPlayerOnOffSummary

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GP	character
MIN	character



PLUS_MINUS	character
OFF_RATING	character
DEF_RATING	character
NET_RATING	character

### PlayersOffCourtTeamPlayerOnOffSummary

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GP	character
MIN	character
PLUS_MINUS	character
OFF_RATING	character
DEF_RATING	character
NET_RATING	character

### Author(s)

Saiem Gilani

### See Also

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgameelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

wnba\_teams

**Get WNBA Stats API Teams**

---

### Description

**Get WNBA Stats API Teams**

**Get WNBA Stats API Teams**

**Usage**

```
wnba_teams(...)
```

**Arguments**

... Additional arguments passed to an underlying function like `httr`.

**Details**

```
wnba_teams()
```

**Value**

Return a data frame with the following columns:

col_name	types
league_id	character
season_id	character
team_id	character
team_city	character
team_name	character
team_slug	character
conference	character
division	character
team_abbreviation	character
team_name_full	character
season	character
espn_team_id	integer
team	character
mascot	character
display_name	character
abbreviation	character
color	character
alternate_color	character
logo	character
logo_dark	character
wnba_logo_svg	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#)

[wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgamealog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#),  
[wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#),  
[wnba\\_teamvsplayer\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

---

wnba\_teamvsplayer      **Get WNBA Stats API Team vs Player**

---

## Description

**Get WNBA Stats API Team vs Player**

**Get WNBA Stats API Team vs Player**

## Usage

```
wnba_teamvsplayer(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  vs_player_id = "1628932",
  ...
)
```

## Arguments

date_from	date_from
date_to	date_to

game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	Player ID
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_player_id	vs_player_id
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_teamvsplayer(team_id = '1611661328', vs_player_id = '1628932')
```

**Value**

Return a named list of data frames: OnOffCourt, Overall, ShotAreaOffCourt, ShotAreaOnCourt, ShotAreaOverall, ShotDistanceOffCourt, ShotDistanceOnCourt, ShotDistanceOverall, vsPlayerOverall

**Overall**

col_name	types
GROUP_SET	character
GROUP_VALUE	character

TEAM_ID	character
TEAM_ABBREVIATION	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character

BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**vsPlayerOverall**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
PLAYER_ID	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
NBA_FANTASY_PTS	character
DD2	character
TD3	character
WNBA_FANTASY_PTS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character

MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
NBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

**OnOffCourt**

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GP	character
W	character
L	character
W_PCT	character
MIN	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character

FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
TOV	character
STL	character
BLK	character
BLKA	character
PF	character
PFD	character
PTS	character
PLUS_MINUS	character
GP_RANK	character
W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

**ShotDistanceOverall**

col_name	types
GROUP_SET	character



GROUP_VALUE	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
FGM	character
FGA	character
FG_PCT	character

**ShotDistanceOnCourt**

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character

**ShotDistanceOffCourt**

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character

**ShotAreaOverall**

col_name	types
GROUP_SET	character
GROUP_VALUE	character
TEAM_ID	character

TEAM_ABBREVIATION	character
TEAM_NAME	character
FGM	character
FGA	character
FG_PCT	character

**ShotAreaOnCourt**

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character

**ShotAreaOffCourt**

col_name	types
GROUP_SET	character
TEAM_ID	character
TEAM_ABBREVIATION	character
TEAM_NAME	character
VS_PLAYER_ID	character
VS_PLAYER_NAME	character
COURT_STATUS	character
GROUP_VALUE	character
FGM	character
FGA	character
FG_PCT	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingplits\(\)](#), [wnba\\_teamdashboardbyteamperforma](#)

[wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#),  
[wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgameolog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#),  
[wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#),  
[wnba\\_teams\(\)](#), [wnba\\_teamyearbyyearstats\(\)](#)

wnba\_teamyearbyyearstats

### Get WNBA Stats API Team Year by Year Stats

#### Description

**Get WNBA Stats API Team Year by Year Stats**

**Get WNBA Stats API Team Year by Year Stats**

#### Usage

```

wnba_teamyearbyyearstats(
  league_id = "10",
  per_mode = "Totals",
  season_type = "Regular Season",
  team_id = "1611661328",
  ...
)

```

#### Arguments

league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
per_mode	Per Mode
season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	Team ID
...	Additional arguments passed to an underlying function like httr.

#### Details

```
wnba_teamyearbyyearstats(team_id = '1611661328')
```

#### Value

Return a named list of data frames: TeamStats

#### TeamStats

col_name	types
TEAM_ID	character
TEAM_CITY	character
TEAM_NAME	character

YEAR	character
GP	character
WINS	character
LOSSES	character
WIN_PCT	character
CONF_RANK	character
DIV_RANK	character
PO_WINS	character
PO_LOSSES	character
CONF_COUNT	character
DIV_COUNT	character
NBA_FINALS_APPEARANCE	character
FGM	character
FGA	character
FG_PCT	character
FG3M	character
FG3A	character
FG3_PCT	character
FTM	character
FTA	character
FT_PCT	character
OREB	character
DREB	character
REB	character
AST	character
PF	character
STL	character
TOV	character
BLK	character
PTS	character
PTS_RANK	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Team Functions: [wnba\\_leaguedashteamstats\(\)](#), [wnba\\_teamdashboardbyclutch\(\)](#), [wnba\\_teamdashboardbygamesplits\(\)](#), [wnba\\_teamdashboardbygeneralsplits\(\)](#), [wnba\\_teamdashboardbylastngames\(\)](#), [wnba\\_teamdashboardbyopponent\(\)](#), [wnba\\_teamdashboardbyshootingsplits\(\)](#), [wnba\\_teamdashboardbyteamperformance\(\)](#), [wnba\\_teamdashboardbyyearoveryear\(\)](#), [wnba\\_teamdashlineups\(\)](#), [wnba\\_teamdetails\(\)](#), [wnba\\_teamestimatedmetrics\(\)](#), [wnba\\_teamgamelogs\(\)](#), [wnba\\_teamgameelog\(\)](#), [wnba\\_teamgamestreakfinder\(\)](#), [wnba\\_teamhistoricalleaders\(\)](#), [wnba\\_teamplayerdashboard\(\)](#), [wnba\\_teamplayeronoffdetails\(\)](#), [wnba\\_teamplayeronoffsummary\(\)](#), [wnba\\_teams\(\)](#), [wnba\\_teamvsplayer\(\)](#)

---

 wnba\_todays\_scoreboard

### Get WNBA Stats API Today's Scoreboard

---

#### Description

**Get WNBA Stats API Today's Scoreboard**

**Get WNBA Stats API Today's Scoreboard**

#### Usage

```
wnba_todays_scoreboard(...)
```

#### Arguments

... Additional arguments passed to an underlying function like httr.

#### Details

```
wnba_todays_scoreboard()
```

#### Value

Return a data frame with the following columns:

col_name	types
game_id	character
game_code	character
game_status	integer
game_status_text	character
period	integer
game_clock	character
game_time_utc	character
game_et	character
regulation_periods	integer
series_game_number	logical
series_text	logical
home_team_id	integer
home_team_name	character
home_team_city	character
home_team_tricode	character
home_wins	integer
home_losses	integer
home_score	integer
home_in_bonus	character
home_timeouts_remaining	integer
home_periods	list

away_team_id	integer
away_team_name	character
away_team_city	character
away_team_tricode	character
away_wins	integer
away_losses	integer
away_score	integer
away_in_bonus	character
away_timeouts_remaining	integer
away_periods	list
home_leaders_person_id	integer
home_leaders_name	character
home_leaders_jersey_num	character
home_leaders_position	character
home_leaders_team_tricode	character
home_leaders_player_slug	character
home_leaders_points	integer
home_leaders_rebounds	integer
home_leaders_assists	integer
away_leaders_person_id	integer
away_leaders_name	character
away_leaders_jersey_num	character
away_leaders_position	character
away_leaders_team_tricode	character
away_leaders_player_slug	character
away_leaders_points	integer
away_leaders_rebounds	integer
away_leaders_assists	integer
pb_odds_team	logical
pb_odds_odds	numeric
pb_odds_suspended	integer

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Schedule Functions: [wnba\\_schedule\(\)](#), [wnba\\_scoreboardv2\(\)](#), [wnba\\_scoreboardv3\(\)](#)

Other WNBA Live Functions: [wnba\\_live\\_pbp\(\)](#)

**Description****Get WNBA Stats API Video Details****Get WNBA Stats API Video Details****Usage**

```

wnba_videodetails(
  ahead_behind = "",
  clutch_time = "",
  context_filter = "",
  context_measure = "FGA",
  date_from = "",
  date_to = "",
  end_period = "",
  end_range = "",
  game_id = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  period = 0,
  player_id = "1627668",
  point_diff = "",
  position = "",
  range_type = "",
  rookie_year = "",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  start_period = "",
  start_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

```

**Arguments**

ahead_behind	ahead_behind
clutch_time	clutch_time
context_filter	context_filter
context_measure	context_measure

date_from	date_from
date_to	date_to
end_period	end_period
end_range	end_range
game_id	game_id
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
outcome	outcome
period	period
player_id	player_id
point_diff	point_diff
position	position
range_type	range_type
rookie_year	rookie_year
season	season
season_segment	season_segment
season_type	season_type
start_period	start_period
start_range	start_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_videodetails(player_id = '1627668', team_id = '1611661328')
```

**Value**

Return a list of tibbles: videoUrls, playlist

**videoUrls**

col_name	types
uuid	character



dur	logical
stt	logical
stp	logical
sth	logical
stw	logical
mtt	logical
mtp	logical
mth	logical
mtw	logical
ltt	logical
ltp	logical
lth	logical
ltw	logical

**playlist**

col_name	types
gi	character
ei	integer
y	integer
m	character
d	character
gc	character
p	integer
dsc	character
ha	character
va	character
hpb	integer
hpa	integer
vpb	integer
vpa	integer
pta	integer

**Author(s)**

Saiem Gilani

**See Also**Other WNBA Video Functions: [wnba\\_videodetailsasset\(\)](#), [wnba\\_videoevents\(\)](#), [wnba\\_videostatus\(\)](#)

---

wnba\_videodetailsasset

**Get WNBA Stats API Video Details**

---

**Description**

**Get WNBA Stats API Video Details**

**Get WNBA Stats API Video Details**

**Usage**

```
wnba_videodetailsasset(  
  ahead_behind = "",  
  clutch_time = "",  
  context_filter = "",  
  context_measure = "FGA",  
  date_from = "",  
  date_to = "",  
  end_period = "",  
  end_range = "",  
  game_id = "",  
  game_segment = "",  
  last_n_games = 0,  
  league_id = "10",  
  location = "",  
  month = 0,  
  opponent_team_id = 0,  
  outcome = "",  
  period = 0,  
  player_id = "1627668",  
  point_diff = "",  
  position = "",  
  range_type = "",  
  rookie_year = "",  
  season = most_recent_wnba_season(),  
  season_segment = "",  
  season_type = "Regular Season",  
  start_period = "",  
  start_range = "",  
  team_id = "1611661328",  
  vs_conference = "",  
  vs_division = "",  
  ...  
)
```

**Arguments**

ahead_behind	ahead_behind
clutch_time	clutch_time
context_filter	context_filter
context_measure	context_measure
date_from	date_from
date_to	date_to
end_period	end_period
end_range	end_range
game_id	game_id
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
outcome	outcome
period	period
player_id	player_id
point_diff	point_diff
position	position
range_type	range_type
rookie_year	rookie_year
season	season
season_segment	season_segment
season_type	season_type
start_period	start_period
start_range	start_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_videodetailsasset(player_id = '1627668', team_id = '1611661328')
```

**Value**

Return a list of tibbles: videoUrls, playlist

**videoUrls**

col_name	types
uuid	character
sdur	integer
surl	character
sth	character
mdur	integer
murl	character
mth	character
ldur	integer
lurl	character
lth	character
vtt	character
scc	character
srt	character

**playlist**

col_name	types
gi	character
ei	integer
y	integer
m	character
d	character
gc	character
p	integer
dsc	character
ha	character
hid	integer
va	character
vid	integer
hpb	integer
hpa	integer
vpb	integer
vpa	integer
pta	integer

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Video Functions: [wnba\\_videodetails\(\)](#), [wnba\\_videoevents\(\)](#), [wnba\\_videostatus\(\)](#)

---

**wnba\_videoevents      Get WNBA Stats API Video Events**

---

**Description****Get WNBA Stats API Video Events****Get WNBA Stats API Video Events****Usage**

```
wnba_videoevents(game_id = "1022200075", game_event_id = "10", ...)
```

**Arguments**

game_id	game_id
game_event_id	game_event_id
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_videoevents(game_id = '1022200075', game_event_id = '10')
```

**Value**

Return a list of tibbles: videoUrls, playlist

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Video Functions: [wnba\\_videodetailsasset\(\)](#), [wnba\\_videodetails\(\)](#), [wnba\\_videostatus\(\)](#)

---

**wnba\_videostatus      Get WNBA Stats API Video Status**

---

**Description****Get WNBA Stats API Video Status****Get WNBA Stats API Video Status****Usage**

```
wnba_videostatus(game_date = "2022-06-10", league_id = "10", ...)
```

**Arguments**

game_date	game_date
league_id	league_id
...	Additional arguments passed to an underlying function like httr.

**Details**

```
wnba_videostatus(game_date = '2022-06-10', league_id = '10')
```

**Value**

Return a list of tibbles: VideoStatus

**VideoStatus**

col_name	types
GAME_ID	character
GAME_DATE	character
VISITOR_TEAM_ID	character
VISITOR_TEAM_CITY	character
VISITOR_TEAM_NAME	character
VISITOR_TEAM_ABBREVIATION	character
HOME_TEAM_ID	character
HOME_TEAM_CITY	character
HOME_TEAM_NAME	character
HOME_TEAM_ABBREVIATION	character
GAME_STATUS	character
GAME_STATUS_TEXT	character
IS_AVAILABLE	character
PT_XYZ_AVAILABLE	character

**Author(s)**

Saiem Gilani

**See Also**

Other WNBA Video Functions: [wnba\\_videodetailsasset\(\)](#), [wnba\\_videodetails\(\)](#), [wnba\\_videoevents\(\)](#)

# Index

- \* **Box**
  - espn\_wbb\_player\_box, 16
  - espn\_wbb\_team\_box, 27
  - espn\_wnba\_player\_box, 41
  - espn\_wnba\_team\_box, 51
- \* **Conferences**
  - espn\_wbb\_conferences, 6
- \* **ESPN WBB Functions**
  - espn\_wbb\_conferences, 6
  - espn\_wbb\_game\_all, 7
  - espn\_wbb\_game\_rosters, 12
  - espn\_wbb\_pbp, 14
  - espn\_wbb\_player\_box, 16
  - espn\_wbb\_player\_stats, 18
  - espn\_wbb\_rankings, 21
  - espn\_wbb\_scoreboard, 23
  - espn\_wbb\_standings, 24
  - espn\_wbb\_team\_box, 27
  - espn\_wbb\_team\_stats, 29
  - espn\_wbb\_teams, 26
- \* **ESPN WNBA Functions**
  - espn\_wnba\_game\_all, 32
  - espn\_wnba\_game\_rosters, 37
  - espn\_wnba\_pbp, 39
  - espn\_wnba\_player\_box, 41
  - espn\_wnba\_player\_stats, 43
  - espn\_wnba\_scoreboard, 47
  - espn\_wnba\_standings, 48
  - espn\_wnba\_team\_box, 51
  - espn\_wnba\_team\_stats, 53
  - espn\_wnba\_teams, 50
- \* **Game**
  - espn\_wbb\_game\_all, 7
  - espn\_wbb\_game\_rosters, 12
  - espn\_wnba\_game\_all, 32
  - espn\_wnba\_game\_rosters, 37
- \* **Internal**
  - check\_status, 6
  - csv\_from\_url, 6
  - progressively, 71
  - rds\_from\_url, 71
- \* **NBA Boxscore Functions**
  - wnba\_live\_boxscore, 243
- \* **NBA Live Functions**
  - wnba\_live\_boxscore, 243
- \* **NCAA WBB Functions**
  - ncaa\_wbb\_NET\_rankings, 69
- \* **NCAA**
  - ncaa\_wbb\_NET\_rankings, 69
- \* **NET**
  - ncaa\_wbb\_NET\_rankings, 69
- \* **PBP**
  - espn\_wbb\_pbp, 14
  - espn\_wnba\_pbp, 39
- \* **Player**
  - espn\_wbb\_player\_box, 16
  - espn\_wbb\_player\_stats, 18
  - espn\_wnba\_player\_box, 41
  - espn\_wnba\_player\_stats, 43
- \* **Rankings**
  - espn\_wbb\_rankings, 21
  - ncaa\_wbb\_NET\_rankings, 69
- \* **Roster**
  - espn\_wbb\_game\_rosters, 12
  - espn\_wnba\_game\_rosters, 37
- \* **Scoreboard**
  - espn\_wbb\_scoreboard, 23
  - espn\_wnba\_scoreboard, 47
- \* **Standings**
  - espn\_wbb\_standings, 24
  - espn\_wnba\_standings, 48
- \* **Stats**
  - espn\_wbb\_player\_stats, 18
  - espn\_wbb\_team\_stats, 29
  - espn\_wnba\_player\_stats, 43
  - espn\_wnba\_team\_stats, 53
- \* **Teams**
  - espn\_wbb\_teams, 26

- espn\_wnba\_teams, 50
- \* **Team**
  - espn\_wbb\_team\_box, 27
  - espn\_wbb\_team\_stats, 29
  - espn\_wnba\_team\_box, 51
  - espn\_wnba\_team\_stats, 53
- \* **WBB**
  - espn\_wbb\_conferences, 6
  - espn\_wbb\_game\_all, 7
  - espn\_wbb\_game\_rovers, 12
  - espn\_wbb\_pbp, 14
  - espn\_wbb\_player\_box, 16
  - espn\_wbb\_player\_stats, 18
  - espn\_wbb\_rankings, 21
  - espn\_wbb\_scoreboard, 23
  - espn\_wbb\_standings, 24
  - espn\_wbb\_team\_box, 27
  - espn\_wbb\_team\_stats, 29
  - espn\_wbb\_teams, 26
  - ncaa\_wbb\_NET\_rankings, 69
- \* **WNBA Boxscore Functions**
  - wnba\_boxscoreadvancedv2, 81
  - wnba\_boxscorefourfactorsv2, 88
  - wnba\_boxscoremiscv2, 97
  - wnba\_boxscoreplayertrackv2, 102
  - wnba\_boxscorescoringv2, 109
  - wnba\_boxscoresummaryv2, 115
  - wnba\_boxscoretraditionalv2, 119
  - wnba\_boxscoreusagev2, 128
  - wnba\_gamerotation, 165
  - wnba\_hustlestatsboxscore, 177
- \* **WNBA Boxscore V3 Functions**
  - wnba\_boxscoreadvancedv3, 84
  - wnba\_boxscorefourfactorsv3, 90
  - wnba\_boxscorehustlev2, 93
  - wnba\_boxscoremiscv3, 99
  - wnba\_boxscoreplayertrackv3, 105
  - wnba\_boxscorescoringv3, 111
  - wnba\_boxscoretraditionalv3, 122
- \* **WNBA Clutch Functions**
  - wnba\_leaguedashteamclutch, 200
  - wnba\_playerdashboardbyclutch, 273
  - wnba\_teamdashboardbyclutch, 405
- \* **WNBA Cume Functions**
  - wnba\_cumestatsplayer, 137
  - wnba\_cumestatsplayergames, 139
  - wnba\_cumestatsteam, 141
  - wnba\_cumestatsteamgames, 144
- \* **WNBA Draft Functions**
  - wnba\_draftboard, 147
  - wnba\_draftcombinedrillresults, 149
  - wnba\_draftcombinenonstationaryshooting, 150
  - wnba\_draftcombineplayeranthro, 151
  - wnba\_draftcombinespotshooting, 152
  - wnba\_draftcombinestats, 153
  - wnba\_drafthistory, 155
- \* **WNBA Fantasy Functions**
  - wnba\_fantasywidget, 156
  - wnba\_infographicfanduelplayer, 179
  - wnba\_playerfantasyprofile, 351
  - wnba\_playerfantasyprofilebargraph, 357
- \* **WNBA Franchise Functions**
  - wnba\_franchisehistory, 158
  - wnba\_franchiseleaders, 160
  - wnba\_franchiseleaderswrnk, 161
  - wnba\_franchiseplayers, 163
- \* **WNBA Game Finder Functions**
  - wnba\_leaguegamefinder, 210
  - wnba\_playergamestreakfinder, 364
  - wnba\_teamgamestreakfinder, 487
- \* **WNBA Hustle Functions**
  - wnba\_hustlestatsboxscore, 177
  - wnba\_leaguehustlestatsplayer, 218
  - wnba\_leaguehustlestatsplayerleaders, 221
  - wnba\_leaguehustlestatsteam, 224
  - wnba\_leaguehustlestatsteamleaders, 227
- \* **WNBA Leaders Functions**
  - wnba\_alltimeleadersgrids, 74
  - wnba\_assistleaders, 79
  - wnba\_assisttracker, 80
  - wnba\_homepagewidget, 167
  - wnba\_leagueleaders, 230
- \* **WNBA League Functions**
  - wnba\_leaguedashlineups, 181
  - wnba\_leaguedashplayerbiostats, 184
  - wnba\_leaguedashplayerclutch, 188
  - wnba\_leaguedashplayershotlocations, 192
  - wnba\_leaguedashplayerstats, 196
  - wnba\_leaguedashteamclutch, 200
  - wnba\_leaguedashteamshotlocations, 204



- wnba\_leaguedashteamstats, 207
- wnba\_leaguegamefinder, 210
- wnba\_leaguegamelog, 216
- wnba\_leaguelineupviz, 232
- wnba\_leagueplayerondetails, 235
- wnba\_leagueseasonmatchups, 238
- wnba\_leaguestandingsv3, 240
- wnba\_shotchartleaguewide, 399
- \* **WNBA Lineup Functions**
  - wnba\_gamerotation, 165
  - wnba\_leaguedashlineups, 181
  - wnba\_leaguelineupviz, 232
  - wnba\_shotchartlineupdetail, 401
  - wnba\_teamdashlineups, 473
- \* **WNBA Live Functions**
  - wnba\_live\_pbp, 251
  - wnba\_todays\_scoreboard, 525
- \* **WNBA PBP Functions**
  - wnba\_data\_pbp, 145
  - wnba\_live\_pbp, 251
  - wnba\_pbp, 253
  - wnba\_pbps, 255
- \* **WNBA Player Functions**
  - wnba\_infographicfanduelplayer, 179
  - wnba\_leaguedashplayerbiostats, 184
  - wnba\_leaguedashplayerclutch, 188
  - wnba\_leaguedashplayershotlocations, 192
  - wnba\_leaguedashplayerstats, 196
  - wnba\_leagueplayerondetails, 235
  - wnba\_leagueseasonmatchups, 238
  - wnba\_playerawards, 257
  - wnba\_playercareerbycollege, 258
  - wnba\_playercareerbycollegerollup, 260
  - wnba\_playercareerstats, 263
  - wnba\_playercompare, 270
  - wnba\_playerdashboardbyclutch, 273
  - wnba\_playerdashboardbygamesplits, 290
  - wnba\_playerdashboardbygeneralsplits, 299
  - wnba\_playerdashboardbylastngames, 311
  - wnba\_playerdashboardbyopponent, 322
  - wnba\_playerdashboardbyshootingsplits, 329
- wnba\_playerdashboardbyteamperformance, 337
- wnba\_playerdashboardbyyearoveryear, 345
- wnba\_playerestimatedmetrics, 350
- wnba\_playerfantasyprofile, 351
- wnba\_playerfantasyprofilebargraph, 357
- wnba\_playergameog, 359
- wnba\_playergameogs, 360
- wnba\_playergamestreakfinder, 364
- wnba\_playerheadshot, 369
- wnba\_playerindex, 370
- wnba\_playernextngames, 372
- wnba\_playerprofilev2, 374
- wnba\_playervsplayer, 382
- \* **WNBA Player Tracking Functions**
  - wnba\_boxscoreplayertrackv2, 102
- \* **WNBA Roster Functions**
  - wnba\_commonallplayers, 131
  - wnba\_commonplayerinfo, 132
  - wnba\_commonteamroster, 135
- \* **WNBA Schedule Functions**
  - wnba\_schedule, 388
  - wnba\_scoreboardv2, 390
  - wnba\_scoreboardv3, 394
  - wnba\_todays\_scoreboard, 525
- \* **WNBA Shooting Functions**
  - wnba\_leaguedashplayershotlocations, 192
  - wnba\_leaguedashteamshotlocations, 204
  - wnba\_playerdashboardbyshootingsplits, 329
  - wnba\_shotchartdetail, 397
  - wnba\_shotchartleaguewide, 399
  - wnba\_shotchartlineupdetail, 401
  - wnba\_teamdashboardbyshootingsplits, 454
- \* **WNBA Team Functions**
  - wnba\_leaguedashteamstats, 207
  - wnba\_teamdashboardbyclutch, 405
  - wnba\_teamdashboardbygamesplits, 420
  - wnba\_teamdashboardbygeneralsplits, 429
  - wnba\_teamdashboardbylastngames, 438

- wnba\_teamdashboardbyopponent, [447](#)
- wnba\_teamdashboardbyshootingsplits, [454](#)
- wnba\_teamdashboardbyteamperformance, [461](#)
- wnba\_teamdashboardbyyearoveryear, [468](#)
- wnba\_teamdashlineups, [473](#)
- wnba\_teamdetails, [478](#)
- wnba\_teamestimatedmetrics, [480](#)
- wnba\_teamgame, [482](#)
- wnba\_teamgame, [484](#)
- wnba\_teamgamestreakfinder, [487](#)
- wnba\_teamhistoricalleaders, [497](#)
- wnba\_teamplayerdashboard, [499](#)
- wnba\_teamplayeronoffdetails, [503](#)
- wnba\_teamplayeronoffsummary, [509](#)
- wnba\_teams, [513](#)
- wnba\_teamvsplayer, [515](#)
- wnba\_teamyearbyyearstats, [523](#)
- \* **WNBA Video Functions**
  - wnba\_videodetails, [526](#)
  - wnba\_videodetailsasset, [530](#)
  - wnba\_videoevents, [533](#)
  - wnba\_videostatus, [533](#)
- \* **WNBA**
  - espn\_wnba\_game\_all, [32](#)
  - espn\_wnba\_game\_rosters, [37](#)
  - espn\_wnba\_pbp, [39](#)
  - espn\_wnba\_player\_box, [41](#)
  - espn\_wnba\_player\_stats, [43](#)
  - espn\_wnba\_scoreboard, [47](#)
  - espn\_wnba\_standings, [48](#)
  - espn\_wnba\_team\_box, [51](#)
  - espn\_wnba\_team\_stats, [53](#)
  - espn\_wnba\_teams, [50](#)
  - .players\_on\_court, [5](#)
- check\_status, [6](#)
- csv\_from\_url, [6](#)
- DBI:::dbConnect(), [59](#), [62–64](#), [66–68](#), [72](#), [73](#)
- espn\_wbb\_conferences, [6](#), [11](#), [14](#), [15](#), [17](#), [21](#), [22](#), [24](#), [26](#), [27](#), [29](#), [32](#)
- espn\_wbb\_game\_all, [7](#), [7](#), [14](#), [15](#), [17](#), [21](#), [22](#), [24](#), [26](#), [27](#), [29](#), [32](#)
- espn\_wbb\_game\_rosters, [7](#), [11](#), [12](#), [15](#), [17](#), [21](#), [22](#), [24](#), [26](#), [27](#), [29](#), [32](#)
- espn\_wbb\_pbp, [7](#), [11](#), [14](#), [14](#), [17](#), [21](#), [22](#), [24](#), [26](#), [27](#), [29](#), [32](#)
- espn\_wbb\_player\_box, [7](#), [11](#), [14](#), [15](#), [16](#), [21](#), [22](#), [24](#), [26](#), [27](#), [29](#), [32](#)
- espn\_wbb\_player\_stats, [7](#), [11](#), [14](#), [15](#), [17](#), [18](#), [22](#), [24](#), [26](#), [27](#), [29](#), [32](#)
- espn\_wbb\_rankings, [7](#), [11](#), [14](#), [15](#), [17](#), [21](#), [21](#), [24](#), [26](#), [27](#), [29](#), [32](#)
- espn\_wbb\_scoreboard, [7](#), [11](#), [14](#), [15](#), [17](#), [21](#), [22](#), [23](#), [26](#), [27](#), [29](#), [32](#)
- espn\_wbb\_standings, [7](#), [11](#), [14](#), [15](#), [17](#), [21](#), [22](#), [24](#), [24](#), [27](#), [29](#), [32](#)
- espn\_wbb\_team\_box, [7](#), [11](#), [14](#), [15](#), [17](#), [21](#), [22](#), [24](#), [26](#), [27](#), [27](#), [32](#)
- espn\_wbb\_team\_stats, [7](#), [11](#), [14](#), [15](#), [17](#), [21](#), [22](#), [24](#), [26](#), [27](#), [29](#), [29](#)
- espn\_wbb\_teams, [7](#), [11](#), [14](#), [15](#), [17](#), [21](#), [22](#), [24](#), [26](#), [26](#), [29](#), [32](#)
- espn\_wnba\_game\_all, [32](#), [39](#), [41](#), [43](#), [47–50](#), [52](#), [56](#)
- espn\_wnba\_game\_rosters, [36](#), [37](#), [41](#), [43](#), [47–50](#), [52](#), [56](#)
- espn\_wnba\_pbp, [36](#), [39](#), [39](#), [43](#), [47–50](#), [52](#), [56](#)
- espn\_wnba\_player\_box, [36](#), [39](#), [41](#), [41](#), [47–50](#), [52](#), [56](#)
- espn\_wnba\_player\_stats, [36](#), [39](#), [41](#), [43](#), [43](#), [48–50](#), [52](#), [56](#)
- espn\_wnba\_scoreboard, [36](#), [39](#), [41](#), [43](#), [47](#), [47](#), [49](#), [50](#), [52](#), [56](#)
- espn\_wnba\_standings, [36](#), [39](#), [41](#), [43](#), [47](#), [48](#), [48](#), [50](#), [52](#), [56](#)
- espn\_wnba\_team\_box, [36](#), [39](#), [41](#), [43](#), [47–50](#), [51](#), [56](#)
- espn\_wnba\_team\_stats, [36](#), [39](#), [41](#), [43](#), [47–50](#), [52](#), [53](#)
- espn\_wnba\_teams, [36](#), [39](#), [41](#), [43](#), [47–49](#), [50](#), [52](#), [56](#)
- helper\_espn\_wbb\_pbp, [56](#)
- helper\_espn\_wbb\_player\_box, [56](#)
- helper\_espn\_wbb\_team\_box, [57](#)
- helper\_espn\_wnba\_pbp, [57](#)
- helper\_espn\_wnba\_player\_box, [58](#)
- helper\_espn\_wnba\_team\_box, [58](#)
- load\_wbb\_pbp, [59](#)
- load\_wbb\_player\_box, [61](#)
- load\_wbb\_schedule, [62](#)
- load\_wbb\_team\_box, [63](#)

- load\_wnba\_pbp, 64
- load\_wnba\_player\_box, 66
- load\_wnba\_schedule, 67
- load\_wnba\_team\_box, 67
- most\_recent\_wbb\_season, 68
- most\_recent\_wnba\_season, 69
- ncaa\_wbb\_NET\_rankings, 69
- ncaa\_wbb\_teams, 70
- progressively, 71
- rds\_from\_url, 71
- readRDS(), 71
- update\_wbb\_db, 72
- update\_wnba\_db, 73
- wnba\_alltimeleadersgrids, 74, 80, 81, 177, 232
- wnba\_assistleaders, 79, 79, 81, 177, 232
- wnba\_assisttracker, 79, 80, 80, 177, 232
- wnba\_boxscoreadvancedv2, 81, 90, 99, 104, 111, 118, 121, 131, 166, 179
- wnba\_boxscoreadvancedv3, 84, 93, 97, 102, 109, 115, 128
- wnba\_boxscorefourfactorsv2, 84, 88, 99, 104, 111, 118, 121, 131, 166, 179
- wnba\_boxscorefourfactorsv3, 88, 90, 97, 102, 109, 115, 128
- wnba\_boxscorehustlev2, 88, 93, 93, 102, 109, 115, 128
- wnba\_boxscoremiscv2, 84, 90, 97, 104, 111, 118, 121, 131, 166, 179
- wnba\_boxscoremiscv3, 88, 93, 97, 99, 109, 115, 128
- wnba\_boxscoreplayertrackv2, 84, 90, 99, 102, 111, 118, 121, 131, 166, 179
- wnba\_boxscoreplayertrackv3, 88, 93, 97, 102, 105, 115, 128
- wnba\_boxscorescoringv2, 84, 90, 99, 104, 109, 118, 121, 131, 166, 179
- wnba\_boxscorescoringv3, 88, 93, 97, 102, 109, 111, 128
- wnba\_boxscoressummaryv2, 84, 90, 99, 104, 111, 115, 121, 131, 166, 179
- wnba\_boxscoretraditionalv2, 84, 90, 99, 104, 111, 118, 119, 131, 166, 179
- wnba\_boxscoretraditionalv3, 88, 93, 97, 102, 109, 115, 122
- wnba\_boxscoreusagev2, 84, 90, 99, 104, 111, 118, 121, 128, 166, 179
- wnba\_commonallplayers, 131, 134, 136
- wnba\_commonplayerinfo, 132, 132, 136
- wnba\_commonplayoffseries, 134
- wnba\_commonteamroster, 132, 134, 135
- wnba\_cumestatsplayer, 137, 140, 143, 145
- wnba\_cumestatsplayergames, 139, 139, 143, 145
- wnba\_cumestatsteam, 139, 140, 141, 145
- wnba\_cumestatsteamgames, 139, 140, 143, 144
- wnba\_data\_pbp, 145, 253, 255, 257
- wnba\_draftboard, 147, 149–152, 154, 156
- wnba\_draftcombinedrillresults, 148, 149, 150–152, 154, 156
- wnba\_draftcombinenonstationaryshooting, 148, 149, 150, 151, 152, 154, 156
- wnba\_draftcombineplayeranthro, 148–150, 151, 152, 154, 156
- wnba\_draftcombinespotshooting, 148–151, 152, 154, 156
- wnba\_draftcombinestats, 148–152, 153, 156
- wnba\_drafthistory, 148–152, 154, 155
- wnba\_fantasywidget, 156, 181, 356, 358
- wnba\_franchisehistory, 158, 161, 163, 165
- wnba\_franchiseleaders, 160, 160, 163, 165
- wnba\_franchiseleaderswrnk, 160, 161, 161, 165
- wnba\_franchiseplayers, 160, 161, 163, 163
- wnba\_gamerotation, 84, 90, 99, 104, 111, 118, 121, 131, 165, 179, 184, 235, 405, 477
- wnba\_homepagewidget, 79–81, 167, 232
- wnba\_hustlestatsboxscore, 84, 90, 99, 104, 111, 118, 121, 131, 166, 177, 220, 224, 227, 230
- wnba\_infographicfanduelplayer, 158, 179, 187, 192, 195, 200, 238, 240, 258, 260, 263, 269, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 373, 382, 388
- wnba\_leaguedashlineups, 166, 181, 187, 192, 195, 200, 203, 206, 210, 216,

- 218, 235, 238, 240, 243, 400, 405, 477
- wnba\_leaguedashplayerbiostats, 181, 184, 184, 192, 195, 200, 203, 206, 210, 216, 218, 235, 238, 240, 243, 258, 260, 263, 269, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 373, 382, 388, 400
- wnba\_leaguedashplayerclutch, 181, 184, 187, 188, 195, 200, 203, 206, 210, 216, 218, 235, 238, 240, 243, 258, 260, 263, 269, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 373, 382, 388, 400
- wnba\_leaguedashplayershotlocations, 181, 184, 187, 192, 192, 200, 203, 206, 210, 216, 218, 235, 238, 240, 243, 258, 260, 263, 269, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 373, 382, 388, 399, 400, 405, 461
- wnba\_leaguedashplayerstats, 181, 184, 187, 192, 195, 196, 203, 206, 210, 216, 218, 235, 238, 240, 243, 258, 260, 263, 269, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 373, 382, 388, 400
- wnba\_leaguedashteamclutch, 184, 187, 192, 195, 200, 200, 206, 210, 216, 218, 235, 238, 240, 243, 290, 400, 420
- wnba\_leaguedashteamshotlocations, 184, 187, 192, 195, 196, 200, 203, 204, 210, 216, 218, 235, 238, 240, 243, 337, 399, 400, 405, 461
- wnba\_leaguedashteamstats, 184, 187, 192, 195, 200, 203, 206, 207, 216, 218, 235, 238, 240, 243, 400, 420, 428, 438, 447, 454, 461, 468, 473, 477, 480, 481, 483, 486, 497, 499, 503, 509, 513, 514, 522, 524
- wnba\_leaguegamefinder, 184, 187, 192, 195, 200, 203, 206, 210, 210, 218, 235, 238, 240, 243, 369, 400, 497
- wnba\_leaguegameog, 184, 187, 192, 195, 200, 203, 206, 210, 216, 216, 235, 238, 240, 243, 400
- wnba\_leaguehustlestatsplayer, 179, 218, 224, 227, 230
- wnba\_leaguehustlestatsplayerleaders, 179, 220, 221, 227, 230
- wnba\_leaguehustlestatsteam, 179, 220, 224, 224, 230
- wnba\_leaguehustlestatsteamleaders, 179, 220, 224, 227, 227
- wnba\_leagueleaders, 79–81, 177, 230
- wnba\_leaguelineupviz, 166, 184, 187, 192, 195, 200, 203, 206, 210, 216, 218, 232, 238, 240, 243, 400, 405, 477
- wnba\_leagueplayerondetails, 181, 184, 187, 192, 195, 200, 203, 206, 210, 216, 218, 235, 235, 240, 243, 258, 260, 263, 269, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 373, 382, 388, 400
- wnba\_leagueseasonmatchups, 181, 184, 187, 192, 195, 200, 203, 206, 210, 216, 218, 235, 238, 238, 243, 258, 260, 263, 269, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 373, 382, 388, 400
- wnba\_leaguestandingsv3, 184, 187, 192, 195, 200, 203, 206, 210, 216, 218, 235, 238, 240, 240, 400
- wnba\_live\_boxscore, 243
- wnba\_live\_pbp, 146, 251, 255, 257, 526
- wnba\_pbp, 146, 253, 253, 257
- wnba\_pbps, 146, 253, 255, 255
- wnba\_playerawards, 181, 187, 192, 195, 200, 238, 240, 257, 260, 263, 269, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 373, 382, 388
- wnba\_playercareerbycollege, 181, 187, 192, 195, 200, 238, 240, 258, 258, 263, 269, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 374, 382, 388
- wnba\_playercareerbycollegerollup, 181, 187, 192, 195, 200, 238, 240, 258,

- 260, 260, 269, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 373, 382, 388
- wnba\_playercareerstats, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 263, 273, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 374, 382, 388
- wnba\_playercompare, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 269, 270, 290, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 374, 382, 388
- wnba\_playerdashboardbyclutch, 181, 187, 192, 195, 200, 203, 238, 240, 258, 260, 263, 269, 273, 273, 299, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 363, 369, 370, 372, 374, 382, 388, 420
- wnba\_playerdashboardbygamesplits, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 269, 273, 290, 290, 311, 321, 329, 337, 344, 349, 351, 356, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playerdashboardbygeneralsplits, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 269, 273, 290, 299, 299, 321, 329, 337, 344, 349, 351, 356, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playerdashboardbylastngames, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 269, 273, 290, 299, 311, 311, 329, 337, 344, 349, 351, 356, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playerdashboardbyopponent, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 321, 322, 337, 344, 349, 351, 356, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playerdashboardbyshootingsplits, 181, 187, 192, 195, 196, 200, 206, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 321, 329, 329, 344, 349, 351, 356, 358, 360, 364, 364, 370, 372, 374, 382, 388
- wnba\_playerdashboardbyteamperformance, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 321, 329, 337, 337, 349, 351, 356, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playerdashboardbyyearoveryear, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 321, 329, 337, 344, 345, 351, 356, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playerestimatedmetrics, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 321, 329, 337, 345, 349, 350, 356, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playerfantasyprofile, 158, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 321, 329, 337, 345, 349, 351, 351, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playerfantasyprofilebargraph, 158, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 321, 329, 337, 345, 349, 351, 356, 357, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playergameog, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 322, 329, 337, 345, 349, 351, 356, 358, 359, 364, 369, 370, 372, 374, 382, 388
- wnba\_playergameoglogs, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 322, 329, 337, 345, 349, 351, 356, 358, 360, 360, 369, 370, 372, 374, 382, 388
- wnba\_playergamestreakfinder, 181, 187, 192, 195, 200, 216, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 322, 329, 337, 345, 349, 351, 356, 358, 360, 364, 364, 370, 372, 374, 382, 388

- 382, 388, 497
- wnba\_playerheadshot, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 322, 329, 337, 345, 349, 351, 356, 358, 360, 364, 369, 372, 374, 382, 388
- wnba\_playerindex, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 322, 329, 337, 345, 349, 351, 356, 358, 360, 364, 369, 370, 374, 382, 388
- wnba\_playernextngames, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 322, 329, 337, 345, 349, 351, 356, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playerprofilev2, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 322, 329, 337, 345, 349, 351, 356, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_playersvsplayer, 181, 187, 192, 195, 200, 238, 240, 258, 260, 263, 270, 273, 290, 299, 311, 322, 329, 337, 345, 349, 351, 356, 358, 360, 364, 369, 370, 372, 374, 382, 388
- wnba\_schedule, 388, 394, 396, 526
- wnba\_scoreboardv2, 390, 390, 396, 526
- wnba\_scoreboardv3, 390, 394, 394, 526
- wnba\_shotchartdetail, 196, 206, 337, 397, 400, 405, 461
- wnba\_shotchartleaguewide, 184, 187, 192, 195, 196, 200, 203, 206, 210, 216, 218, 235, 238, 240, 243, 337, 399, 399, 405, 461
- wnba\_shotchartlineupdetail, 166, 184, 196, 206, 235, 337, 399, 400, 401, 461, 477
- wnba\_teamdashboardbyclutch, 203, 210, 290, 405, 428, 438, 447, 454, 461, 468, 473, 477, 480, 481, 483, 486, 497, 499, 503, 509, 513, 514, 522, 524
- wnba\_teamdashboardbygamesplits, 210, 420, 420, 438, 447, 454, 461, 468, 473, 477, 480, 481, 483, 486, 497, 499, 503, 509, 513, 514, 522, 524
- wnba\_teamdashboardbygeneralsplits, 210, 420, 428, 429, 447, 454, 461, 468, 473, 477, 480, 481, 483, 486, 497, 499, 503, 509, 513, 514, 522, 524
- wnba\_teamdashboardbylastngames, 210, 420, 428, 438, 438, 454, 461, 468, 473, 477, 480, 481, 483, 486, 497, 499, 503, 509, 513, 514, 522, 524
- wnba\_teamdashboardbyopponent, 210, 420, 428, 438, 447, 447, 461, 468, 473, 477, 480, 482, 483, 486, 497, 499, 503, 509, 513, 514, 522, 524
- wnba\_teamdashboardbyshootingsplits, 196, 206, 210, 337, 399, 400, 405, 420, 428, 438, 447, 454, 454, 468, 473, 477, 480, 482, 483, 486, 497, 499, 503, 509, 513, 514, 522, 524
- wnba\_teamdashboardbyteamperformance, 210, 420, 428, 438, 447, 454, 461, 461, 473, 477, 480, 482, 483, 486, 497, 499, 503, 509, 513, 514, 522, 524
- wnba\_teamdashboardbyyearoveryear, 210, 420, 428, 438, 447, 454, 461, 468, 468, 477, 480, 482, 483, 487, 497, 499, 503, 509, 513, 514, 523, 524
- wnba\_teamdashlineups, 166, 184, 210, 235, 405, 420, 428, 438, 447, 454, 461, 468, 473, 473, 480, 482, 483, 487, 497, 499, 503, 509, 513, 514, 523, 524
- wnba\_teamdetails, 210, 420, 428, 438, 447, 454, 461, 468, 473, 477, 478, 482, 483, 487, 497, 499, 503, 509, 513, 514, 523, 524
- wnba\_teamestimatedmetrics, 210, 420, 428, 438, 447, 454, 461, 468, 473, 477, 480, 480, 483, 487, 497, 499, 503, 509, 513, 514, 523, 524
- wnba\_teamgameog, 210, 420, 428, 438, 447, 454, 461, 468, 473, 477, 480, 482, 482, 487, 497, 499, 503, 509, 513, 515, 523, 524
- wnba\_teamgameogs, 210, 420, 428, 438, 447, 454, 461, 468, 473, 477, 480, 482, 483, 484, 497, 499, 503, 509, 513, 515, 523, 524
- wnba\_teamgamestreakfinder, 210, 216, 369, 420, 428, 438, 447, 454, 461, 468,

473, 477, 480, 482, 483, 487, 487,  
499, 503, 509, 513, 515, 523, 524

wnba\_teamhistoricalleaders, 210, 420,  
428, 438, 447, 454, 461, 468, 473,  
477, 480, 482, 483, 487, 497, 497,  
503, 509, 513, 515, 523, 524

wnba\_teamplayerdashboard, 210, 420, 428,  
438, 447, 454, 461, 468, 473, 477,  
480, 482, 483, 487, 497, 499, 499,  
509, 513, 515, 523, 524

wnba\_teamplayeronoffdetails, 210, 420,  
428, 438, 447, 454, 461, 468, 473,  
477, 480, 482, 483, 487, 497, 499,  
503, 503, 513, 515, 523, 524

wnba\_teamplayeronoffsummary, 210, 420,  
428, 438, 447, 454, 461, 468, 473,  
477, 480, 482, 483, 487, 497, 499,  
503, 509, 509, 515, 523, 524

wnba\_teams, 210, 420, 428, 438, 447, 454,  
461, 468, 473, 477, 480, 482, 483,  
487, 497, 499, 503, 509, 513, 513,  
523, 524

wnba\_teamvsplayer, 210, 420, 428, 438, 447,  
454, 461, 468, 473, 477, 480, 482,  
483, 487, 497, 499, 503, 509, 513,  
515, 515, 524

wnba\_teamyearbyyearstats, 210, 420, 428,  
438, 447, 454, 461, 468, 473, 477,  
480, 482, 483, 487, 497, 499, 503,  
509, 513, 515, 523, 523

wnba\_todays\_scoreboard, 253, 390, 394,  
396, 525

wnba\_videodetails, 526, 532–534

wnba\_videodetailsasset, 529, 530, 533,  
534

wnba\_videoevents, 529, 532, 533, 534

wnba\_videostatus, 529, 532, 533, 533